

Nationwide House Energy Rating Scheme — Class 2 Summary

NatHERS Certificate No. #HR-WJ3FY5-01

Generated on 07 Sept 2022 using Hero 3.0.1

Property

Address 8-12 Princes Highway, Mollymook, NSW, 2539

Lot/DP Lot 1-3, DP 518702

NatHERS climate zone 18 - Nowra RAN

Accredited assessor



Manuel Basiri


Eco Certificates Pty Ltd

manuel@ecocertificates.com.au

+61 432471536

Accreditation No. DMN/12/1462

Assessor Accrediting Organisation DMN



APPROVED

Land and Environment Court of NSW

LEC No: 2021/00329677

DA20/1466

Date: 27/1/2023



Verification

To verify this certificate, scan the QR code or visit <http://www.hero-software.com.au/pdf/HR-WJ3FY5-01>. When using either link, ensure you are visiting <http://www.hero-software.com.au>

Summary of all dwellings

Certificate number and link	Unit Number	Heating load (MJ/m ²)	Cooling load (MJ/m ²)	Total load (MJ/m ²)	Star rating
HR-EYUIKP-01	Unit 01	39.9	25.1	65.0	6.7
HR-Y88GKY-01	Unit 02	37.1	13.7	50.8	7.4
HR-YH0GB4-01	Unit 03	45.9	13.5	59.4	7.0
HR-B1FM66-01	Unit 04	67.9	22.7	90.7	5.6

National Construction Code (NCC) requirements

The NCC's requirements for NatHERS-rated houses are detailed in 3.12.0(a)(i) and 3.12.5 of the NCC Volume Two. For apartments the requirements are detailed in J0.2 and J5 to J8 of the NCC Volume One.

In NCC 2019, these requirements include minimum star ratings and separate heating and cooling load limits that need to be met by buildings and apartments through the NatHERS assessment. Requirements additional to the NatHERS assessment that must also be satisfied include, but are not limited to: insulation installation methods, thermal breaks, building sealing, water heating and pumping, and artificial lighting requirements. The NCC and NatHERS Heating and Cooling Load Limits (Australian Building Codes Board Standard) are available at www.abcb.gov.au.

State and territory variations and additions to the NCC may also apply

Summary of all dwellings

Certificate number and link	Unit Number	Heating load (MJ/m ²)	Cooling load (MJ/m ²)	Total load (MJ/m ²)	Star rating
HR-2VL7LM-01	Unit 05	78.9	10.3	89.2	5.6
HR-OVQ89C-01	Unit 06	47.6	20.8	68.4	6.6
HR-VKXK57-01	Unit 07	58.6	22.7	81.2	5.9
HR-FAI7CG-01	Unit 08	77.9	21.3	99.2	5.2
HR-HBJ6HE-01	Unit 09	81.3	26.9	108.2	4.9
HR-434KVA-01	Unit 10	75.1	27.5	102.7	5.1
HR-YX8YYP-01	Unit 11	82.1	13.5	95.6	5.4
HR-FN540J-01	Unit 12	83.0	13.5	96.5	5.3
HR-02U6SM-01	Unit 13	79.9	19.8	99.7	5.2
HR-P5CTIU-01	Unit 14	60.0	29.7	89.7	5.6
HR-GALDCZ-01	Unit 15	77.7	25.7	103.5	5.1
HR-UCCPOR-01	Unit 16	31.9	30.2	62.2	6.9
HR-DY7CRE-01	Unit 17	35.7	22.2	57.8	7.1
HR-KQM4BD-01	Unit 18	76.4	12.3	88.6	5.7
HR-FPF7XO-01	Unit 19	74.0	12.5	86.5	5.8
HR-1ZMUV7-01	Unit 20	40.0	33.4	73.4	6.3
HR-BB4IOV-01	Unit 21	35.7	27.0	62.7	6.9
HR-WLIP9O-01	Unit 22	73.9	27.6	101.5	5.1
HR-1CHE5Y-01	Unit 23	65.3	32.4	97.7	5.3
HR-235O5W-01	Unit 24	72.0	27.8	99.8	5.2
HR-2852FP-01	Unit 25	56.4	35.6	92.0	5.5
HR-GJFVRH-01	Unit 26	53.7	27.8	81.5	5.9
HR-L0UMS8-01	Unit 27	64.0	24.1	88.1	5.7
HR-YA18V8-01	Unit 28	66.6	33.2	99.7	5.2
Average	28x (Total)	62.1	23.3	85.4	5.8

Explanatory Notes

About this report

This summary rating is the average rating of all NCC Class 2 dwellings in a development. The individual dwellings' ratings are a comprehensive, dynamic computer modelling evaluation of a home, using the floorplans, elevations and specifications to estimate the energy load. It addresses the building layout, orientation and fabric (i.e. walls, windows, floors, roofs and ceilings), but does not cover the water or energy use of appliances, or energy production of solar panels. For more details about an individual dwelling's assessment, refer to the individual dwelling's NatHERS Certificate (accessible via link).

Accredited Assessors

To ensure the NatHERS Certificate is of a high quality, always use an accredited or licenced assessor. NatHERS accredited assessors are members of a professional body called an Assessor Accrediting Organisation (AAO). AAOs have specific quality assurance processes in place, and continuing professional development requirements, to maintain a high and consistent standard of assessments across the country.

Any questions or concerns about this report should be directed to the assessor in the first instance. If the assessor is unable to address these questions or concerns, the AAO specified on the front of this certificate should be contacted.

Disclaimer

The format of the NatHERS Certificate was developed by the NatHERS Administrator. However the content, input and creation of the NatHERS Certificate is by the assessor. It is the responsibility of the assessor who prepared this certificate to use NatHERS accredited software correctly and follow the NatHERS Technical Notes to produce a NatHERS Certificate.