




PROTECTION CONFORMS TO THE GRADING LIMITS SPECIFIED ON THE SWMP

ENERGY DISSIPATER









- SHAPED, AT THE DIMENSIONS SHOWN ON THE SWMP.


- SHAPED, AT THE DIMENSIONS SHOWN ON THE SWMP.
 ENSURE THE BANKS ARE PROPERLY COMPACTED TO PREVENT FAILURE
 COMPLETE PERMANENT OR TEMPORARY STABILISATION WITHIN 10 DAYS OF CONSTRUCTION
 FOLLOWING TABLE 5.2 IN LANDCOM.
 WHERE DISCHARGING TO ERODIBLE LANDS, ENSURE THEY OUTLET THROUGH A PROPERLY
 CONSTRUCTED LEVEL SPREADER
 CONSTRUCT THE LEVEL SPREADER AT THE GRADIENT SPECIFIED ON THE ESCP OR SWMP,
 NORMALLY LESS THAN 1 PERCENT OR LEVEL
 WHERE POSSIBLE, ENSURE THEY DISCHARGE WATERS ONTO EITHER STABILISED OR
 UNDISTURBED DISPOSAL SITED WITHIN THE SAME SUBCATCHMENT AREA FROM WHICH THE WATER ORIGINATED, APPROVAL MIGHT BE REQUIRED TO DISCHARGE INTO OTHER


EARTHBANK (HIGH FLOWS) SD 5-6





SD 5-8





PROJECT: PROPOSED ADDITION & ANCILLIARY **DEPARTMENT** 731 GREAT WESTERN HIGHWAY FALCONBRIDGE, NSW



SD 5-2

CivilCol Consulting Pty Ltd

ABN: 74636805920 | EMAIL: civilcolconsulting@gmail.com PH: 0413 857 887 | P.O. BOX 3176, WAMBERAL NSW 2260

DRAWN:	JF	APPROVED:	
CHECKED: CF			
DATE:	27.1.22		
JOB:	2021_246	C FISHER. BE, MIEAust, CPEng, NER 719120. (CIVIL AND STRUCTURAL)	
DRG:	C 05	REV: 02	SH: 5 of 8