

Lot 33, DP 1078910 46 FITZROY ST, CARRINGTON

DEVELOPED DESIGN

PROPOSED COMMERCIAL DEVELOPMENT

SEPTEMBER 2021

- A000 O 03.09.2021 Cover Sheet
- A001 O 03.09.2021 Notes & Schedules
- A004 O 03.09.2021 Existing Conditions
- A006 O 03.09.2021 Site Analysis
- A007 O 03.09.2021 Site Context Plan
- A100 O 03.09.2021 Site Plan
- A101 O 03.09.2021 Site Ground Plan
- A110 O 03.09.2021 Ground Floor Plan
- A111 O 03.09.2021 First Floor Plan
- A112 O 03.09.2021 Second Floor Plan
- A113 O 03.09.2021 Third Floor Plan
- A114 O 03.09.2021 Roof Plan
- A200 O 03.09.2021 Street Elevations
- A201 O 03.09.2021 Elevations
- A202 O 03.09.2021 Elevations
- A300 O 03.09.2021 Sections
- A301 O 03.09.2021 Sections
- A600 O 03.09.2021 Materials Schedule
- A800 O 03.09.2021 Shadow Diagrams - 21st June 0900
- A801 O 03.09.2021 Shadow Diagrams - 21st June 1200
- A802 O 03.09.2021 Shadow Diagrams - 21st June 1500



FITZROY ST VIEW - INDICATIVE ONLY



DENISON ST VIEW - INDICATIVE ONLY

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification.
All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
H	Issued for Discussion	10.12.2020
I	Issued for Review	15.12.2020
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT 

TEAM 


RAINSFORD ARCHITECTURE + DESIGN 

a. PO Box 261 Newcastle NSW 2300
e. studio@r-ad.com.au
m. 0419 281 574
w. www.r-ad.com.au

ABN 70 619 983 023

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

Cover Sheet

STATUS DEVELOPED DESIGN @ A3
DRAWN BY BR
SCALE
REVISION O
DRAWING NO. **A000**

PORT OF NEWCASTLE
PROJECT NUMBER 2020-116
DATE SEPTEMBER 2021

Wherever possible, components for this building should be prefabricated off-site or at ground level to minimise the risk of workers falling more than two metres. However, construction of this building will require workers to be working at heights where a fall in excess of two metres is possible and injury is likely to result from such a fall. The builder should provide a suitable barrier wherever a person is required to work in a situation where falling more than two metres is a possibility.

a) WORKING AT HEIGHTS

**1. FALLS, SLIPS, TRIPS
FLOOR FINISHES** Specified

If finishes have been specified by designer, these have been selected to minimise the risk of floors and paved areas becoming slippery when wet or when walked on with wet shoes/feet. Any changes to the specified finish should be made in consultation with the designer or, if this is not practical, surfaces with an equivalent or better slip resistance should be chosen.

FLOOR FINISHES By Owner

If designer has not been involved in the selection of surface finishes, the owner is responsible for the selection of surface finishes in the pedestrian trafficable areas of this building. Surfaces should be selected in accordance with AS HB 197:1999 and AS/NZ 4586:2004.

STEPS, LOOSE OBJECTS AND UNEVEN SURFACES

Due to design restrictions for this building, steps and/or ramps are included in the building which may be a hazard to workers carrying objects or otherwise occupied. Steps should be clearly marked with both visual and tactile warning during construction, maintenance, demolition and at all times when the building operates as a workplace.

Building owners and occupiers should monitor the pedestrian access ways and in particular access to areas where maintenance is routinely carried out to ensure that surfaces have not moved or cracked so that they become uneven and present a trip hazard. Spills, loose material, stray objects or any other matter that may cause a slip or trip hazard should be cleaned or removed from access ways.

Contractors should be required to maintain a tidy work site during construction, maintenance or demolition to reduce the risk of trips and falls in the workplace. Materials for construction or maintenance should be stored in designated areas away from access ways and work areas.

DURING OPERATION OR MAINTENANCE

For houses or other low-rise buildings where scaffolding is appropriate:

Cleaning and maintenance of windows, walls, roof or other components of this building will require persons to be situated where a fall from a height in excess of two metres is possible. Where this type of activity is required, scaffolding, ladders or trestles should be used in accordance with relevant codes of practice, regulations or legislation.

For buildings where scaffold, ladders, trestles are not appropriate: Cleaning and maintenance of windows, walls, roof or other components of this building will require persons to be situated where a fall from a height in excess of two metres is possible. Where this type of activity is required, scaffolding, fall barriers or Personal Protective Equipment (PPE) should be used in accordance with relevant codes of practice, regulations or legislation.

ANCHORAGE POINTS

Anchorage points for portable scaffold or fall arrest devices have been included in the design for use by maintenance workers. Any persons engaged to work on the building after completion of construction work should be informed about the anchorage points.

b) SLIPPERY OR UNEVEN SURFACES

Construction, maintenance or demolition work on or around this building is likely to involve persons working above ground level or above floor levels. Where this occurs one or more of the following measures should be taken to avoid objects falling from the area where the work is being carried out onto persons below.

1. Prevent or restrict access to areas below where the work is being carried out.
2. Provide toeboards to scaffolding or work platforms.
3. Provide protective structure below the work area.
4. Ensure that all persons below the work area have Personal Protective Equipment (PPE).

LOOSE MATERIALS OR SMALL OBJECTS

2. FALLING OBJECTS

During construction, renovation or demolition of this building, parts of the structure including fabricated steelwork, heavy panels and many other components will remain standing prior to or after supporting parts are in place. Contractors should ensure that temporary bracing or other required support is in place at all times when collapse which may injure persons in the area is a possibility.

Mechanical lifting of materials and components during construction, maintenance or demolition presents a risk of falling objects. Contractors should ensure that appropriate lifting devices are used, that loads are properly secured and that access to areas below the load is prevented or restricted.

BUILDING COMPONENTS

3. TRAFFIC MANAGEMENT

For building on a major road, narrow road or steeply sloping road: Parking of vehicles or loading/unloading of vehicles on this roadway may cause a traffic hazard. During construction, maintenance or demolition of this building designated parking for workers and loading areas should be provided. Trained traffic management personnel should be responsible for the supervision of these areas.

For building where on-site loading/unloading is restricted: Construction of this building will require loading and unloading of materials on the roadway. Deliveries should be well planned to avoid congestion of loading areas and trained traffic management personnel should be used to supervise loading/unloading areas.

For all buildings: Busy construction and demolition sites present a risk of collision where deliveries and other traffic are moving within the site. A traffic management plan supervised by trained traffic management personnel should be adopted for the work site.

4. SERVICES

GENERAL

Rupture of services during excavation or other activity creates a variety of risks including release of hazardous material. Existing services are located on or around this site. Where known, these are identified on the plans but the exact location and extent of services may vary from that indicated. Services should be located using an appropriate service (such as Dial Before You Dig), appropriate excavation practice should be used and, where necessary, specialist contractors should be used.

Locations with underground power: Underground power lines MAY be located in or around this site. All underground power lines must be disconnected or carefully located and adequate warning signs used prior to any construction, maintenance or demolition commencing.

Locations with overhead power lines: Overhead power lines MAY be near or on this site. These pose a risk of electrocution if struck or approached by lifting devices or other plant and persons working above ground level. Where there is a danger of this occurring, power lines should be, where practical, disconnected or relocated. Where this is not practical adequate warning in the form of bright coloured tape or signage should be used or a protective barrier provided.

5. MANUAL TASKS

Components within this design with a mass in excess of 25kg should be lifted by two or more workers or by mechanical lifting device. Where this is not practical, suppliers or fabricators should be required to limit the component mass.

All material packaging, building and maintenance components should clearly show the total mass of packages and where practical all items should be stored on site in a way which minimises bending before lifting. Advice should be provided on safe lifting methods in all areas where lifting may occur.

Construction, maintenance and demolition of this building will require the use of portable tools and equipment. These should be fully maintained in accordance with manufacturer's specifications and not used where faulty or (in the case of electrical equipment) not carrying a current electrical safety tag.

All safety guards or devices should be regularly checked and Personal Protective Equipment should be used in accordance with manufacturer's specification.

6. HAZARDOUS SUBSTANCES

ASBESTOS

For alterations to a building constructed prior to 1990: If this existing building was constructed prior to: 1990 - it therefore may contain asbestos 1986 - it therefore is likely to contain asbestos either in cladding material or in fire retardant insulation material. In either case, the builder should check and, if necessary, take appropriate action before demolishing, cutting, sanding, drilling or otherwise disturbing the existing structure.

POWDERED MATERIALS

Many materials used in the construction of this building can cause harm if inhaled in powdered form. Persons working on or in the building during construction, operational maintenance or demolition should ensure good ventilation and wear Personal Protective Equipment including protection against inhalation while using powdered material or when sanding, drilling, cutting or otherwise disturbing or creating powdered material.

TREATED TIMBER

The design of this building may include provision for the inclusion of treated timber within the structure. Dust or fumes from this material can be harmful. Persons working on or in the building during construction, operational maintenance or demolition should ensure good ventilation and wear Personal Protective Equipment including protection against inhalation of harmful material when sanding, drilling, cutting or using treated timber in any way that may cause harmful material to be released. Do not burn treated timber.

VOLATILE ORGANIC COMPOUNDS

Many types of glue, solvents, spray packs, paints, varnishes and some cleaning materials and disinfectants have dangerous emissions. Areas where these are used should be kept well ventilated while the material is being used and for a period after installation. Personal Protective Equipment may also be required. The manufacturer's recommendations for use must be carefully considered at all times.

SYNTHETIC MINERAL FIBRE

Fibreglass, rockwool, ceramic and other material used for thermal or sound insulation may contain synthetic mineral fibre which may be harmful if inhaled or if it comes in contact with the skin, eyes or other sensitive parts or the body. Personal Protective Equipment including protection against inhalation of harmful material should be used when installing, removing or working near bulk insulation material.

TIMBER FLOORS

This building may contain timber floors which have an applied finish. Areas where finishes are applied should be kept well ventilated during sanding and application and for a period after installation. Personal Protective Equipment may also be required. The manufacturer's recommendations for use must be carefully considered at all times.

7. CONFINED SPACES

Construction of this building and some maintenance on the building will require excavation and installation of items within excavations. Where practical, installation should be carried out using methods which do not require workers to enter the excavation. Where this is not practical, adequate support for the excavated area should be provided to prevent collapse. Warning signs and barriers to prevent accidental or unauthorised access to all excavations should be provided.

EXCAVATION

For buildings with enclosed spaces where maintenance or other access may be required:

Enclosed spaces within this building may present a risk to persons entering for construction, maintenance or any other purpose. The design documentation calls for warning signs and barriers to unauthorised access. These should be maintained throughout the life of the building. Where workers are required to enter small spaces they should be scheduled so that access is for short periods. Manual lifting and other manual activity should be restricted in small spaces.

ENCLOSED SPACES

For buildings with small spaces where maintenance or other access may be required:

Some small spaces within this building will require access by construction or maintenance workers. The design documentation calls for warning signs and barriers to unauthorised access. These should be maintained throughout the life of the building. Where workers are required to enter small spaces they should be scheduled so that access is for short periods. Manual lifting and other manual activity should be restricted in small spaces.

SMALL SPACES

8. PUBLIC ACCESS

Public access to construction and demolition sites and to areas under maintenance causes risk to workers and public. Warning signs and secure barriers to unauthorised access should be provided. Where electrical installations, excavations, plant or loose materials are present they should be secured when not fully supervised.

9. OPERATIONAL USE OF BUILDING

This building has been designed as a residential building. If it, at a later date, it is used or intended to be used as a workplace, the provisions of the Work Health and Safety Act 2011 or subsequent replacement Act should be applied to the new use.

RESIDENTIAL BUILDINGS

For non-residential buildings where the end-use has not been identified:

This building has been designed to requirements of the classification identified on the drawings. The specific use of the building is not known at the time of the design and a further assessment of the workplace health and safety issues should be undertaken at the time of fit-out for the end-user.

NON-RESIDENTIAL BUILDINGS

For non-residential buildings where the end-use is known: This building has been designed for the specific use as identified on the drawings. Where a change of use occurs at a later date a further assessment of the workplace health and safety issues should be undertaken.

10. OTHER HIGH RISK ACTIVITY

All electrical work should be carried out in accordance with Code of Practice: Managing Electrical Risks at the Workplace, AS/NZ 3012 and all licensing requirements.

All work using Plant should be carried out in accordance with Code of Practice: Managing Risks of Plant at the Workplace. All work should be carried out in accordance with Code of Practice: Managing Noise and Preventing Hearing Loss at Work.

Due to the history of serious incidents it is recommended that particular care be exercised when undertaking work involving steel construction and concrete placement. All the above applies.

BCA NOTES

BCA BUILDING CLASS = 5 (OFFICE)
= 6 (CAFE)

TYPE 'A' CONSTRUCTION REQ'D
SINGLE FIRE COMPARTMENT (<8000sqm)

GREENSTAR

- CAR PARKING = LOWER THAN DCP REQ
- EV CHARGING/PARKING = 5% OR PARKING
- BICYCLE PARKING = 7.5% OF BUILDING POP
- 75% OF SITE LANDSCAPED OR LIGHT ROOFING
- VIEWS AND NATURAL LIGHT IN OFFICE AREAS

GROUND		LEVEL 1	
OFFICE BUILDING - GROUND LEVEL		OFFICE BUILDING - LEVEL 1	
AREA GFA = 838.2sqm		POPULATION = 193 (10sqm PP)	
POPULATION = 84 (10sqm PP)		MALE TOILETS = 5 PANS (1:20 @ 100MALES)	= 3 URINALS (1:25 UP TO 50) THEN +1PER 50)
MALE TOILETS = 4 PANS (1:20 @ 100MALES)		FEMALE TOILETS = 7 PANS (1:15 @ 100FEMALES)	
= 3 URINALS (1:25 UP TO 50)		DISABLED WC = 1 UNISEX (COUNTS FOR 1 MALE & 1 FEMALE PAN)	
THEN +1PER 50)		TOTAL TOILETS = 4 MALE PANS + 4 URINALS	
FEMALE TOILETS = 5 PANS (1:15 @ 100FEMALES)		= 6 FEMALE PANS	
DISABLED WC = 1 UNISEX (COUNTS FOR 1 MALE & 1 FEMALE PAN)		= 1 UNISEX DDA TOILET	
TOTAL TOILETS = 3 MALE PANS + 3 URINALS		CAR PARKING = 39 SPACES (@1:50sqm)	
= 4 FEMALE PANS		BIKE PARKING = 10 SPACES (@1:200sqm)	
= 1 UNISEX DDA TOILET		MOTORBIKE PARKING = 2 SPACES (@1:20cars)	
CAR PARKING = 17 SPACES (@1:50sqm)			
BIKE PARKING = 4 SPACES (@1:200sqm)			
MOTORBIKE PARKING = 1 SPACES (@1:20cars)			
LEVEL 2		LEVEL 3	
OFFICE BUILDING - LEVEL 2		OFFICE BUILDING - LEVEL 3	
POPULATION = 197 (10sqm PP)		POPULATION = 170 (10sqm PP)	
MALE TOILETS = 5 PANS (1:20 @ 100MALES)		MALE TOILETS = 4 PANS (1:20 @ 100MALES)	
= 3 URINALS (1:25 UP TO 50) THEN +1PER 50)		= 3 URINALS (1:25 UP TO 50) THEN +1PER 50)	
FEMALE TOILETS = 7 PANS (1:15 @ 100FEMALES)		FEMALE TOILETS = 6 PANS (1:15 @ 100FEMALES)	
DISABLED WC = 1 UNISEX (COUNTS FOR 1 MALE & 1 FEMALE PAN)		DISABLED WC = 1 UNISEX (COUNTS FOR 1 MALE & 1 FEMALE PAN)	
TOTAL TOILETS = 4 MALE PANS + 4 URINALS		TOTAL TOILETS = 3 MALE PANS + 3 URINALS	
= 6 FEMALE PANS		= 5 FEMALE PANS	
= 1 UNISEX DDA TOILET		= 1 UNISEX DDA TOILET	
CAR PARKING = 40 SPACES (@1:50sqm)		CAR PARKING = 32 SPACES (@1:50sqm)	
BIKE PARKING = 10 SPACES (@1:200sqm)		BIKE PARKING = 8 SPACES (@1:200sqm)	
MOTORBIKE PARKING = 2 SPACES (@1:20cars)		MOTORBIKE PARKING = 2 SPACES (@1:20cars)	
SUMMARY			
OFFICE BUILDING - TOTALS		PARKING	
GFA = 6432sqm		VISITOR = 11	
POPULATION = 644		SECURE = 23	
SITE AREA = 8685sqm		STAFF (ext) = 138	
FSR = 0.74:1		TOTAL = 172 (43 spaces above requirement)	
No. LEVELS = 4		M. BIKE = 8	
DEEP SOIL LANDSCAPING = 1003sqm (1m min W)		BICYCLE = 50 (7.9%)	
PERMEABLE CARPARKING = 2000sqm		- 3 ACCESSIBLE SPACES	
		- 1 SRV LOADING BAY	
		- 8 EV CHARGING BAYS	

AREA SUMMARY								
LEVEL	NLA/GLFA	GFA	LOBBY	LIFT/STAIRS	TOILETS	TERRACE	PLANT	(NLA/GFA) EFFICIENCY
GROUND	655sqm	838.2sqm	76sqm	62sqm	108sqm	-	8.7sqm	78%
LEVEL 1	1842sqm	1931.4sqm	55sqm	68sqm	60sqm	35sqm	8.7sqm	95%
LEVEL 2	1838sqm	1965.4sqm	67sqm	68sqm	60sqm	35sqm	8.7sqm	93%
LEVEL 3	1570sqm	1697.5sqm	67sqm	68sqm	60sqm	173sqm	8.7sqm	92%
PLANT	-	-	17sqm	23sqm	-	-	109sqm	-
TOTALS	5905sqm	6432sqm	282sqm	289sqm	288sqm	243sqm	143.8sqm	92%

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification. All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
A	Site Options	07.02.2020
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT 

TEAM 







a. PO Box 261 Newcastle NSW 2300
e. studio@r-ad.com.au
m. 0419 281 574
w. www.r-ad.com.au


ABN 70 619 983 023

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

Notes & Schedules

STATUS DEVELOPED DESIGN @ A3
DRAWN BY BR
SCALE
PORT OF NEWCASTLE
PROJECT NUMBER 2020-116 REVISION O
DATE SEPTEMBER 2021 DRAWING NO. **A001**



1 Existing Site
1 : 500

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification.
All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
G	Concept Design	12.11.2020
I	Issued for Review	15.12.2020
J	For Coordination Only	04.02.2021
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT **PORT of NEWCASTLE**

TEAM **RAMBOLL**

NORTHROP

RAINSFORD ARCHITECTURE + DESIGN **R|AD**

a. PO Box 261 Newcastle NSW 2300
e. studio@r-ad.com.au
m. 0419 281 574
w. www.r-ad.com.au

ABN 70 619 983 023


CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

Existing Conditions

PORT OF NEWCASTLE
PROJECT NUMBER 2020-116
DATE SEPTEMBER 2021

STATUS DEVELOPED DESIGN @ A3
DRAWN BY BR
SCALE 1 : 500
REVISION 0
DRAWING NO. **A004**



1 Context Plan
1 : 750

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification.
All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT **PORT of NEWCASTLE**

TEAM **RAMBOLL**

NORTHROP

RAINSFORD ARCHITECTURE + DESIGN **R|AD**

a. PO Box 261 Newcastle NSW 2300
e. studio@r-ad.com.au
m. 0419 281 574
w. www.r-ad.com.au

ABN 70 619 983 023



CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

Site Context Plan

PORT OF NEWCASTLE
PROJECT NUMBER 2020-116
DATE SEPTEMBER 2021

STATUS DEVELOPED DESIGN @ A3
DRAWN BY BR
SCALE 1 : 750
REVISION O
DRAWING NO. **A007**



Site Plan

1 : 500

1

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification. All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
I	Issued for Review	15.12.2020
J	For Coordination Only	04.02.2021
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT

TEAM

RAINSFORD ARCHITECTURE + DESIGN

a. PO Box 261 Newcastle NSW 2300
 e. studio@r-ad.com.au
 m. 0419 281 574
 w. www.r-ad.com.au

ABN 70 619 983 023

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT


Site Plan

STATUS DEVELOPED DESIGN @ A3
 DRAWN BY BR
 SCALE 1 : 500


PORT OF NEWCASTLE
 PROJECT NUMBER 2020-116
 DATE SEPTEMBER 2021

REVISION 0
 DRAWING NO. **A100**

EXISTING ADJOINING TREES. REFER ARBORIST REPORT FOR DETAIL



- PARKING**
 VISITOR = 11
 SECURE = 23
 STAFF (ext) = 138
TOTAL = 172 (43 spaces above requirement)
- M. BIKE BICYCLE** = 8
 = 50 (7.9%)
 Includes
 - 3 ACCESSIBLE SPACES
 - 1 SRV LOADING BAY
 - 8 EV CHARGING BAYS



1 Site Ground Plan
 1 : 500

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification.
 All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
I	Issued for Review	15.12.2020
J	For Coordination Only	04.02.2021
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT

TEAM

RAINSFORD ARCHITECTURE + DESIGN

a. PO Box 261 Newcastle NSW 2300
 e. studio@r-ad.com.au
 m. 0419 281 574
 w. www.r-ad.com.au

ABN 70 619 983 023



CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT
 Site Ground Plan

STATUS DEVELOPED DESIGN @ A3
 DRAWN BY BR
 SCALE 1 : 500

PORT OF NEWCASTLE
 PROJECT NUMBER 2020-116
 DATE SEPTEMBER 2021

REVISION O
 DRAWING NO. **A101**



- OFFICE BUILDING - GROUND LEVEL**
 AREA GFA = 838.2sqm
 POPULATION = 84 (10sqm PP)
- MALE TOILETS**
 = 4 PANS (1:20 @ 100MALES)
 = 3 URINALS (1:25 UP TO 50)
 THEN +1PER 50)
- FEMALE TOILETS**
 = 5 PANS (1:15 @ 100FEMALES)
- DISABLED WC**
 = 1 UNISEX (COUNTS FOR 1 MALE & 1 FEMALE PAN)
- TOTAL TOILETS**
 = 3 MALE PANS + 3 URINALS
 = 4 FEMALE PANS
 = 1 UNISEX DDA TOILET
- CAR PARKING**
 = 17 SPACES (@1:50sqm)
- BIKE PARKING**
 = 4 SPACES (@1:200sqm)
- MOTORBIKE PARKING**
 = 1 SPACES (@1:20cars)

1 Ground Floor
 1 : 250

ABN 70 619 983 023
 a. PO Box 261 Newcastle NSW 2300
 e. studio@r-ad.com.au
 m. 0419 281 574
 w. www.r-ad.com.au

CLIENT **PORT of NEWCASTLE**

TEAM **RAMBOLL**


NORTHROP

Rev	Description	Date
D	Concept Plans for Review	20.02.2020
E	Information only	03.07.2020
F	Proposed Site Concept	26.10.2020
G	Concept Design	12.11.2020
H	Issued for Discussion	10.12.2020
I	Issued for Review	15.12.2020
J	For Coordination Only	04.02.2021
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

NOT FOR CONSTRUCTION
 Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification. All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared in these documents unless stated otherwise.

CONCEPT DESIGN
 46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT
 PORT OF NEWCASTLE
Ground Floor Plan

PROJECT NUMBER	2020-116
DATE	SEPTEMBER 2021
STATUS	DEVELOPED DESIGN @ A3
DRAWN BY	BR
SCALE	1 : 250
DRAWING NO.	
REVISION	0 A110



- OFFICE BUILDING - LEVEL 1**
POPULATION = 193 (10sqm PP)
- MALE TOILETS = 5 PANS (1:20 @ 100MALES)
= 3 URINALS (1:25 UP TO 50) THEN +1PER 50)
 - FEMALE TOILETS = 7 PANS (1:15 @ 100FEMALES)
 - DISABLED WC = 1 UNISEX (COUNTS FOR 1 MALE & 1 FEMALE PAN)
 - TOTAL TOILETS = 4 MALE PANS + 4 URINALS
= 6 FEMALE PANS
= 1 UNISEX DDA TOILET**
 - CAR PARKING = 39 SPACES (@1:50sqm)
 - BIKE PARKING = 10 SPACES (@1:200sqm)
 - MOTORBIKE PARKING = 2 SPACES (@1:20cars)

1 Level 01
1 : 250

ABN 70 619 983 023
 a. PO Box 261 Newcastle NSW 2300
 e. studio@r-ad.com.au
 m. 0419 281 574
 w. www.r-ad.com.au

CLIENT **PORT of NEWCASTLE**

TEAM **RAMBOLL**

NORTHROP

Rev	Description	Date
C	Draft Concept Plans	18.02.2020
D	Concept Plans for Review	20.02.2020
F	Proposed Site Concept	26.10.2020
G	Concept Design	12.11.2020
H	Issued for Discussion	10.12.2020
I	Issued for Review	15.12.2020
J	For Coordination Only	04.02.2021
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

NOT FOR CONSTRUCTION

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification. All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared in these documents unless stated otherwise.

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

PORT OF NEWCASTLE

First Floor Plan

PROJECT NUMBER 2020-116

DATE SEPTEMBER 2021



STATUS DEVELOPED DESIGN @ A3

DRAWN BY BR

SCALE 1 : 250

DRAWING NO.

REVISION 0 **A111**



- OFFICE BUILDING - LEVEL 2**
POPULATION = 197 (10sqm PP)
- MALE TOILETS = 5 PANS (1:20 @ 100MALES)
= 3 URINALS (1:25 UP TO 50) THEN +1PER 50)
 - FEMALE TOILETS = 7 PANS (1:15 @ 100FEMALES)
 - DISABLED WC = 1 UNISEX (COUNTS FOR 1 MALE & 1 FEMALE PAN)
 - TOTAL TOILETS** = 4 MALE PANS + 4 URINALS
= 6 FEMALE PANS
= 1 UNISEX DDA TOILET
 - CAR PARKING = 40 SPACES (@1:50sqm)
 - BIKE PARKING = 10 SPACES (@1:200sqm)
 - MOTORBIKE PARKING = 2 SPACES (@1:20cars)

1 Level 02
1 : 250

Rev	Description	Date
G	Concept Design	12.11.2020
H	Issued for Discussion	10.12.2020
I	Issued for Review	15.12.2020
J	For Coordination Only	04.02.2021
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

NOT FOR CONSTRUCTION

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification. All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared in these documents unless stated otherwise.

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

PORT OF NEWCASTLE

Second Floor Plan

PROJECT NUMBER 2020-116

DATE SEPTEMBER 2021



STATUS DEVELOPED DESIGN @ A3

DRAWN BY BR

SCALE 1 : 250

DRAWING NO.

REVISION 0 **A112**



- OFFICE BUILDING - LEVEL 3**
POPULATION = 170 (10sqm PP)
- MALE TOILETS = 4 PANS (1:20 @ 100MALES)
= 3 URINALS (1:25 UP TO 50) THEN +1PER 50)
 - FEMALE TOILETS = 6 PANS (1:15 @ 100FEMALES)
 - DISABLED WC = 1 UNISEX (COUNTS FOR 1 MALE & 1 FEMALE PAN)
 - TOTAL TOILETS** = 3 MALE PANS + 3 URINALS
= 5 FEMALE PANS
= 1 UNISEX DDA TOILET
 - CAR PARKING = 32 SPACES (@1:50sqm)
 - BIKE PARKING = 8 SPACES (@1:200sqm)
 - MOTORBIKE PARKING = 2 SPACES (@1:20cars)

1 Level 03
1 : 250

Rev	Description	Date
G	Concept Design	12.11.2020
H	Issued for Discussion	10.12.2020
I	Issued for Review	15.12.2020
J	For Coordination Only	04.02.2021
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

NOT FOR CONSTRUCTION

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification. All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared in these documents unless stated otherwise.

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

PORT OF NEWCASTLE

Third Floor Plan

PROJECT NUMBER 2020-116

DATE SEPTEMBER 2021


STATUS DEVELOPED DESIGN @ A3

DRAWN BY BR

SCALE 1 : 250

DRAWING NO.

REVISION 0 **A113**



1 Plant
1 : 250

ABN 70 619 983 023
 a. PO Box 261 Newcastle NSW 2300
 e. studio@r-ad.com.au
 m. 0419 281 574
 w. www.r-ad.com.au

CLIENT **PORT of NEWCASTLE**

TEAM **RAMBOLL**

NORTHROP

Rev	Description	Date
G	Concept Design	12.11.2020
H	Issued for Discussion	10.12.2020
I	Issued for Review	15.12.2020
J	For Coordination Only	04.02.2021
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

NOT FOR CONSTRUCTION

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification. All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared in these documents unless stated otherwise.

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

PORT OF NEWCASTLE

Roof Plan

PROJECT NUMBER 2020-116

DATE SEPTEMBER 2021


STATUS DEVELOPED DESIGN @ A3

DRAWN BY BR

SCALE 1 : 250

DRAWING NO.

REVISION 0 **A114**



1 Fitzroy St
1 : 350



2 Denison St
1 : 350

Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification.
All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT 

TEAM 


RAINSFORD ARCHITECTURE + DESIGN 

a. PO Box 261 Newcastle NSW 2300
e. studio@r-ad.com.au
m. 0419 281 574
w. www.r-ad.com.au

ABN 70 619 983 023

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT


Street Elevations

PORT OF NEWCASTLE


PROJECT NUMBER 2020-116
DATE SEPTEMBER 2021

STATUS DEVELOPED DESIGN @ A3
DRAWN BY BR
SCALE 1 : 350
REVISION O
DRAWING NO. **A200**

1 West
1 : 200



2 East
1 : 200



Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification. All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
A	Site Options	07.02.2020
G	Concept Design	12.11.2020
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT 

TEAM  

RAINSFORD ARCHITECTURE + DESIGN 

a. PO Box 261 Newcastle NSW 2300
e. studio@r-ad.com.au
m. 0419 281 574
w. www.r-ad.com.au

ABN 70 619 983 023

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

Elevations

PORT OF NEWCASTLE
PROJECT NUMBER 2020-116
DATE SEPTEMBER 2021


STATUS DEVELOPED DESIGN @ A3
DRAWN BY BR
SCALE 1 : 200
REVISION 0
DRAWING NO. **A201**



1 North
1 : 200



2 South
1 : 200



Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification. All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
G	Concept Design	12.11.2020
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT **PORT of NEWCASTLE**

TEAM **RAMBOLL**

NORTHROP

RAINSFORD ARCHITECTURE + DESIGN **R(AD)**

a. PO Box 261 Newcastle NSW 2300
e. studio@r-ad.com.au
m. 0419 281 574
w. www.r-ad.com.au

ABN 70 619 983 023



CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

Elevations

PORT OF NEWCASTLE
PROJECT NUMBER 2020-116
DATE SEPTEMBER 2021

STATUS DEVELOPED DESIGN @ A3
DRAWN BY BR
SCALE 1 : 200
REVISION O
DRAWING NO. **A202**



Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification.
All drawings may not be reproduced or distributed without prior permission from the architect.
Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
A	Site Options	07.02.2020
G	Concept Design	12.11.2020
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT **PORT of NEWCASTLE**

TEAM **RAMBOLL**

NORTHROP

RAINSFORD ARCHITECTURE + DESIGN **R(AD)**

a. PO Box 261 Newcastle NSW 2300
e. studio@r-ad.com.au
m. 0419 281 574
w. www.r-ad.com.au

ABN 70 619 983 023

CONCEPT DESIGN


46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

Sections

PORT OF NEWCASTLE
PROJECT NUMBER 2020-116
DATE SEPTEMBER 2021

STATUS DEVELOPED DESIGN @ A3
DRAWN BY BR
SCALE 1 : 200
REVISION O
DRAWING NO.

A300



1 Section C
1 : 200



Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification.
All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
G	Concept Design	12.11.2020
K	Revised for Comment	04.03.2021
L	Issued for Coordination	08.03.2021
M	Floor levels raised	19.03.2021
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT

TEAM

RAINSFORD ARCHITECTURE + DESIGN

a. PO Box 261 Newcastle NSW 2300
e. studio@r-ad.com.au
m. 0419 281 574
w. www.r-ad.com.au

ABN 70 619 983 023

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

Sections STATUS DEVELOPED DESIGN @ A3
DRAWN BY BR
SCALE 1 : 200
PROJECT NUMBER 2020-116 REVISION O
DATE SEPTEMBER 2021 DRAWING NO. **A301**



METAL DECK ROOFING. LIGHT



PERFORATED METAL LOUVRE BLADES



CURTAIN WALL GLAZING SYSTEM



PREFINISHED COMPOSITE SHEET CLADDING. WHITE



METAL & GLASS OPERABLE LOUVRES



PREFINISHED CFC CLADDING PANELS



PREFINISHED FEATURE SOFFIT LINING



FEATURE MASONRY CONSTRUCTION



OFF-FORM CONCRETE



FIXED METAL LOUVRE BLADES



Do not scale drawings - refer to figured dimensions only. Any discrepancies shall immediately be referred to the architect for clarification.
All drawings may not be reproduced or distributed without prior permission from the architect. Rainsford Architecture and Design retains all copyright and IP to the material prepared unless indicated otherwise.

Rev	Description	Date
N	Issued for Planning Approval	23.04.2021
O	Revised for Planning	03.09.2021

CLIENT 

TEAM 


RAINSFORD ARCHITECTURE + DESIGN 

a. PO Box 261 Newcastle NSW 2300
e. studio@r-ad.com.au
m. 0419 281 574
w. www.r-ad.com.au

ABN 70 619 983 023

CONCEPT DESIGN

46 FITZROY ST, CARRINGTON - COMMERCIAL DEVELOPMENT

Materials Schedule

PORT OF NEWCASTLE	PROJECT NUMBER 2020-116	STATUS DEVELOPED DESIGN @ A3
DATE SEPTEMBER 2021	REVISION O	DRAWN BY BR
	DRAWING NO.	A600