

Shire of Blacktown

DEVELOPMENT
PLAN


of Subdivision of lands acquired by Housing Commⁿ of N.S.W. by Govt. Gaz.
Vol.2397 Fol.14 & parts of Vol.4538 Fol.155, Vol.5461 Fol.187, Vol.4736 Fol.179 &


F610511 1:2.52
(2 Sheets - N^o1)

Parish of St John County of


DP 35845 (E) Sh1/2
FORMERLY
H.C.P. 845

Scale ~ 60 Feet to an Inch.





DP 35845 © Sh 1/2




D.P. 35845¹⁰¹²


Shire of Blacktown

Scale ~ 60 Feet to an Inch.

F610511 1.2.52
 (2 Sheets - No 2)




SCHEDULE OF PERMANENT MARKS		
P.M.	From P.M. to Corner or Angle	Description
C	51° 26' 20" 1' 6"	Conc. block
D	51° 26' 20" 1' 6"	" "
E	51° 26' 20" 1' 6"	" "
F	141° 26' 20" 1' 6"	" "
G	141° 26' 20" 1' 6"	" "
H	51° 26' 20" 1' 6"	" "
I	51° 26' 20" 1' 6"	G.I. Pin Concrete
J	68° 36' 40" 1' 6"	Conc. block
K	68° 36' 40" 1' 6"	G.I. P. in Concrete
L	51° 29' 20" 1' 6"	Conc. block
M	51° 29' 20" 1' 6"	" "
N	141° 27' 1' 6"	" "
O	141° 27' 1' 6"	" "
P	44° 17' 06" 1' 6"	" "
Q	44° 17' 06" 1' 6"	" "
R	114° 53' 3' 4"	" "
S	55° 09' 1' 6"	" "
T	55° 09' 1' 6"	Brass plug in rock
U	51° 27' 1' 6"	Conc. block
V	141° 26' 20" 1' 6"	" "
W	51° 26' 20" 1' 6"	" "




DP 35845(E)

SHEET 2
 (2 Sheets)

Scale: ~ 60 Feet to an Inch.





I Harold Charles de Low of Parramatta
 a Surveyor registered under the Surveyors Act 1929
 hereby declare that permanent marks of the nature
 and in the positions shown at C-W both inclusive
 have been placed.

[Signature]
 Registered Surveyor.

Subscribed and declared before me at Parramatta
 this 22nd day of Dec 1950

[Signature] J. P.


Sh 2/2

Subscribed and declared before me at Parramatta
 this 22nd day of December 1950.

No kerbs laid.

Datum line of Azimuth A-B.

DP 35845 [®]



I Harold Charles de Low of Parramatta
 a Surveyor registered under the Surveyors Act 1929 do hereby solemnly and
 sincerely declare (a) that all boundaries and measurements shown on this
 plan are correct, (b) that all survey marks found and relevant physical objects
 on or adjacent to the boundaries are correctly represented, (c) that all physical
 objects indicated actually exist in the positions shown, (d) that the whole of the
 material facts in relation to the land are correctly represented, (e) that the survey
 represented in this plan has been made in accordance with the Survey Practice
 Regulations, 1933 by me and was completed on 22nd Dec 1950 and the reference
 marks have been placed as shown hereon.

And I make this solemn declaration conscientiously believing the same
 to be true by virtue of the provisions of the Oaths Act, 1900.

and declared before me at Parramatta
 day of December 1950.

(Signature) _____

Surveyor registered under the Surveyors Act, 1929

DP 35845 (E) Sh 2/2

CONVERSION TABLE ADDED IN DEPARTMENT OF LANDS			
DP 35845	SH 1/2	FEET INCHES	METRES
1	6	0.457	
2	10 3/4	0.578	
3	10 3/4	0.817	
4	10 3/4	0.817	
5	10 3/4	0.817	
6	10 3/4	0.817	
7	10 3/4	0.817	
8	10 3/4	0.817	
9	10 3/4	0.817	
10	10 3/4	0.817	
11	10 3/4	0.817	
12	10 3/4	0.817	
13	10 3/4	0.817	
14	10 3/4	0.817	
15	10 3/4	0.817	
16	10 3/4	0.817	
17	10 3/4	0.817	
18	10 3/4	0.817	
19	10 3/4	0.817	
20	10 3/4	0.817	
21	10 3/4	0.817	
22	10 3/4	0.817	
23	10 3/4	0.817	
24	10 3/4	0.817	
25	10 3/4	0.817	
26	10 3/4	0.817	
27	10 3/4	0.817	
28	10 3/4	0.817	
29	10 3/4	0.817	
30	10 3/4	0.817	
31	10 3/4	0.817	
32	10 3/4	0.817	
33	10 3/4	0.817	
34	10 3/4	0.817	
35	10 3/4	0.817	
36	10 3/4	0.817	
37	10 3/4	0.817	
38	10 3/4	0.817	
39	10 3/4	0.817	
40	10 3/4	0.817	
41	10 3/4	0.817	
42	10 3/4	0.817	
43	10 3/4	0.817	
44	10 3/4	0.817	
45	10 3/4	0.817	
46	10 3/4	0.817	
47	10 3/4	0.817	
48	10 3/4	0.817	
49	10 3/4	0.817	
50	10 3/4	0.817	
51	10 3/4	0.817	
52	10 3/4	0.817	
53	10 3/4	0.817	
54	10 3/4	0.817	
55	10 3/4	0.817	
56	10 3/4	0.817	
57	10 3/4	0.817	
58	10 3/4	0.817	
59	10 3/4	0.817	
60	10 3/4	0.817	
61	10 3/4	0.817	
62	10 3/4	0.817	
63	10 3/4	0.817	
64	10 3/4	0.817	
65	10 3/4	0.817	
66	10 3/4	0.817	
67	10 3/4	0.817	
68	10 3/4	0.817	
69	10 3/4	0.817	
70	10 3/4	0.817	
71	10 3/4	0.817	

CONVERSION TABLE ADDED IN DEPARTMENT OF LANDS			
DP 35845	SH 1/2	FEET INCHES	METRES
72	10 3/4	0.817	
73	10 3/4	0.817	
74	10 3/4	0.817	
75	10 3/4	0.817	
76	10 3/4	0.817	
77	10 3/4	0.817	
78	10 3/4	0.817	
79	10 3/4	0.817	
80	10 3/4	0.817	
81	10 3/4	0.817	
82	10 3/4	0.817	
83	10 3/4	0.817	
84	10 3/4	0.817	
85	10 3/4	0.817	
86	10 3/4	0.817	
87	10 3/4	0.817	
88	10 3/4	0.817	
89	10 3/4	0.817	
90	10 3/4	0.817	
91	10 3/4	0.817	
92	10 3/4	0.817	
93	10 3/4	0.817	
94	10 3/4	0.817	
95	10 3/4	0.817	
96	10 3/4	0.817	
97	10 3/4	0.817	
98	10 3/4	0.817	
99	10 3/4	0.817	
100	10 3/4	0.817	
101	10 3/4	0.817	
102	10 3/4	0.817	
103	10 3/4	0.817	
104	10 3/4	0.817	
105	10 3/4	0.817	
106	10 3/4	0.817	
107	10 3/4	0.817	
108	10 3/4	0.817	
109	10 3/4	0.817	
110	10 3/4	0.817	
111	10 3/4	0.817	
112	10 3/4	0.817	
113	10 3/4	0.817	
114	10 3/4	0.817	
115	10 3/4	0.817	
116	10 3/4	0.817	
117	10 3/4	0.817	
118	10 3/4	0.817	
119	10 3/4	0.817	
120	10 3/4	0.817	
121	10 3/4	0.817	
122	10 3/4	0.817	
123	10 3/4	0.817	
124	10 3/4	0.817	
125	10 3/4	0.817	
126	10 3/4	0.817	
127	10 3/4	0.817	
128	10 3/4	0.817	
129	10 3/4	0.817	
130	10 3/4	0.817	
131	10 3/4	0.817	
132	10 3/4	0.817	
133	10 3/4	0.817	
134	10 3/4	0.817	
135	10 3/4	0.817	
136	10 3/4	0.817	
137	10 3/4	0.817	
138	10 3/4	0.817	
139	10 3/4	0.817	
140	10 3/4	0.817	
141	10 3/4	0.817	
142	10 3/4	0.817	
143	10 3/4	0.817	
144	10 3/4	0.817	
145	10 3/4	0.817	
146	10 3/4	0.817	
147	10 3/4	0.817	
148	10 3/4	0.817	
149	10 3/4	0.817	
150	10 3/4	0.817	
151	10 3/4	0.817	
152	10 3/4	0.817	
153	10 3/4	0.817	
154	10 3/4	0.817	
155	10 3/4	0.817	
156	10 3/4	0.817	
157	10 3/4	0.817	
158	10 3/4	0.817	
159	10 3/4	0.817	
160	10 3/4	0.817	
161	10 3/4	0.817	
162	10 3/4	0.817	
163	10 3/4	0.817	
164	10 3/4	0.817	
165	10 3/4	0.817	
166	10 3/4	0.817	
167	10 3/4	0.817	
168	10 3/4	0.817	
169	10 3/4	0.817	
170	10 3/4	0.817	
171	10 3/4	0.817	
172	10 3/4	0.817	
173	10 3/4	0.817	
174	10 3/4	0.817	
175	10 3/4	0.817	
176	10 3/4	0.817	
177	10 3/4	0.817	
178	10 3/4	0.817	
179	10 3/4	0.817	
180	10 3/4	0.817	
181	10 3/4	0.817	
182	10 3/4	0.817	
183	10 3/4	0.817	
184	10 3/4	0.817	
185	10 3/4	0.817	
186	10 3/4	0.817	
187	10 3/4	0.817	
188	10 3/4	0.817	
189	10 3/4	0.817	
190	10 3/4	0.817	
191	10 3/4	0.817	
192	10 3/4	0.817	
193	10 3/4	0.817	
194	10 3/4	0.817	
195	10 3/4	0.817	
196	10 3/4	0.817	
197	10 3/4	0.817	
198	10 3/4	0.817	
199	10 3/4	0.817	
200	10 3/4	0.817	

CONVERSION TABLE ADDED IN DEPARTMENT OF LANDS			
DP 35845	SH 1/2	FEET INCHES	METRES
201	10 3/4	0.817	
202	10 3/4	0.817	
203	10 3/4	0.817	
204	10 3/4	0.817	
205	10 3/4	0.817	
206	10 3/4	0.817	
207	10 3/4	0.817	
208	10 3/4	0.817	
209	10 3/4	0.817	
210	10 3/4	0.817	
211	10 3/4	0.817	
212	10 3/4	0.817	
213	10 3/4	0.817	
214	10 3/4	0.817	
215	10 3/4	0.817	
216	10 3/4	0.817	
217	10 3/4	0.817	
218	10 3/4	0.817	
219	10 3/4	0.817	
220	10 3/4	0.817	
221	10 3/4	0.817	
222	10 3/4	0.817	
223	10 3/4	0.817	
224	10 3/4	0.817	
225	10 3/4	0.817	
226	10 3/4	0.817	
227	10 3/4	0.817	
228	10 3/4	0.817	
229	10 3/4	0.817	
230	10 3/4	0.817	
231	10 3/4	0.817	
232	10 3/4	0.817	
233	10 3/4	0.817	
234	10 3/4	0.817	
235	10 3/4	0.817	
236	10 3/4	0.817	
237	10 3/4	0.817	
238	10 3/4	0.817	
239	10 3/4	0.817	
240	10 3/4	0.817	
241	10 3/4	0.817	
242	10 3/4	0.817	
243	10 3/4	0.817	
244	10 3/4	0.817	
245	10 3/4	0.817	
246	10 3/4	0.817	
247	10 3/4	0.817	
248	10 3/4	0.817	
249	10 3/4	0.817	
250	10 3/4	0.817	
251	10 3/4	0.817	
252	10 3/4	0.817	
253	10 3/4	0.817	
254	10 3/4	0.817	
255	10 3/4	0.817	
256	10 3/4	0.817	
257	10 3/4	0.817	
258	10 3/4	0.817	
259	10 3/4	0.817	
260	10 3/4	0.817	
261	10 3/4	0.817	
262	10 3/4	0.817	
263	10 3/4	0.817	
264	10 3/4	0.817	
265	10 3/4	0.817	
266	10 3/4	0.817	
267	10 3/4	0.817	
268	10 3/4	0.817	
269	10 3/4	0.817	
270	10 3/4	0.817	
271	10 3/4	0.817	
272	10 3/4	0.817	
273	10 3/4	0.817	
274	10 3/4	0.817	
275	10 3/4	0.817	
276	10 3/4	0.817	
277	10 3/4	0.817	
278	10 3/4	0.817	
279	10 3/4	0.817	
280	10 3/4	0.817	
281	10 3/4	0.817	
282	10 3/4	0.817	
283	10 3/4	0.817	
284	10 3/4	0.817	
285	10 3/4	0.817	
286	10 3/4	0.817	
287	10 3/4	0.817	
288	10 3/4	0.817	
289	10 3/4	0.817	
290	10 3/4	0.817	
291	10 3/4	0.817	
292	10 3/4	0.817	
293	10 3/4	0.817	
294	10 3/4	0.817	
295	10 3/4	0.817	
296	10 3/4	0.817	
297	10 3/4	0.817	
298	10 3/4	0.817	
299	10 3/4	0.817	
300	10 3/4	0.817	

 CONVERSION TABLE ADDED DEPARTMENT OF LANDS			
DP 35845	SH 2/2	FEET INCHES	METRES
65	1 1/8	0.091	0.0152
64	1 1/8	0.152	0.0152
63	1 1/8	0.152	0.0152
62	1 1/8	0.152	0.0152
61	1 1/8	0.152	0.0152
60	1 1/8	0.152	0.0152
59	1 1/8	0.152	0.0152
58	1 1/8	0.152	0.0152
57	1 1/8	0.152	0.0152
56	1 1/8	0.152	0.0152
55	1 1/8	0.152	0.0152
54	1 1/8	0.152	0.0152
53	1 1/8	0.152	0.0152
52	1 1/8	0.152	0.0152
51	1 1/8	0.152	0.0152
50	1 1/8	0.152	0.0152
49	1 1/8	0.152	0.0152
48	1 1/8	0.152	0.0152
47	1 1/8	0.152	0.0152
46	1 1/8	0.152	0.0152
45	1 1/8	0.152	0.0152
44	1 1/8	0.152	0.0152
43	1 1/8	0.152	0.0152
42	1 1/8	0.152	0.0152
41	1 1/8	0.152	0.0152
40	1 1/8	0.152	0.0152
39	1 1/8	0.152	0.0152
38	1 1/8	0.152	0.0152
37	1 1/8	0.152	0.0152
36	1 1/8	0.152	0.0152
35	1 1/8	0.152	0.0152
34	1 1/8	0.152	0.0152
33	1 1/8	0.152	0.0152
32	1 1/8	0.152	0.0152
31	1 1/8	0.152	0.0152
30	1 1/8	0.152	0.0152
29	1 1/8	0.152	0.0152
28	1 1/8	0.152	0.0152
27	1 1/8	0.152	0.0152
26	1 1/8	0.152	0.0152
25	1 1/8	0.152	0.0152
24	1 1/8	0.152	0.0152
23	1 1/8	0.152	0.0152
22	1 1/8	0.152	0.0152
21	1 1/8	0.152	0.0152
20	1 1/8	0.152	0.0152
19	1 1/8	0.152	0.0152
18	1 1/8	0.152	0.0152
17	1 1/8	0.152	0.0152
16	1 1/8	0.152	0.0152
15	1 1/8	0.152	0.0152
14	1 1/8	0.152	0.0152
13	1 1/8	0.152	0.0152
12	1 1/8	0.152	0.0152
11	1 1/8	0.152	0.0152
10	1 1/8	0.152	0.0152
9	1 1/8	0.152	0.0152
8	1 1/8	0.152	0.0152
7	1 1/8	0.152	0.0152
6	1 1/8	0.152	0.0152
5	1 1/8	0.152	0.0152
4	1 1/8	0.152	0.0152
3	1 1/8	0.152	0.0152
2	1 1/8	0.152	0.0152
1	1 1/8	0.152	0.0152