1308401C - TAMWORTH MENTAL HEALTH UNIT DEAN STREET, TAMWORTH NSW CIVIL & STORMWATER

DRAWING No.	DESCRIPTION
13084-01-0001	DRAWING REGISTER AND LOCALITY PLAN
13084-01-0002	GENERAL NOTES
13084-01-0004	SEDIMENT & EROSION CONTROL PLAN
13084-01-0006	SEDIMENT & EROSION CONTROL DETAILS
13084-01-C010	BULK EARTHWORKS PLAN
13084-01-C015	BULK EARTHWORKS LONGITUDINAL SECTIONS - SHEET 1
13084-01-C016	BULK EARTHWORKS LONGITUDINAL SECTIONS - SHEET 2
13084-01-C017	BULK EARTHWORKS LONGITUDINAL SECTIONS - SHEET 3
13084-01-0018	BULK EARTHWORKS LONGITUDINAL SECTIONS - SHEET 4
13084-01-0030	SITEWORKS AND STORMWATER DRAINAGE PLAN LEVEL 1
13084-01-C050	SITEWORKS AND STORMWATER DRAINAGE DETAILS
13084-01-0051	ON SITE DETENTION DETAILS
13084-01-C060	OVERALL PAVEMENT PLAN
13084-01-C070	PAVEMENT DETAILS



LOCALITY PLAN

NOT TO SCALE

THIS DRAWING MAY BE PREPARED IN COLOUR AND MAY BE INCOMPLETE IF COPIED

These drawings, plans and specifications and the copyright therein are the property of written permission of Meinhardt-Bonacci. P10 ISSUED FOR DRAFT TENDER ISSUED FOR TENDER REVIEW 24.02.23 DH YC 21.02.22 DH 65% DD ISSUE P9 ISSUED FOR COORDINATION 25.11.22 DH YC 16.03.22 DH GK ISSUE FOR AUTHORITY APPROVAL ISSUED FOR TENDER UPDATE ISSUE FOR SD P6 ISSUED FOR TENDER 11.03.22 AM GK Date By App





GENERAL NOTES

- THESE DRAWINGS SHALL BE READ IN CONJUNCTION WITH ARCHITECTURAL AND OTHER CONSULTANTS DRAWINGS AND SPECIFICATIONS AND WITH SUCH OTHER WRITTEN INSTRUCTIONS OR SKETCHES AS MAY BE ISSUED DURING THE COURSE OF THE CONTRACT. ANY DISCREPANCY SHALL BE REFERRED TO THE SUPERINTENDENT BEFORE PROCEEDING WITH WORK.
- MATERIALS AND WORKMANSHIP SHALL BE IN ACCORDANCE WITH THE SPECIFICATION, CURRENT SAA CODES, BUILDING REGULATIONS AND THE REQUIREMENTS OF ANY OTHER RELEVANT STATUTORY
- G3 THESE DRAWINGS MUST NOT BE SCALED. ALL DIMENSIONS ARE IN METERS. ALL SET OUT DIMENSIONS AND LEVELS, INCLUDING THOSE SHOWN ON THESE DRAWINGS SHALL BE IN ACCORDANCE WITH THE ARCHITECT'S DRAWINGS AND VERIFIED ON SITE.
- G4 ALL SETOUT AND DIMENSIONS OF THE STRUCTURE INCLUDING KERBS AND RETAINING WALLS. AND BULK EARTHWORKS MUST BE TAKEN FROM THE ARCHITECT'S DRAWINGS. SETOUT OF THE STORMWATER PITS BY OTHERS. CONTRACTOR TO CONFIRM SETOUT OF SERVICE TRENCHING INCLUDING SUBSOIL ON SITE.
- G5 THE CONTRACTOR SHALL COMPLY WITH ALL REGULATIONS OF AUTHORITIES HAVING JURISDICTION OVER THE WORKS. REFER TO GEOTECHNICAL REPORT ON PRELIMINARY GEOTECHNICAL INVESTIGATION BY REGIONAL GEOTECHNICAL SOLUTIONS (REF: RGS32576.1) DATED 31st MARCH 2021.
- G6 ALL DIMENSIONS AND REDUCED LEVELS MUST BE VERIFIED ON SITE BEFORE THE COMMENCEMENT OF
- G7 THE APPROVAL OF A SUBSTITUTION SHALL BE SOUGHT FROM THE SUPERINTENDENT BUT IS NOT AN AUTHORISATION OF A COST VARIATION. THE SUPERINTENDENT MUST APPROVE ANY COST VARIATION INVOLVED BEFORE ANY WORK STARTS.
- G8 ALL LEVELS SHOWN ARE TO THE AUSTRALIAN HEIGHT DATUM.
- SERVICE INFORMATION SHOWN IS APPROXIMATE ONLY. PRIOR TO COMMENCEMENT OF ANY WORKS, THE CONTRACTOR SHALL LOCATE ALL UNDERGROUND SERVICES AND COMPLY WITH ALL REQUIREMENTS OF THOSE AUTHORITIES.
- G10 EXISTING SURFACE CONTOURS, WHERE SHOWN, ARE INTERPOLATED AND MAY NOT BE ACCURATE. GEOTECHNICAL REPORT IDENTIFIES A MAX OF 0.3m OF TOPSOIL ON THE SITE, WHICH HAS BEEN INCLUDED IN THE PROPOSED STRIPPING LAYOUT, HOWEVER, CIVIL DOES IT'S BEST TO REPRESENT THE EXISTING CONDITIONS BUT CANNOT CONFIRM THE DEPTH OF TOPSOIL. FILL OR UNSUITABLE FILL MATERIALS ON-SITE APART FROM WHAT IS REFERENCED IN THE REPORT. THE CONTRACTOR SHALL REVIEW ALL GEOTECHNICAL REPORTS, VISIT SITE AND MAKE THEIR JUDGEMENTS DURING TENDERING.
- G11 UNLESS NOTED OTHERWISE, ALL VEGETATION SHALL BE STRIPPED TO A MINIMUM DEPTH OF 150mm UNDER ALL PROPOSED PAVEMENT AND BUILDING AREAS.
- G12 MAKE SMOOTH CONNECTION WITH ALL EXISTING WORKS.

SITEWORKS NOTES

- S1 PRIOR TO THE PLACEMENT OF ANY PAVEMENTS, BUILDINGS OR DRAINS THE EXPOSED SUBGRADE SHALL BE COMPACTED TO A MINIMUM OF 98% STANDARD COMPACTION IN ACCORDANCE WITH TEST 'E1.1' OF A.S. 1289 FOR THE TOP 300mm. ANY SOFT SPOTS SHALL BE REMOVED AND REPLACED WITH GRANULAR FILL TO THE ENGINEERS APPROVAL AND COMPACTED IN ACCORDANCE WITH THE COMPACTION REQUIREMENTS SET OUT BELOW. ON HIGHLY REACTIVE CLAY AREAS SITE EXCAVATED MATERIAL MAY BE USED WITH THE PRIOR AUTHORISATION OF THE ENGINEER.
- S2 ALL FILL AND PAVEMENT MATERIALS SHALL BE COMPACTED IN ACCORDANCE WITH GEOTECHNICAL REPORT BY REGIONAL GEOTECHNICAL SOLUTIONS (REF: RGS32576.1) DATED 31ST MARCH 2021.

MOISTURE CONTENT TO BE MAINTAINED AT +/- 2% OMC. MINIMUM COMPACTION REQUIREMENTS ARE DETAILED BELOW FOR (ALL REQUIREMENTS ARE TO VERIFIED BY A SUITABLY QUALIFIED GEOTECHNICAL ENGINEER):

LANDSCAPED AREAS

• FILL UNDER ANY FOOTINGS AND FLOOR SLABS FOR ANY STRUCTURE TO SUBGRADE LEVEL; 98% STD.

- SELECTED FILL WITHOUT CONSPICUOUS CLAY CONTENT

 BUILDING BASECOURSE 98% MOD FILL UNDER ROAD PAVEMENTS; 98% STD. - TO WITHIN 500mm OF FINISHED SUBGRADE LEVEL

- UP TO FINISHED SUBGRADE LEVEL

 ROAD PAVEMENT MATERIALS; 98% MOD. SUB BASE - BASE COURSE 98% MOD.

THE MAXIMUM COMPACTION IS TO BE NO GREAT THAN 4% ON TOP OF THE ABOVE MENTION VALUES.

98% STD.

- GRADE EVENLY BETWEEN FINISHED SURFACE SPOT LEVELS. FINISHED SURFACE CONTOURS ARE SHOWN FOR CLARITY. WHERE FINISHED SURFACE LEVELS ARE NOT SHOWN, THE SURFACE SHALL BE GRADED SMOOTHLY SO THAT IT WILL DRAIN AND MATCH ADJACENT SURFACES OR STRUCTURES.
- S4 ALL DIMENSIONS GIVEN ARE TO FACE OF KERB, CENTER OF PIPE OR EXTERIOR FACE OF BUILDING UNLESS NOTED OTHERWISE
- S5 ANY STRUCTURES, PAVEMENTS OR SURFACES DAMAGED, DIRTIED OR MADE UNSERVICABLE DUE TO CONSTRUCTION WORK SHALL BE REINSTATED TO THE SATISFACTION OF THE ENGINEER.
- S6 ANY FILL REQUIRED SHALL BE APPROVED BY THE ENGINEER / GEOTECHNICAL CONSULTANT
- S7 CONTRACTOR IS TO ENSURE THAT ALL EXCAVATIONS ARE MAINTAINED IN A DRY CONDITION WITH NO WATER ALLOWED TO REMAIN IN THE EXCAVATIONS.
- S8 ALL FINISHES AND COLOURS TO BE IN ACCORDANCE WITH ARCHITECTURAL SPECIFICATIONS.
- S9 REFER TO STRUCTURAL DRAWINGS FOR CONCRETE, REINFORCEMENT AND RETAINING WALL DETAILS
- S10 GENERALLY FOR TRENCHING WORKS THE CONTRACTOR MUST: A) COMPLY WITH THE GENERAL PROVISIONS OF PART 3.1 "MANAGING RISKS TO HEALTH AND SAFETY" OF NSW WORK AND HEALTH AND SAFETY REGULATION 2011
- B) COMPLY PART 6.3 DIVISION 3 "EXCAVATION WORK" OF NSW WORK HEALTH AND SAFETY REGULATION NSW 2011
- S11 PRIOR TO THE EXCAVATION OF ANY TRENCH DEEPER THAN 1.5 METRES THE CONTRACTOR MUST: A) NOTIFY THE OCCUPATIONAL HEALTH AND SAFETY AUTHORITY ON THE APPROPRIATE FORM.

STORMWATER DRAINAGE NOTES

- SW1 UNLESS NOTED OTHERWISE BY HYDRAULIC ENGINEERS DRAWINGS, ALL DOWNPIPES & GRATED INLETS SHALL BE CONNECTED TO PITS OR MAIN STORMWATER DRAINS WITH 225 DIA. UPVC PIPES LAID AT A MINIMUM GRADE OF 1 IN 100. FOR SYPHONIC ROOF DRAINAGE SYSTEMS ALL DOWNPIPES CONNECTION DRAIN SIZES TO BE CONNECTED INTO MAIN STORMWATER DRAINS SHALL BE IN ACCORDANCE WITH HYDRAULIC ENGINEERS DRAWINGS.
- SW2 ALL MAIN STORMWATER DRAINS SHALL BE CONSTRUCTED USING MATERIALS AS SPECIFIED ON THE DRAWINGS IN ACCORDANCE WITH THE APPROPRIATE A.S. IF NOT SPECIFIED THEN CLASS 2 RRJ RCP SHALL BE USED FOR DIAMETERS > 225mm. SEWER CLASS SEH UPVC IN ACCORDANCE WITH AS1260 SHALL BE USED FOR \$\phi\$225mm OR SMALLER.
- SW3 ALL PIPEWORK TO BE INSTALLED IN ACCORDANCE WITH AS3725 FOR RCP AND AS2032 FOR PVC. ALL BEDDING TO BE TYPE H2 UNLESS NOTED OTHERWISE.
- SW4 FOR ALL PITS > 1.2m DEEP, STEP IRONS SHALL BE INSTALLED.
- SW5 PRECAST PITS MAY BE USED EXTERNAL TO THE BUILDING SUBJECT TO APPROVAL BY BONACCI
- SW6 ENLARGERS, CONNECTIONS AND JUNCTIONS TO BE PREFABRICATED FITTINGS WHERE PIPES ARE LESS THAN 300 DIA.
- SW7 WHERE SUBSOIL DRAINS PASS UNDER FLOOR SLABS AND VEHICULAR PAVEMENTS, UNSLOTTED uPVC SEWER GRADE PIPE IS TO BE USED.
- SW8 GRATES AND COVERS SHALL CONFORM WITH AS 3996 AND AS 1428.1 FOR ACCESS REQUIREMENTS.
- SW9 CARE IS TO BE TAKEN WITH LEVELS OF STORMWATER LINES. GRADES ARE NOT TO BE REDUCED WITHOUT APPROVAL.
- SW10 AT ALL TIMES DURING CONSTRUCTION OF STORMWATER PITS, ADEQUATE SAFETY PROCEDURES SHALL BE TAKEN TO ENSURE AGAINST THE POSSIBILITY OF PERSONNEL FALLING DOWN PITS.
- SW11 ALL EXISTING STORMWATER DRAINAGE LINES AND PITS THAT ARE TO REMAIN ARE TO BE INSPECTED AND CLEANED, DURING THIS PROCESS ANY PART OF THE STORMWATER DRAINAGE SYSTEM THAT WARRANTS REPAIR SHALL BE REPORTED TO THE SUPERINTENDENT/ENGINEER FOR FURTHER DIRECTIONS.


KERBING NOTES

- K1 ALL CONCRETE TO HAVE A MINIMUM COMPRESSIVE STRENGTH OF 32 MPa U.N.O.
- K2 ALL KERBS, GUTTERS, DISH DRAINS AND CROSSINGS TO BE CONSTRUCTED ON 75mm GRANULAR BASECOURSE COMPACTED TO A MINIMUM 98% MAXIMUM DRY DENSITY IN ACCORDANCE WITH AS1289
- K3 EXPANSION JOINTS (EJ) TO BE FORMED FROM 10mm COMPRESSIBLE CORK FILLER BOARD FOR THE FULL DEPTH OF THE SECTION AND CUT TO PROFILE. EXPANSION JOINTS TO BE LOCATED AT DRAINAGE PITS, ON TANGENT POINTS OF CURVES AND ELSEWHERE AT MAX 12m CENTRES EXCEPT FOR INTEGRAL KERBS WHERE THE EXPANSION JOINTS ARE TO MATCH THE JOINT LOCATIONS IN THE SLAB.
- K4 WEAKENED PLANE JOINTS TO BE MIN 3mm WIDE AND LOCATED AT 3m CENTRES EXCEPT FOR INTEGRAL KERBS WHERE THE WEAKENED PLANE JOINTS ARE TO MATCH THE JOINT LOCATIONS IN THE SLAB.
- K5 BROOMED FINISH TO ALL RAMPED AND VEHICULAR CROSSINGS. ALL OTHER KERBING OR DISH DRAINS TO BE STEEL FLOAT FINISHED.
- K6 IN THE REPLACEMENT OF KERBS:-
- EXISTING ROAD PAVEMENT IS TO BE SAWCUT 900mm U.N.O. FROM THE LIP OF GUTTER. UPON COMPLETION OF THE NEW KERB AND GUTTER, NEW BASECOURSE AND SURFACE TO BE LAID
- EXISTING KERBS ARE TO BE COMPLETELY REMOVED WHERE NEW KERBS ARE SHOWN.

JOINTING NOTES


PEDESTRIAN FOOTPATH JOINTS

- EXPANSION JOINTS (EJ) ARE TO BE LOCATED WHERE POSSIBLE AT TANGENT POINTS OF CURVES AND ELSEWHERE AT 6m CENTRES.
- SAWCUT JOINTS (SC) ARE TO BE LOCATED AT A MAX 1.5m x WIDTH OF PAVEMENT. THE TIMING OF THE SAWCUT IS TO BE CONFIRMED BY THE CONTRACTOR ON SITE. SITE CONDITIONS WILL DETERMINE HOW MANY HOURS AFTER THE CONCRETE POUR BEFORE THE SAW CUTS ARE COMMENCED.
- WHERE POSSIBLE JOINTS SHOULD BE LOCATED TO MATCH KERBING AND / OR ADJACENT PAVEMENT
- PROVIDE 10mm WIDE FULL DEPTH EXPANSION JOINTS (EJ) BETWEEN BUILDINGS AND ALL CONCRETE
- ALL PEDESTRIAN FOOTPATH JOINTINGS AS FOLLOWS (U.N.O.).



VEHICULAR PAVEMENT JOINTS

- J6 ALL VEHICULAR PAVEMENTS TO BE JOINTED AS SHOWN ON DRAWINGS.
- J7 LONGITUDINAL WARPING JOINTS (LWJ) SHOULD GENERALLY BE LOCATED AT A MAXIMUM OF 3m TO 4.5m MAX CENTERS. ALL LWJ'S SHOULD BE TIED UP TO A MAXIMUM TOTAL WIDTH OF 30m.
- TRANSVERSE CONTRACTION JOINTS (TCJ) SHOULD GENERALLY BE LOCATED AT A MAXIMUM OF 8m TO 12m MAX CENTERS. TCJ's CAN BE SPACED AT SUITABLE INTERVALS UP TO A RECOMMENDED MAXIMUM LENGTH OF 15m.
- TRANSVERSE DOWELLED CONSTRUCTION JOINTS (DCJ) TO BE PROVIDED FOR PLANNED INTERRUPTIONS SUCH AS AT THE END OF EACH DAY'S OPERATIONS (POUR BREAK), AT BLOCK OUTS FOR BRIDGES AND INTERSECTIONS OR FOR UNEXPECTED DELAYS WHEN THE SUSPENSION OF OPERATIONS IS LIKELY TO CREATE A JOINT.
- J10 ISOLATION JOINTS WITH SUB-GRADE BEAM (IJ) TO BE PROVIDED AT INTERSECTIONS OR AT THE JUNCTION OF A POUR BREAK.
- J11 ALL VEHICULAR PAVEMENTS TO BE JOINTED IN ACCORDANCE WITH AUSTROADS AGPT02-12 GUIDE TO PAVEMENT TECHNOLOGY PART 2 STRUCTURAL PAVEMENT DESIGN AND SUPPLEMENT AP-T36-06 PAVEMENT DESIGN FOR LIGHT TRAFFIC
- J12 VEHICULAR PAVEMENT JOINTING AS FOLLOWS (U.N.O.)





REF Approval No: 09/2023

Date: 29/3/2023

Signed by:

R Lutchell

ALL EXISTING PROPERTY SERVICES' LOCATIONS AND DEPTHS ARE APPROXIMATE AND MUST BE VERIFIED ON SITE. THE CONTRACTOR SHOULD SUPPLY PRECISE LOCATIONS AND DEPTHS TO THE ENGINEER FOR REVIEW PRIOR TO ANY WORKS THAT MAY AFFECT THESE SERVICES.

WARNING NO DRAINAGE WORKS SHALL COMMENCE UNTIL THE CONTRACTOR CONFIRMS THE I.L. OF ALL EXISTING DRAINS, AND CONFIRMS IN WRITING WITH THE ENGINEERING SUPERVISOR.

WARNING BEWARE OF UNDERGROUND SERVICES

THE LOCATIONS OF UNDERGROUND SERVICES SHOWN ARE APPROXIMATE ONLY AND THEIR EXACT POSITION SHOULD BE PROVEN ON SITE.

THIS DRAWING MAY BE PREPARED IN COLOUR AND MAY BE INCOMPLETE IF COPIED

24.02.23 DH Y

25.11.22 DH YC

06.07.22 DH GK

16.03.22 DH GK

11.03.22 AM GK

Date By App

NOT FOR CONSTRUCTION





Project Name TAMWORTH MENTAL HEALTH UNIT DRAFT TENDER DEAN STREET. TAMWORTH NSW Designed FEB 2023 **CONSTRUCTION NOTES** C002 P1


09.08.21 HM

Date By App

P6 ISSUED FOR TENDER

Rev Description

ISSUE FOR SD



ISSUED FOR TENDER REVIEW


ISSUED FOR COORDINATION


Date By App

25.11.22 DH YO


Date By App

C004 P7






SEDIMENT FENCE NOT TO SCALE






STRAW BALE BANK SEDIMENT CONTROL NOT TO SCALE




TEMPORARY CONSTRUCTION VEHICLE ENTRY/EXIT SEDIMENT TRAP

NOT TO SCALE




KERB INLET SEDIMENT TRAP


NOT TO SCALE




GEOTEXTILE PIT FILTER 1 NOT TO SCALE



SANDBAG KERB INLET SEDIMENT TRAP NOT TO SCALE



NOT TO SCALE



ON GRADE KERB INLET SEDIMENT TRAP NOT TO SCALE



| DETERMINED - APPROVAL

REF Approval No: 09/2023 Date: 29/3/2023

Drawing SEDIMENT & EROSION

CONTROL DETAILS

R Luther 1

C005 P10


These drawings, plans and specifications and the copyright therein are the property of written permission of Meinhardt-Bonacci. P5 ISSUED FOR TENDER REVIEW P10 ISSUED FOR DRAFT TENDER 24.02.23 DH YC 21.02.22 AM P4 65% DD ISSUE 25.11.22 DH YC 16.12.21 AM P9 ISSUED FOR COORDINATION 06.07.22 DH GK 16.03.22 DH GK P2 ISSUE FOR AUTHORITY APPROVAL 08.09.21 HM P7 ISSUED FOR TENDER UPDATE ISSUE FOR SD 09.08.21 HM P6 ISSUED FOR TENDER 11.03.22 AM GK Date By App Rev Description Date By App


NOT FOR CONSTRUCTION



Level 4, 66 Clarence Street
Sydney NSW 2000
Australia
T: +61 2 9699 3088
F: +61 2 9319 7518
info@meinhardt-bonacci.com
www.meinhardt-bonacci.com
Convright

	THIS DRAWING MAY BE PREPARED	IN COLO	JR A	ND MAY BE	INCOMPLETE IF	COPIED
t	TAMWORTH MENTAL HEALTH UNIT DEAN STREET, TAMWORTH NSW	DRAFT TENDER				
	DEMIN OTTLET, TAWWORTH NOW	Designed	АМ	Approved	Date	Nort
		Drawn	пн	YC	FEB 2023	





SC01 LONGITUDINAL SECTION



DETERMINED – APPROVAL

REF Approval No: 09/2023 Date: 29/3/2023

Signed by: RANTCHELS

THIS DRAWING MAY BE PREPARED IN COLOUR AND MAY BE INCOMPLETE IF COPIED


All rights reserved.
These drawings, plans and specifications and the copyright therein are the property of Meinhardt-Bonacci and must not be used, reproduced or copied wholly or in part without the written permission of Meinhardt-Bonacci. P5 ISSUED FOR COORDINATION 09.02.23 DH YC 16.12.21 AM P4 65% DD ISSUE P3 40% DD ISSUE 03.12.21 HM 08.09.21 HM P2 ISSUE FOR AUTHORITY APPROVAL P1 ISSUE FOR SD 09.08.21 HM P6 ISSUED FOR DRAFT TENDER Date By App Date By App Rev Description

NOT FOR CONSTRUCTION



Project Name	TAMWORTH MENTAL HEALTH UNIT DEAN STREET, TAMWORTH NSW	

Project Name TAMWORTH MENTAL HEALTH UNIT DEAN STREET, TAMWORTH NSW	DRAFT TENDER						
DEMINORALI, IMMINIOTATION	Designed AM	Approved	Date	North			
	Drawn DH	YC	FEB 2023				
Drawing BULK EARTHWORKS LONGITUDINAL	Scale AS SHOWN						
SECTIONS - SHEET 1		Project Ref	Drawing No	Rev			
OLOTIONO GITLET I	Date JUN 2021 Sheet A1	1 13084 01	C015	P6			
1	I olicet A	'					



OF WORKS EXISTING ROAD L2 UNDERCROFT FILL (1 IN 4) PROPOSED STAIRS BOUNDARY-FFL 416.65 OF WORKS BEL 416.27 EXISTING ROAD — TEMPORARY BATTER (1 IN 1) BUILDING ---RETAINING WALL DATUM 410.0 SC03 DESIGN SURFACE LEVEL BULK EARTHWORKS SURFACE LEVEL STRIPPED EXISTING SURFACE LEVEL EXISTING SURFACE LEVEL CHAINAGES 1 in 200 HORIZONTAL 1 in 100 VERTICAL

SC02 LONGITUDINAL SECTION

SC03 LONGITUDINAL SECTION



DETERMINED – APPROVAL

REF Approval No: 09/2023

Date: 29/3/2023

Signed by:

Rdutchell

All rights reserved.
These drawings, plans and specifications and the copyright therein are the property of Meinhardt-Bonacci and must not be used, reproduced or copied wholly or in part without the written permission of Meinhardt-Bonacci. P5 ISSUED FOR COORDINATION 09.02.23 DH Y P4 65% DD ISSUE 16.12.21 AM 08.09.21 HM P2 ISSUE FOR AUTHORITY APPROVAL P1 ISSUE FOR SD 09.08.21 HM P6 ISSUED FOR DRAFT TENDER 24.02.23 DH YO Date By App Date By App


NOT FOR CONSTRUCTION



	THIS DRAWING	MAY BE P	REPARED	IN COLOUR	AND MA	Y BE INCOMP	LETE IF CC	PIED
roject ame	ORTH MENTAL, HEALTH UNIT STREET, TAMWORTH NSW			DRA	FT TENDE	R		
	OTTLET, IAW	VVOIXIIIIV		- · · ·	Approved		Date	North

Drawing BULK EARTHWORKS LONGITUDINA SECTIONS - SHEET 2

Ш			DRAFT	TEN	DER	
	Designed	MA E	Approved		Date	Nor
IAL	Drawn	DH	YC		FEB 2023	
IAL		SHOWN	Project Ref		Drawing No	Rev
	Date . Sheet	JUN 2021 A1	13084	01	C016	P



otted: 24.02.23 at 2:13 PM By: Danjay Herrera

P4 ISSUED FOR DRAFT TENDER

P2 65% DD ISSUE

P1 40% DD ISSUE

24.02.23 DH YC

16.12.21 AM

Date By App Rev Description

Date By App


NOT FOR CONSTRUCTION



		THIS DRAWING MAY BE PREPAR	D IN COLO	UR A	ND MAY BE IN	NCOMPLETE IF	COPIED	
Name		AMWORTH MENTAL, HEALTH UNIT DEAN STREET, TAMWORTH NSW		DRAFT TENDER				
				ΔΜ	Approved	Date	North	

Drawing Title BULK EARTHWORKS LONGITUDINAL SECTIONS - SHEET 3

			DRAFT	TEN	DER	
	Designed	AM	Approved		Date	North
	Drawn	DH	YC		FEB 2023	
-	Scale AS S		Project Ref		Drawing No	Rev
	Date JU Sheet	N 2021 A1	13084	01	C017	P4





DETERMINED – APPROVAL

REF Approval No: 09/2023

Date: 29/3/2023

Signed by:

RLutchell

THIS DRAWING MAY BE PREPARED IN COLOUR AND MAY BE INCOMPLETE IF COPIED


COPYRIGHT All rights reserved. These drawings, plans and specifications and the copyright therein are the property of Meinhardt-Bonacci and must not be used, reproduced or copied wholly or in part without the written permission of Meinhardt-Bonacci. 24.02.23 DH YC P4 ISSUED FOR DRAFT TENDER 09.02.23 DH YC P2 65% DD ISSUE 16.12.21 AM P1 40% DD ISSUE 03.12.21 HM Date By App Rev Description Date By App


NOT FOR CONSTRUCTION




Project Name	TAMWORTH MENTAL, HEALTH UNDEAN STREET, TAMWORTH NSW
Drawing Title	BULK EARTHWORKS LONGITUDII


TAMWORTH MENTAL, HEALTH UNIT DEAN STREET, TAMWORTH NSW	DRAFT TENDER				
DE/III OTTLET, I/ WIVVOICTITIOV	Designed	AM	Approved	Date	
	Drawn	DH	YC	FEB 2023	
¹⁹ BULK EARTHWORKS LONGITUDINAL					
	Scale AS S		Project Ref	Drawing	
SECTIONS - SHEET 4	Date JU	JN 2021	40004 04	00	







BUILDING ON SITE DETENTION PLAN





DETERMINED – APPROVAL

REF Approval No: 09/2023

Date: 29/3/2023

Signed by:

RLutchell


THIS DRAWING MAY BE PREPARED IN COLOUR AND MAY BE INCOMPLETE IF COPIED

These drawings, plans and specifications and the copyright therein are the property of Meinhardt-Bonacci and must not be used, reproduced or copied wholly or in part without the written permission of Meinhardt-Bonacci. P11 ISSUED FOR DRAFT TENDER 24.02.23 DH YC P5 ISSUED FOR TENDER 21.02.22 AM P10 ISSUED FOR COORDINATION 25.10.22 DH YC P9 ISSUED FOR TENDER UPDATE P4 65% DD ISSUE 06.07.22 DH GK 05.04.22 DH GK 40% DD ISSUE 08.09.21 HM 16.03.22 DH GK P2 ISSUE FOR AUTHORITY APPROVAL P7 ISSUED FOR TENDER UPDATE 11.03.22 AM GK ISSUE FOR SD 09.08.21 HM P6 ISSUED FOR TENDER Date By App Date By App Rev Description

NOT FOR CONSTRUCTION



ject ne		VORTH MENTAL HEALTH UNIT STREET, TAMWORTH NSW	DRAFT TENDER						
			Design	ned L	D	Approved		Date	North
			Drawn		H	YC		FEB 2023	
wing	ON-S	ITE DETENTION TANK DETAILS							
е	0.10	- Guale	Scale		NTS	Project Ref		Drawing No	Rev
			Date	JUN 202	21	13084	∩1	C051	D11
			Sheet	F	1	13004	O I	0001	'''




C060 P11

Date By App

Date By App

Rev Description



ISSUE FOR SD

09.08.21 HM

Date By App

P6 ISSUED FOR TENDER

Rev Description

11.03.22 AM GK

Date By App



	Level 4, 66 Clarence Street
	Sydney NSW 2000
4	Australia
	T: +61 2 9699 3088
	F: +61 2 9319 7518
	info@meinhardt-bonacci.com
	www.meinhardt-bonacci.com
_	© Copyright
	o oop,g

ct e	TAMWORTH MENTAL HEALTH UNIT DEAN STREET, TAMWORTH NSW		DRAFT TENDER					
	DEAN OTHER, TAWWORTH NOW	Designed	AM	Approved	Date	North		
		Drawn	DH	YC	FEB 2023			
ring P	PAVEMENT DETAILS	Scale	-	Project Ref	Drawing No	Rev		

C070 P11