#### NOTE:

THE BOUNDARY INFORMATION SHOWN ON THIS PLAN REGARDING THE LOCATION OF THE PROPERTY BOUNDARIES HAS BEEN TAKEN FROM THE TITLE DEPOSITED PLAN. IT HAS BEEN PLOTTED AS REQUIRED UNDER DIVISION 1, SECTION 9.(1) OF THE "SURVEYING AND SPATIAL INFORMATION REGULATION 2017" AND IS ACCURATE TO ABOUT ±0.05m. IT HAS NOT BEEN DETERMINED BY AN ACCURATE BOUNDARY SURVEY.


A DETAIL & LEVEL SURVEY IS NOT A "LAND SURVEY" AS DEFINED BY THE SURVEYING AND SPATIAL INFORMATION ACT, 2002. IF ANY CONSTRUCTION OR DESIGN WORK, WHICH RELIES ON CRITICAL SETBACKS FROM THE STREET OR BOUNDARIES IS PLANNED, IT WOULD BE IMPERATIVE TO CARRY OUT FURTHER SURVEY WORK TO DETERMINE THE BOUNDARY DIMENSIONS. PRIOR TO ANY CONSTRUCTION WORK, SURVEY MARKS SHOULD BE PLACE TO DEFINE THE PROPERTY BOUNDARIES.

SERVICES SHOWN ARE INDICATIVE ONLY. POSITIONS ARE BASED ON SURFACE INDICATOR(S) LOCATED DURING FIELD SURVEY. CONFIRMATION OF THE EXACT POSITION SHOULD BE MADE PRIOR TO ANY EXCAVATION WORK. OTHER SERVICES MAY EXIST WHICH ARE NOT SHOWN.

LEVELS ARE BASED ON AUSTRALIAN HEIGHT DATUM (AHD) USING SSM 79603 WITH RL 10.201 (AHD).

RIDGE & GUTTER HEIGHTS HAVE BEEN OBTAINED BY INDIRECT METHOD AND ARE ACCURATE TO ± 0.05m.

CONTOURS SHOWN DEPICT THE TOPOGRAPHY. EXCEPT AT SPOT LEVELS SHOWN THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT. THE SPOT LEVELS ARE TRUE FOR THEIR POSITION, AND ARE INTENDED TO BE USEFUL TO REPRESENT THE GENERAL TERRAIN. CARE SHOULD BE TAKEN IF EXTRAPOLATING.



#### LEGEND

**BK - BACK OF KERB** CL - CENTERLINE GUT - KERB GUTTER LIP - LIP OF KERB PIT - STORM WATER PIT SUP - SUPPORT TOW - TOP OF WALL BOW - BOTTOM OF WALL TW - TOP OF WINDOW **BW - BOTTOM OF WINDOW** TG - TOP OF GUTTER RR - ROOF RIDGE FL - FLOOR LEVEL ELEC - ELECTRICAL CONNECTION WH - WATER HEATER Ø.4/S10/H16 - TREE DIAMETER/SPREAD/HEIGHT

LEGEND

SEWER INSPECTION PIT

TEL

P PP

Q SP

SV

HYD

M WM

SSM

BENCH MARK

TELSTRA PIT

POWER POLE

SIGN POST

STOP VALVE

WATER HYDRANT

WATER METER

STATE SURVEY MARK



## UTILITIES LEGEND

——X —— EU-A-B-C-D
—Х — ЕТ-А-В-С-D
—Х — ТN-А-В-С-D
—х — ОU-А-В-С-D
—X — LG-A-B-C-D
——X —— НG-А-В-С-D
——X —— WM-A-B-C-D
——X —— SW-A-B-C-D
——X —— SM-A-B-C-D
—X — UP-A-D

No. DATE NOTATION/AMENDMENT

### NOTE:

THE BOUNDARY INFORMATION SHOWN ON THIS PLAN REGARDING THE LOCATION OF THE PROPERTY BOUNDARIES HAS BEEN TAKEN FROM THE TITLE DEPOSITED PLAN. IT HAS BEEN PLOTTED AS REQUIRED UNDER DIVISION 1, SECTION 9.(1) OF THE "SURVEYING AND SPATIAL INFORMATION REGULATION 2017" AND IS ACCURATE TO ABOUT +0.05m. IT HAS NOT BEEN DETERMINED BY AN ACCURATE BOUNDARY SURVEY.


A DETAIL & LEVEL SURVEY IS NOT A "LAND SURVEY" AS DEFINED BY THE SURVEYING AND SPATIAL INFORMATION ACT, 2002. IF ANY CONSTRUCTION OR DESIGN WORK, WHICH RELIES ON CRITICAL SETBACKS FROM THE STREET OR BOUNDARIES IS PLANNED, IT WOULD BE IMPERATIVE TO CARRY OUT FURTHER SURVEY WORK TO DETERMINE THE BOUNDARY DIMENSIONS. PRIOR TO ANY CONSTRUCTION WORK, SURVEY MARKS SHOULD BE PLACE TO DEFINE THE PROPERTY BOUNDARIES.

SERVICES SHOWN ARE INDICATIVE ONLY. POSITIONS ARE BASED ON SURFACE INDICATOR(S) LOCATED DURING FIELD SURVEY. CONFIRMATION OF THE EXACT POSITION SHOULD BE MADE PRIOR TO ANY EXCAVATION WORK. OTHER SERVICES MAY EXIST WHICH ARE NOT SHOWN.

LEVELS ARE BASED ON AUSTRALIAN HEIGHT DATUM (AHD) USING SSM 79603 WITH RL 10.201 (AHD).

RIDGE & GUTTER HEIGHTS HAVE BEEN OBTAINED BY INDIRECT METHOD AND ARE ACCURATE TO ± 0.05m.

CONTOURS SHOWN DEPICT THE TOPOGRAPHY. EXCEPT AT SPOT LEVELS SHOWN THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT. THE SPOT LEVELS ARE TRUE FOR THEIR POSITION, AND ARE INTENDED TO BE USEFUL TO REPRESENT THE GENERAL TERRAIN. CARE SHOULD BE TAKEN IF EXTRAPOLATING.



βK	-	BAC

LEGEND

**BK - BACK OF KERB** CL - CENTERLINE GUT - KERB GUTTER LIP - LIP OF KERB PIT - STORM WATER PIT SUP - SUPPORT TOW - TOP OF WALL BOW - BOTTOM OF WALL TW - TOP OF WINDOW **BW - BOTTOM OF WINDOW** TG - TOP OF GUTTER RR - ROOF RIDGE FL - FLOOR LEVEL ELEC - ELECTRICAL CONNECTION WH - WATER HEATER Ø.4/S10/H16 - TREE DIAMETER/SPREAD/HEIGHT

LEGEND							
BENCH MARK							
TELSTRA PIT	TEL						
POWER POLE	P PP						
SIGN POST	♀ sp						
SEWER INSPECTION PIT	SIP						
STOP VALVE	SV SV						
WATER HYDRANT	HYD						
WATER METER	M MW						
STATE SURVEY MARK	SSM						

ELECTRICITY	—X — EU-A-B-C-D
TRANSMISSION	—х — ет-а-в-с-р
TELECOMMUNICATIONS	——X — ТN-А-В-С-D
OPTICAL FIBRE	—X — DU-A-B-C-D
LOW PRESSURE GAS	—X — LG-A-B-C-D
HIGH PRESSURE GAS	—X — HG-A-B-C-D
WATER MAIN	——X —— WM-A-B-C-D
STORMWATER LINE	——X —— SW-A-B-C-D
SEWER MAIN	——X —— SM-А-В-С-D
UNKNOWN SERVICE	—X — UP-A-D

			_					
No.	DATE	NOTATION/AMENDMENT	No.	No. DATE		NOTATION/AME	CONTOUR INTERVAL:	
								DATUM: A.H.D.
								ORIGIN OF DATUM:
								S.S.M. 79603
								100 YEAR FLOOD RL:
				FILE		FILE SIZE (MB)	CHECKED BY	RECOMMENDED MINIMUM
								SOURCE OF FLOOD INFO:

	r		
LEGEND OF COMMONLY USED SYMBOLS	BAR SCALE	DATE OF SURVEY: 06 / 10 / 2021 SURVEY CONSULTANT:	NS
	PLOTTED SCALE 1:100 (A1 SIZE SHEET)	TSS TOTAL SURVEYING SOLUTIONS	GOVERNMEN
	LAND TITLE INFORMATION	ARTARMON   CAMDEN   MANLY VALE	Division of the
	lots: 67 & 68		
	plan nos : 529880		DE
	OTHER:		
	AREA: 1161.4m² (TOTAL)	SURVEYORS REF: 211660	

#### NOTE:

THE BOUNDARY INFORMATION SHOWN ON THIS PLAN REGARDING THE LOCATION OF THE PROPERTY BOUNDARIES HAS BEEN TAKEN FROM THE TITLE DEPOSITED PLAN. IT HAS BEEN PLOTTED AS REQUIRED UNDER DIVISION 1, SECTION 9.(1) OF THE "SURVEYING AND SPATIAL INFORMATION REGULATION 2017" AND IS ACCURATE TO ABOUT ±0.05m. IT HAS NOT BEEN DETERMINED BY AN ACCURATE BOUNDARY SURVEY.

A DETAIL & LEVEL SURVEY IS NOT A "LAND SURVEY" AS DEFINED BY THE SURVEYING AND SPATIAL INFORMATION ACT, 2002. IF ANY CONSTRUCTION OR DESIGN WORK, WHICH RELIES ON CRITICAL SETBACKS FROM THE STREET OR BOUNDARIES IS PLANNED, IT WOULD BE IMPERATIVE TO CARRY OUT FURTHER SURVEY WORK TO DETERMINE THE BOUNDARY DIMENSIONS. PRIOR TO ANY CONSTRUCTION WORK, SURVEY MARKS SHOULD BE PLACE TO DEFINE THE PROPERTY BOUNDARIES.

SERVICES SHOWN ARE INDICATIVE ONLY. POSITIONS ARE BASED ON SURFACE INDICATOR(S) LOCATED DURING FIELD SURVEY. CONFIRMATION OF THE EXACT POSITION SHOULD BE MADE PRIOR TO ANY EXCAVATION WORK. OTHER SERVICES MAY EXIST WHICH ARE NOT SHOWN.

LEVELS ARE BASED ON AUSTRALIAN HEIGHT DATUM (AHD) USING SSM 79603 WITH RL 10.201 (AHD).


RIDGE & GUTTER HEIGHTS HAVE BEEN OBTAINED BY INDIRECT METHOD AND ARE ACCURATE TO  $\pm$  0.05m.

CONTOURS SHOWN DEPICT THE TOPOGRAPHY. EXCEPT AT SPOT LEVELS SHOWN THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT. THE SPOT LEVELS ARE TRUE FOR THEIR POSITION, AND ARE INTENDED TO BE USEFUL TO REPRESENT THE GENERAL TERRAIN. CARE SHOULD BE TAKEN IF EXTRAPOLATING.

\_\_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_ ; \_\_\_\_ ; \_\_\_\_ ; \_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_\_ ; \_\_\_\_ ; \_\_\_\_ ; \_\_\_\_ ; \_\_\_\_ ; \_\_\_\_ ; \_\_\_\_ ; \_\_\_\_ ;

CUTLER DRIVE

\_\_\_\_\_ · \_\_\_ - \_\_\_ \_ \_\_\_



-----

## LEGEND

BK - BACK OF KERB CL - CENTERLINE GUT - KERB GUTTER LIP - LIP OF KERB PIT - STORM WATER PIT SUP - SUPPORT TOW - TOP OF WALL BOW - BOTTOM OF WALL TW - TOP OF WINDOW **BW - BOTTOM OF WINDOW** TG - TOP OF GUTTER RR - ROOF RIDGE FL - FLOOR LEVEL ELEC - ELECTRICAL CONNECTION WH - WATER HEATER Ø.4/S10/H16 - TREE DIAMETER/SPREAD/HEIGHT

LEGEND

SEWER INSPECTION PIT

TEL

P PP

Q SP

SV SV

HYD

M WM

SSM

BENCH MARK

TELSTRA PIT

POWER POLE

STOP VALVE

WATER HYDRANT

WATER METER

STATE SURVEY MARK

SIGN POST



\_\_\_\_


## UTILITIES LEGEND

ELECTRICITY	——X —— EU-A-B-C-D
TRANSMISSION	—Х — ЕТ-А-В-С-D
TELECOMMUNICATIONS	——X —— TN-A-B-C-D
OPTICAL FIBRE	—Х — ОО-А-В-С-Д
LOW PRESSURE GAS	—X — LG-A-B-C-D
HIGH PRESSURE GAS	—X — HG-A-B-C-D
WATER MAIN	——X —— WM-A-B-C-D
STORMWATER LINE	——X —— SW-A-B-C-D
SEWER MAIN	——X —— SM-A-B-C-D
UNKNOWN SERVICE	—X — UP-A-D


No	D. DATE	NOTATION/AMENDMENT	No.	DATE	NOTATION/AME	NDMENT	CONTOUR INTERVAL:
							datum: A.H.D.
							ORIGIN OF DATUM:
							S.S.M. 79603
							100 YEAR FLOOD RL:
				FILE	FILE SIZE (MB)	CHECKED BY	RECOMMENDED MINIMUM
							SOURCE OF FLOOD INFO:


	12.71RR 12.71RR	
	10.34TG	
9.71TW	-	
	TIMBER SCREEN WALL	

# ELEVATION 1'





ELEVATION 2'












<u>Long Section 3</u>

	GR,	ASS	
R.L : 3.00			
Grade Line	0.064%	0.334%	
Elevation	3.68	3.69	て て て
Chainage	151.364		120 121
Horizontal Scale	1 : 200		


Vertical Scale 1 : 200

No. DATE	NOTATION/AMENDMENT	No. DATE	NOTATION/AME	ENDMENT	CONTOUR INTERVAL:	LEGEND OF COMMONLY USED SYMBOLS	SEE INDIVIDUAL SCALES	DATE OF SURVEY: 06 / 10 / 2021
					DATUM: A.H.D. ORIGIN OF DATUM:		SEE INDIVIDUAL SCALES	SURVEY CONSULTANT:
					S.S.M. 79603 100 YEAR FLOOD RL:		LAND TITLE INFORMATION	ARTARMON   CAMDEN   MANLY VALE
		FILE	FILE SIZE (MB)	CHECKED BY	RECOMMENDED MINIMUM FLOOR RL:		PLAN NOs : 529880	
					SOURCE OF FLOOD INFO:		OTHER: AREA: 1161,4m <sup>2</sup> (TOTAL)	surveyors <sub>Ref :</sub> 211660


					CONCRETE PATH		GRA	SS	
-6.394%	-4.192%	-3.690%	-3.706%	-3.658%	-3.996%	-0.824%	-2.005%	-0.458%	0.122%
	5	5.37	5.01	4.66	4.32	3.94	3.86	3.66	3.62 3.62 3.62
ע ע ע ע		60.920	70.486	79.984	89.389	98.874	108.579	118.456	127.625 130.895



# <u>Long Section 2</u>



# BUS SHELTER BUS STOP ID #225918 CONCRETE TIMBER BRIDGE -0.296% -0.158% 72 M. 461 69




# BUS SHELTER BUS STOP ID #225943

# \*PATH OF TRAVEL IS CLOSE TO BUSY ROAD\*

		GRASS	1
0.153%	0.244%	0.762%	
3.36	3.38	<u>v.</u>	3.45
178.212	188.650	.61	203.102

Land & Housing Corporation		ong			
_	STREET ADDRESS		TYPE		
the Department of Family & Community Services DRAWING TITLE	41-43 Owen /	41-43 Owen Ave, Wyong			
LONG SECTIONS					
	SITE	JOB	SHT. 4		
	WYONG	/ 211660	<b>OF</b> 5		




L	ona	Section	Z
	$-\circ\cdot\cdot\circ$	00001011	

4		GRASS				
<u> </u>		GNAJJ				
	R.L : 9.00 Grade Line	7.285%	5.108%	3.463%	3.090%	4.83
	Elevation	9.97	10.34	10.90	11.09	11.26
	Chainage	14.409	19.474	30.300	35.901	41.435

Horizontal Scale 1 : 200

		Vertical Scale 1 : 200		_				vertical Scale I : 100			
DATE	NOTATION/AMENDMENT									LOCATION	
DATE	NOTATION/AMENDMENT	No. DATE	NOTATION/AME		CONTOUR INTERVAL: DATUM: A.H.D. ORIGIN OF DATUM:	LEGEND OF COMMONLY USED SYMBOLS	SEE INDIVIDUAL SCALES	DATE OF SURVEY: 06 / 10 / 2021 SURVEY CONSULTANT:	Land & Housing	Wyong	
					S.S.M. 79603 100 year flood rl:		LAND TITLE INFORMATION LOTS: 67 & 68	TSS TOTAL SURVEYING SOLUTIONS ARTARMON   CAMDEN   MANLY VALE	NSW         Corporation           Division of the Department of Family & Community Services           DRAWING TITLE	street address 41-43 Owen Ave, Wyong	
		FILE	FILE SIZE (MB)	CHECKED BY	RECOMMENDED MINIMUM FLOOR RL: SOURCE OF FLOOD INFO:		PLAN NOS : 529880 OTHER: <b>AREA:</b> 1161,4m <sup>2</sup> (TOTAL)	SURVEYORS REF: 211660	LONG SECTIONS	SITE JOB WYONG / 211660	SHT

BUS STOP ID #225951



POINT  $\mathcal{S}$ CROWN <u>Crossing 4</u> GRASS R.L : 11.00 Grade Line 3.799% 6.01 11.97 11.83 11.86 Elevation 2 60.786 60.848 61.298 693 Chainage Horizontal Scale 1 : 200 Vertical Scale 1 : 100

