BASIX[°]Certificate

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 1785470M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Friday, 28 February 2025

To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



When submitting this BASIX certificate with a development application or complying development certificate application, it must be accompanied by NatHERS certificate 0011753460.

Project summary		
Project name	24221_1-3 Rodd St	
Street address	1-3 RODD STREET EDEN 2551	
Local Government Area	BEGA VALLEY	
Plan type and plan number	Deposited Plan DP213700	
Lot no.	12&13	
Section no.	-	
No. of residential flat buildings	1	
Residential flat buildings: no. of dwellings	10	
Multi-dwelling housing: no. of dwellings	0	
No. of single dwelling houses	0	
Project score		
Water	44	Target 40
Thermal Performance	✓ Pass	Target Pass
Energy	83	Target 62
Materials	✓ -51	Target n/a

Certificate Prepared by

Name / Company Name: Marc Kiho

ABN (if applicable): 99309889330

BASIX Department of Planning, Housing and Infrastructure www.basix.nsw.gov.au Version: 4.03 / E

Version: 4.03 / EUCALYPTUS_03_01_0 Certificate No.: 1785470M

page 1/17

Description of project

Project address

Project name	24221_1-3 Rodd St					
Street address	1-3 RODD STREET EDEN 2551					
Local Government Area	BEGA VALLEY					
Plan type and plan number	Deposited Plan DP213700					
Lot no.	12&13					
Section no.	-					
Project type						
No. of residential flat buildings	1					
Residential flat buildings: no. of dwellings	10					
Multi-dwelling housing: no. of dwellings	0					
No. of single dwelling houses	0					
Site details						
Site area (m²)	1324					
Roof area (m²)	530					
Non-residential floor area (m ²)	-					
Residential car spaces	5					
Non-residential car spaces	0					

216					
200					
0					
al loads					
20094					
0011753460					
18					
44	Target 40				
V Pass	Target Pass				
✔ 83	Target 62				
✓ -51	Target n/a				
	200 0 al loads 20094 0011753460 18 44 44 Pass 83				

page 2/17

Description of project

The tables below describe the dwellings and common areas within the project

Residential flat buildings - Building1, 10 dwellings, 2 storeys above ground

Dwelling no.	No. of bedrooms		Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	nditione a (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)		Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms		Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
1.01	2	74	0	0	0	1.02	1	65	0	0	0	1	.03	1	55	0	0	0	1.04	1	56	0	0	0
1.05	2	72	0	0	0	G.01	2	74	0	0	0	6	3 .02	1	65	0	0	0	G.03	1	55	0	0	0
G.04	1	56	0	0	0	G.05	2	72	0	0	0					°	°		· <u> </u>			-		

Description of project

The tables below describe the dwellings and common areas within the project

Common areas of unit building - Building1

Common area	Floor area (m²)	Common area	Floor area (m²)	Common area	Floor area (m²)
Garbage room (No. 1)	11	Hallway/lobby type (No. 1)	50	Hallway/lobby type (No. 2)	50
Lift bank (No. 1)	-				

Schedule of BASIX commitments

1. Commitments for Residential flat buildings - Building1

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for Residential flat buildings - Building1

(a) Buildings

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			>
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		~	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	>
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			>

Floor types									
Floor type	Area (m2)	Insulation	Low emissions option						
concrete slab on ground, frame:	644	polystyrene	none						

External wall types								
External wall type	Construction type	Area (m2)	Low emissions option	Insulation				
External wall type 1	cavity brick,frame:no frame	300	-	polystyrene				

Internal wall types									
Internal wall type	Construction type	Area (m2)	Insulation						
Internal wall type 1	cavity brick wall, frame:no frame	500	polystyrene						

BASIX Department of Planning, Housing and Infrastructure

Reinforcement concrete frames/columns								
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option						
yes	100	-						

	Ceiling and roof types									
Ceil	ling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation						
	ed - metal roof, frame: timber - eated softwood	528	foil/sarking	fibreglass batts or roll						

	Glazing types			Frame types							
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m²)	Steel frames (m ²)	Composite frames (m²)				
-	150	-	150	-	-	-	-				

(b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		>	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		~	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	>	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	>	v	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

			Fixture	es		Appli	ances		Indivi	dual pool			ndividual spa	a
Dwelling no.	All shower- heads	All toilet flushing systems	kitchen	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	3 star (> 7.5 but <= 9 L/min)	4 star	4 star	4 star		not specified	not specified	-	-	-	-	-	-	-

BASIX Department of Planning, Housing and Infrastructure

			Altern	native water sou	irce					
Dwelling no.	Alternative water supply systems	Size	Configuration		Landscape connection	Toilet connec (s)		undry nnection	Pool top- up	Spa top-up
II dwellings	Central water tank (No. 1)	See central systems	See central systems		yes	yes	-		-	-
(ii) Energy							Show or DA plan		v on CC/CDC s & specs	Certifier check
.,			below in carrying out the developm							
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.								~		
			d laundry of the dwelling, the ventila e the operation control specified for		cified for that ro	om in			~	~
headings c cooling or such areas	of the "Cooling" and "Heating heating system is specified in	" columns in the n the table for "Li	n/s specified for the dwelling under table below, in/for at least 1 living/b ving areas" or "Bedroom areas", the r conditioning system, then the syst	edroom area of tl en no systems ma	he dwelling. If n ay be installed i	io n any			~	~
the table b lighting" fo specified fo	elow (but only to the extent s r each such room in the dwe	specified for that Iling is fluorescer then the light fitti	velling which is referred to in a head room or area). The applicant must e at lighting or light emitting diode (LE ngs in that room or area must only b	ensure that the "p D) lighting. If the	rimary type of a term "dedicated	artificial d" is			~	~
the table b			elling which is referred to in a head room or area). The applicant must e				~		×	~
(g) This comm	itment applies if the applicar	nt installs a water	heating system for the dwelling's p	ool or spa. The a	applicant must:					
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and										
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.										
(h) The applic	ant must install in the dwellin	ng:								
						the				

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and (cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		`	¢
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ven	tilation system	Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	heat pump - 15 to 20 STCs	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

	Coc	bling	Hea	ting	Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen
All dwellings	1-phase airconditioning - non ducted / EER 3.0 - 3.5	no individual system	1-phase airconditioning - non ducted / EER 3.0 - 3.5	no individual system	0	no

	Individual pool			Individual spa		Appliances other efficiency measures				
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	-	electric cooktop & electric oven	-	-	no	yes

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	v	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

	Thermal loads						
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)				
1.01	41	8	49.000				
1.02	46	7	53.000				
1.03	14	7	21.000				
1.04	25	11	36.000				

		Thermal loads							
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)						
1.05	35	10	45.000						
G.01	50	2	52.000						
G.02	50	5	55.000						
G.03	7	4	11.000						
G.04	17	6	23.000						
All other dwellings	28	16	44.000						

(c) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	>	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	<
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	>

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	no common facility	no common facility	no common laundry facility
areas				

Central systems	Size	Configuration	Connection (to allow for)
Central water tank - rainwater or stormwater (No. 1)	10000	To collect run-off from at least: - 530 square metres of roof area of buildings in the development - 0 square metres of impervious area in the development - 0 square metres of garden/lawn area in the development - 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system).	 irrigation of 400 square metres of common landscaped area on the site car washing in 0 car washing bays on the site

(ii) Energy	Show on	Show on CC/CDC	Certifier
	DA plans	plans & specs	check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	>

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	~

	Common area ve	entilation system	Common area lighting			
Common area Ventilation system type Ventilation measure		Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS	
Garbage room (No. 1)	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Hallway/lobby type (No. 1)	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Hallway/lobby type (No. 2)	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Lift bank (No. 1)	-	-	light-emitting diode	connected to lift call button	no	

Central energy systems	Туре	Specification
Lift bank (No. 1)	motor	Number of levels (including basement): 1 number of levels from the bottom of the lift shaft to the top of the lift shaft: 1 number of lifts: 1 lift load capacity: >= 1001 kg but <= 1500kg

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	~	•
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	>	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	>

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	<
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	•	 Image: A set of the set of the	>

Central energy systems	Туре	Specification
Alternative energy supply	Photovoltaic system	Rated electrical output (min): 15 peak kW
Other	-	-

Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

- 1. Commitments identified with a " " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a "V" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a "" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).