

OPERATIONAL WASTE MANAGEMENT PLAN (OWMP)

Upgrade to Ulladulla High School

Revision Number:	VERSION 2
Report Date:	24/03/2025
Presented by:	Simon Lunn ECCELL ENVIRONMENTAL MANAGEMENT 35 WAVERLEY CRESCENT BONDI JUNCTION NSW 2022 www.eccellenvironmental.com.au
Prepared for:	NSW Department of Education (DoE)



TABLE OF CONTENTS

CON	TENT	S	
1	INTR	ODUCTION	. 1
	1.1	SITE DESCRIPTION	. 1
	1.2	PROPOSED ACTIVITY DESCRIPTION	. 2
	1.3	OBJECTIVES OF THE OWMP	. 3
2	EVAL	UATION OF ENVIRONMENTAL IMPACTS	. 3
	2.1	IMPACT MANAGEMENT MITIGATION MEASURES	. 4
3	LEGIS	SLATIVE REQUIREMENTS AND GUIDELINES	. 5
	3.1	REF DELIVERABLE REQUIREMENTS	. 5
	3.2	LEGISLATION AND REGULATIONS	. 5
	3.3	EDUCATIONAL FACILITIES STANDARDS AND GUIDELINES (EFSG)	. 5
4	WAS	TE GENERATION	. 6
	4.1	WASTE TYPES	. 6
	4.2	WASTE HIERARCHY	. 7
5	WAS	TE ESTIMATES	. 8
	5.1	ESTIMATE OF QUANTITIES	. 8
6	WAS	TE MANAGEMENT	. 9
	6.1	SEGREGATING WASTE	10
	6.2	RECYCLING STATIONS	10
	6.3	WASTE MOVEMENT	11
	6.4	WASTE STORAGE AREA	11
	6.5	WASTE COLLECTION	12
	6.6	VEHICLE MOVEMENTS	12
	6.7	COLLECTION HOURS	12
	6.8	WASTE CONTRACTORS	12
	6.9	WASTE MANAGEMENT SERVICE CONTRACT	13
	6.10	SPILL PROTOCOL	13
7	ONG	OING MANAGEMENT	13
	7.1	SIGNAGE	13
	7.2	EDUCATION AND TRAINING	14
	7.3	ROLES AND RESPONSIBILITIES	14
8	REVIE	EW PROCESS	15
9	LIMIT	TATIONS	16
APPE	NDIX A	A –WASTE STORAGE AREA	17
APPE	NDIX E	3 – PROPOSED BIN LAYOUT WITHIN WASTE STORAGE AREA	18
APPE	NDIX (C – COLLECTION PATH	19
APPE	NDIX [D – EXAMPLES OF BIN TYPES	20
APPE	NDIX E	E – EXAMPLES OF APPROPRIATE WASTE SIGNAGE	23



DISCLAIMER

This report is based on information provided by RP Infrastructure & NSW Department of Education.

To that extent, this report relies on the accuracy of the information provided to the Consultant. This report is not a substitute for legal advice on the relevant environmental related legislation, which applies to businesses, contractors or other bodies. Accordingly, EcCell Environmental Management will not be liable for any loss or damage that may arise out of this project.

Proponent

The Department of Education (DoE) is the landowner, proponent and determining authority pursuant to Section 5.1 of the *Environmental Planning and Assessment Act 1979* (the Act).

Landowner

The Minister for Education and Early Learning is the landowner.

Background information

The project is seeking approval for a Development Without Consent (REF) application under Part 5 of the EP&A Act.

	DOCUMENT CONTROL				
ISSUE NUMBER	DATE	COMMENTS	AUTHOR	REVIEW	
Draft	18/12/2024	lssue	Simon Lunn	Jo Drummond	
Version 1	13/02/2025	lssue	Simon Lunn	Jo Drummond	
Version 2	24/03/2025	lssue	Simon Lunn	Jo Drummond	



1 INTRODUCTION

This Operational Waste Management Plan (OWMP) has been prepared to support a Review of Environmental Factors (REF) for the NSW Department of Education (DoE) for the Ulladulla High School upgrade (the activity).

The purpose of the REF is to assess the potential environmental impacts of the activity prescribed by *State Environmental Planning Policy (Transport and Infrastructure) 2021* (T&I SEPP) as "development permitted without consent" on land carried out by or on behalf of a public authority under Part 5 of the *Environmental Planning and Assessment Act 1979* (EP&A Act). The activity is to be undertaken pursuant to Chapter 3, Part 3.4, Section 3.37 of the T&I SEPP.

This document has been prepared in accordance with the *Guidelines for Division 5.1 assessments* (the Guidelines) by the Department of Planning, Housing and Infrastructure (DPHI) as well as the *Addendum Division 5.1 guidelines for schools*.

The purpose of this report is to document the OWMP as part of the REF planning process, addressing operational waste management measures for the activity.

Two separate waste plans have been prepared by EcCell to address the Construction and Operational Stages of the activity.

1.1 SITE DESCRIPTION

Ulladulla High School is located at 55 South Street, Ulladulla, NSW, 2539 and is legally referred to as Lot 1 in Deposited Plan 595313. The site is located within the Shoalhaven Local Government Area (LGA) and has an approximate area of 6.5 hectares. Figure 1 provides an aerial photograph of the site.

The site is zoned SP2 Educational Establishment and existing development comprises various buildings, a car park, landscaping, sports fields and sports courts associated with Ulladulla High School. Ulladulla High School currently comprises 61 Permanent Teaching Spaces (PTS) and 8 Demountable Teaching Spaces (DTS). Playing fields are located in the north western portion of the site.

The site is largely rectangular in shape, however, is indented in the north east corner where an early learning centre is situated outside of the site boundary on the corner of Green Street and St Vincent Street. The primary frontage to the school is along St Vincent Street to the east, with two vehicular access points to at-grade carparking areas.

Dense vegetation is located in the central and eastern portion of the site, separating the school buildings from the early learning centre. Vegetation is also concentrated along the site boundaries and around the playing fields. The surrounding locality is primarily residential to the west and south. Ulladulla Town Centre is located to the east of the site. Ulladulla Public School is located to the north of site opposite Green Street.





Figure 1 - Aerial Photograph

1.2 PROPOSED ACTIVITY DESCRIPTION

The proposed activity relates to upgrades to Ulladulla High School. Specifically, the proposed activity comprises the following:

- Construction of a new two-storey home base building.
- Construction of new stairs and covered walkways.
- Upgrade works to existing internal pedestrian pathways.
- Installation of solar panels.
- External landscape works.

Any works relating to the existing demountables or associated with substations will be undertaken via a separate planning pathway. Figure 2 provides an extract of the proposed site plan.






Figure 2 - Extract of the proposed site plan

1.3 OBJECTIVES OF THE OWMP

The objectives of the OWMP are as follows:

- Detail the type and quantity of waste to be generated during operation of the school.
- Advise the appropriate waste storage, source separation and collection facilities to maximise recovery of recyclables.
- Ensure waste management facilities are;
 - o safely and easily accessible to students, visitors, staff and service providers and
 - o appropriately sized for storage of the expected waste and recycling.
- Describe the handling, storage and disposal of all waste streams generated at the school.
- Minimise adverse impacts to health, environmental and safety associated with handling and disposal of waste and recycled material.
- Discourage illegal dumping and prevent large quantities of waste piling up by describing appropriate onsite storage and removal services, and
- Help facilitate diversion from landfill targets of 75% of all waste generated as per the requirements of NSW Waste Resource and Recovery Act 2014, with scope to reach an aspirational target of 85% in anticipation of future mandatory targets as indicated in the Cleaning Up Our Act: The Future for Waste and Resource Recovery in NSW. Issues Paper 2020.

2 EVALUATION OF ENVIRONMENTAL IMPACTS

As part of the REF planning pathway, this report confirms that the operational waste generated after the completion of the proposed works is not *'likely to significantly affect the environment'* (refer to Section 5.7 of the EP&A Act).



These changes from the activity will not introduce additional long-term waste challenges to the school. Waste minimisation and management practices will ensure that potential impacts are mitigated effectively.

The evaluation of the environmental impacts is summarised as follows:

- 1. The extent and nature of potential impacts are low and will not have significant impact on the locality, community and/or the environment.
- 2. Potential impacts can be appropriately mitigated or managed to ensure that there is minimal impact on the locality, community and/or the environment.

2.1 IMPACT MANAGEMENT MITIGATION MEASURES

The school aims to reduce its impact on the environment by reducing waste to landfill. Table 1 outlines the impacts and mitigation measures designed to decrease landfill waste and resource consumption.

Project Stage	Mitigation Category	Mitigation Measure	Reason for Mitigation Measure
0	Waste Segregation Practices	Ensure proper segregation of waste streams, including recyclables, and general waste.	To reduce waste sent to landfill and improve recycling rates.
D&C	Bin Labelling and Placement	Install clearly labelled recycling and general waste bins in accessible locations across the school.	To facilitate proper waste disposal and reduce contamination.
0	Staff and Student Training	Provide training for staff and students on correct waste disposal and recycling practices.	To improve awareness and compliance with waste management goals.
0	Waste Monitoring and Reporting	Regularly monitor waste volumes to ensure alignment with waste minimisation targets.	To track performance and identify opportunities for improvement.
0	Compliance with Waste Targets	Achieve a minimum diversion from landfill of 75% of total operational waste, in line with sustainability goals.	To support environmental sustainability and comply with best practices.
0	Operational Waste Management Plan	Ensure the preparation and approval of a final Operational Waste Management Plan by the Crown Certifier, generally in accordance with this Operational Waste Management Plan, prior to the commencement of operation of the new school building.	To ensure a structured and approved waste management approach is in place before operations begin.
0	Review of Operational Waste Management Plan	Periodically review and update the Operational Waste Management Plan to ensure its effectiveness and alignment with evolving best practices and regulatory requirements.	To maintain compliance, improve efficiency, and support continuous improvement in waste management.

Table 1 – Mitigation Measures



*Note: Project stages include:

- (D) Design
- (C) Construction
- (O) Operation

3 LEGISLATIVE REQUIREMENTS AND GUIDELINES

3.1 REF DELIVERABLE REQUIREMENTS

Table 2 below outlines the individual REF matters relevant to operational waste management and where each of these requirements has been addressed in this report and the accompanying technical studies.

Table 2 – REF Operational Waste Management Plan

Rec	quirement	Response
	Identify, quantify and classify the likely waste streams to be generated during operation.	Table 6
	Provide the measures to be implemented to manage, reuse, recycle and safely dispose of this waste.	Section 6
•	Identify appropriate servicing arrangements for the site.	Section 6 Appendix A, B & C

3.2 LEGISLATION AND REGULATIONS

Guidance documents and policies considered in the preparation of this OWMP are included below:

- NSW Department of Planning and Development Environmental Planning and Assessment Act 1979 (NSW).
- Educational Facilities Standards & Guidelines (EFSG) NSW Updated 2022.
- NSW Environment Protection Authority (EPA) Waste Classification Guidelines 2014.
- NSW EPA's Better Practice Guidelines for Waste Management and Recycling in Commercial and Industrial Facilities 2012.
- Sustainable Buildings SEPP October 2023.
- NSW Net Zero Plan Stage 1: 2020–2030.
- NSW Waste and Sustainable Materials Strategy 2041 Stage 1: 2021–2027.
- Shoalhaven City Council Waste Minimisation and Management Guidelines (2019)

3.3 EDUCATIONAL FACILITIES STANDARDS AND GUIDELINES (EFSG)

The Department has nine (9) goals to 2030 to eliminate resource waste. The EFSG section Version V2.0 Operational Waste requires new and refurbished schools to establish operational waste targets and deliver on these priorities. The minimum targets adopted for the operation of waste for this school reflects those from NSW Waste and Resource Recovery Strategy 2014-21 requirements which are to:

1. Increase total waste diverted from landfill to 75%.



By setting realistic achievable goals, targets and performance, the OWMP is more likely to succeed, and the school will be able to report on waste diversion and reduction targets, in line with the Department of Education's waste contract and comply with any resultant conditions with respect to waste. Examples of key performance indicators required are shown in Figure 3.



Figure 3 - Key Metrics for Waste Management and Sustainability Initiatives (EFSG NSW 2022)

4 WASTE GENERATION

4.1 WASTE TYPES

The NSW EPA Waste Classification Guidelines (NSW EPA, 2014a) groups waste that pose similar risks to the environment and human health, as defined in the *Protection of the Environment Operations Act 1997*. The primary waste streams expected to be generated and corresponding EPA classifications for the ongoing operation of the activity are summarised in Table 3.

EPA Classification	Waste Stream	Waste Type	Bin Colour	Waste Management	
General solid		Food Organics	Red	Food waste bin	
waste (putrescible)	Organics	Garden Organics	N/A	Composted on site or removed as required by greenskeeper / arborist	
		Metals (steel, aluminium, stainless) Hard Plastics (recyclables)	Yellow	Comingled recycling bins	
		Glass (bottles, containers, jars)			
General solid	Recycling	Soft Plastic (plastic bags, bread bags, bubble wrap, plastic wrappers, etc.)	Purple	Soft plastic bin	
waste (non- putrescible)		Return and Earn Plastic Bottles (ONLY containers with the 10c refund label)	White	Container Deposit Scheme	
		Paper (excluding paper towels, toilet paper and tissues) Cardboard, excluding waxed cardboard	Blue	Paper and Cardboard recycling bins	
	General	Non-recyclable Plastics (Dirty/contaminated plastic) General refuse	Red	General waste bins	

Table 3 – Potential Waste Types and Classifications and AS 4123.7 Waste Storage Requirements



EPA Classification	Waste Stream	Waste Type	Bin Colour	Waste Management
		Potentially toxic liquid waste		Science department to manage storage and collection as per Material Safety Data Sheets (MSDS).
Other classified		Sanitary waste (including feminine hygiene products, nappy waste)		
waste	Other	Lead-acid or nickel-cadmium batteries		Collected by an appropriate contractor or subcontractor as
		Secure destruction (of sensitive documents)		defined in the buy. NSW Contract 9698 Agreement
		Used printer cartridges		
		e-waste		
		Waste pipes from chemistry labs		
	Sharps	Sharps		Sharps container removed by appropriate contractor
Medical Waste Medical Waste		Blood and bandages		Medical Waste container removed by appropriate contractor.

4.2 WASTE HIERARCHY



Figure 4 - Order of the Waste Hierarchy (Source: NSW EPA)

The EFSG requires new schools to identify opportunities for reuse and recycling in the operation of the facilities. Table 4 indicates waste management practices that should be adopted in accordance with the *Waste Avoidance and Resource Recovery Act 2001* (NSW EPA, 2014), which requires consideration of management, reuse, recycling and safe disposal of waste.

This includes providing:

- Details of an overall strategy to be implemented to manage, reuse, recycle and safely dispose of this waste, and
- Identify appropriate servicing arrangements for the site.



Table 4 – Recommendations for Implementing the Waste Hierarchy

Recommendations for Implementing the Waste Hierarchy

Avoid / Reduce

Reduce general waste at the source, determine changes in returnable delivery systems including packaging and purchasing.

Reduce consumption of resources that have the potential to become waste through strategies such as green purchasing - purchasing items with reusable, recyclable, have no packaging or are biodegradable.

Examining all processes to determine where wastes are produced and to devise measures for waste prevention or reduction.

Devising ways of reducing waste with students so they too can share in the savings (i.e. rewards for students who reduce waste).

Partnering with others to assist with waste minimisation.

Keeping track of changes and improvement.

Reuse

Set up a reuse area for excess materials and promote the contribution and reuse of excess food.

Donate old (useable) computer/electrical equipment, furniture and fittings to staff, charities, or sell at auction.

Reusing drums, cartridges and containers where possible.

Selling or donating usable waste materials to other organisations.

Recycle

Introduce recycling systems for major waste streams generated onsite including:

- Paper and cardboard
- Bottles and cans
- Packaging and plastics

Modify or refresh signage on recycling bins or in recycling areas to promote correct recycling practice.

Provide regular information and education to staff on appropriate usage and recycling bins.

Explore opportunities for recycling waste types not included in the mandatory stream separation (i.e. batteries, coffee cups, e-waste, etc.).

Waste Disposal

Students, staff and cleaners dispose of waste in accordance with this OWMP.

Monitoring and Assessment

Request the waste contractor to provide monthly data and reporting on recycled and materials sent to landfill.

5 WASTE ESTIMATES

5.1 ESTIMATE OF QUANTITIES

A desktop assessment of waste generated from similarly structured schools with a variety of student numbers was conducted to provide indicative waste volumes.



Table 5 – Weekly waste generation (Litres/week) across different schools currently operating in the Greater Sydney Area

School	Students	General Litres Per Week	Recyclable Per Week
Parramatta Public School	600	6,000	2,400
Pendle Hill High School	450	4,500	1,800
Mainsbridge School	130	1,980	1,920
Erskine Park High School	1,011	6,000	1,500

In addition, an in-depth review of waste material composition was estimated based on the results of the Erskine Park High School Waste Audit 2019 conducted by APC Waste Consultants in collaboration with the NSW Department of Education. The waste assessed through this audit was considered representative of waste that will be generated, and EcCell has formed the basis for the waste generation estimates for this school.

To derive indicative quantities of waste from data obtained from existing schools, the following assumptions have been applied:

- The occupancy rate = 5 days per week (with students present during the NSW DoE designated term dates)
- Number of students = 1300
- Reference was made to the waste generated from schools listed in Table 5, and
- Collection schedules have been assumed; however, the final frequency of waste collection will be made once final waste contractor agreements are in place.

Material Type	Weekly Vol. (L)	Collections per week	Bin Size (L)	Bin Footprint (sqm, m2)	No of Bins required	Total Bin Footprint (sqm, m2)
Paper Cardboard	1929	1	3000	2.5	1	2.5
Comingled	2392	1	3000	2.5	1	2.5
General	5196	2	3000	2.5	1	2.5
Bin Area					7.5	
Circulation Space					12.5	
Total Waste Storage Area					20	

Table 6 – Waste generation estimates and collection frequency

6 WASTE MANAGEMENT

Suitably labelled waste and recycling bins will be placed in class and staff rooms as required. Recycling stations should be provided in convenient locations and areas of high waste generation.



The students, staff and visitors will be responsible for placing their waste and recycling into the correct receptacle. The fullness of the source separation bins will be monitored by school management and cleaners.

Each room will be supplied with adequate space for storage of waste. Typically, schools utilise up to 60L bin receptacles. These waste and recycling bins are placed within close proximity to classroom doors, desk areas, hall and washrooms.

6.1 SEGREGATING WASTE

Based on the operational use of the new building, the following waste management practices are recommended.

Bathrooms

Washroom facilities will be supplied with collection bins for paper towels and sanitary waste.

Sanitary waste

Sanitary (including clinical waste where applicable) waste handled by trained (or qualified) personnel using appropriate personal protective equipment and stored in dedicated bins and containers for collection by an appropriate qualified and licensed service provider for transport to a facility appropriate for the purpose of disposing of that waste.

6.2 RECYCLING STATIONS

Recycling stations in the new building shall allow for waste separation at the source. In addition to a general waste bin, the recycling station should have the following categories:

- 1. Comingled Recycling only recyclable plastics (Code 1-7), aluminium and steel cans and glass
- 2. Paper and Cardboard only paper and cardboard and





Figure 5 - Example of a Recycling Station. (Source: Canberra's Maribyrnong Primary School, ABC News)

Recycling stations are expected to be located in common areas, rather than having one in every classroom.

Small quantities of hazardous wastes may be generated through the ongoing operation (e.g. light bulbs, e-waste, batteries, oil, chemicals or paint). These materials will be stored by the cleaners in appropriate locations as they are generated and removed by the waste contractor.

6.3 WASTE MOVEMENT

It is anticipated that staff, students and visitors will place general waste and recycling into small waste and recycling bins (paper and comingled) located in the offices and classrooms in the new building. Waste and recycling will be then transported by cleaning contractors via the nominated egress corridors to the waste storage area and placed in the relevant waste stream bins.

Waste collection contractors will drive as close as possible to the Waste Storage Area, load the bins as required for servicing and replace them when emptied (as shown in Appendix B).

6.4 WASTE STORAGE AREA

Areas for storage and collection of the applicable waste streams should be sized to accommodate all bins or containers, for all applicable waste streams, for at least one collection cycle.

The area allocated for planned waste storage for the school is $\sim 20m^2$, as shown in Appendix A which is sufficiently sized to accommodate waste storage requirements of the existing school and the new building.

Responsibility for cleaning of waste storage area and service compartments will be designated to the cleaning staff. The basic requirements for waste storage area are as follows:

- To be of adequate size;
- Integrated with building design and site landscaping;



- Suitably screened from public areas;
- Area to be level, with appropriate access for collection;
- Assurance that OH&S requirements for waste contractors are met;
- Access to waste enclosure to be safe, convenient to all users and to meet WorkCover NSW Occupational Health and Safety guidelines; and

The proposed waste area and associated access is in line with the requirements of the existing school collection practices.

6.5 WASTE COLLECTION

Waste is collected from the nominated Waste Collection Point (WCP) is shown in Appendix B. The appointed waste contractors will wheel the Mobile Garbage Bins (MGB) for each waste stream from their resting position to the back of the truck for collection and then wheel the MGBs back at nominated times in accordance with the relevant waste contract. The nominated WCP is within the boundary of the site and not within a public place.

6.6 VEHICLE MOVEMENTS

The waste collection vehicles will access the site in the same way as prior to the school upgrades, as the bin storage location remains unchanged. An indicative access diagram is provided in Appendix A.

6.7 COLLECTION HOURS

Collections should, where possible, be scheduled to occur outside of school hours to eliminate risk from the truck and bin movements affecting operations on-site including school drop off and pickups. The waste contractor in consultation with school management will determine the collection days appropriate for each waste stream.

6.8 WASTE CONTRACTORS

All waste services to the school, must be delivered by licensed waste contractors, and all materials leaving the site must be conveyed to a facility that is legally permitted to accept materials of that type. A contract with a licensed waste contractor for the removal of all waste will be arranged prior to a Crown Completion Certificate or commencement of use (earlier of the two). The contract should also include provisions for the collection of potentially hazardous waste including e-waste.

The waste services engaged must cover all the various types of waste materials that the school will generate. This could potentially include a medical sharps service, if staff or students with health issues requiring injections to treat medical conditions are present.

All waste vehicles servicing the school must be capable of entirely containing their load of materials, without leakage, for the entirety of the journey to the receiving location.



6.9 WASTE MANAGEMENT SERVICE CONTRACT

Schools must use NSW Government's procurement guidelines "buy.NSW Contract 9698" (https://www.info.buy.nsw.gov.au/contracts/waste-management). This contract is mandatory and covers waste management services (bins, collection, transport, processing, treatment and disposal). Waste streams include general waste, organic, grease trap, recycling, secure destruction and clinical.

This contract should be reviewed and updated if required prior to occupation of the building.

6.10 SPILL PROTOCOL

All spill protocols (including disposal of spilled materials) in regard to chemicals nominated by NSW EPA or SafeWork NSW must be followed, and appropriate spill treatment kits be provided and kept maintained.

All waste collection, tipping, aggregation and sorting activities are to take place within the subject site, not in any public place. Public places include any public road, footpath, nature strip, park or similar that is under public ownership. Any materials spilled during waste tipping/pumping activities must be cleaned up promptly and thoroughly, by staff or agents of the school.

7 ONGOING MANAGEMENT

7.1 SIGNAGE

Signage will be provided for the new building in all waste disposal, storage and collection areas demonstrating how to use the waste management system, including what materials are acceptable in each bin. All waste streams will be stored in clearly labelled; colour coded bins as appropriate to ensure that waste streams are not inadvertently mixed. Signage will be prepared and located on site in accordance with the Australian Standard (AS 1319) for safety signs, and the NSW EPA and Australian Standard (AS 2899) for recycling signage. Examples of signage are shown in Appendix E.

Bin Colour	Waste Stream	Waste Type
Yellow	Recycling	Comingled Containers
Blue	Recycling	Paper and Cardboard
Red	General	General Waste

Table 7 – AS 4123.7 Waste Storage Requirements

The provision of space must include source separation, including bin stations and appropriate signage of waste and receptacles for multiple waste streams as per Appendix D. Designers must refer to AS 4123.7 Mobile waste containers - Colours, markings, and designation requirements for further guidance on bin colour, waste stream and waste type.



7.2 EDUCATION AND TRAINING

The school will aim to build a strong culture of waste reduction and recycling through regular waste management updates at assemblies, student gatherings, Parents and Citizens (P&C) meetings, staff inductions and meetings, ideally within an effective framework such as the Waste Wise Schools program.

7.3 ROLES AND RESPONSIBILITIES

It is expected and required that school staff, students, waste contractors and cleaners will commit to the OWMP and be responsible for their own actions in adhering to the waste management objectives and requirements.

Responsibility	Activity
Administrative Manager & School Principal	 Ensuring staff (and students) are inducted into the OWMP and other applicable management plans. Responsible for undertaking procurement of operational materials in accordance with the waste management hierarchy. Segregation of waste streams where required to ensure appropriate use, treatment and/or disposal. Compliance with applicable environmental legislation and project conditions. Ensure environmental management plan(s) across the site are adhered to and accurate to site conditions. Undertake inspections to ensure compliance. Maintenance of waste related signage, colour coding and MGBs. Security of waste storage area during day-to-day business. Ensure no waste is placed on the public way. Promoting and enabling compliance with the OWMP by other stakeholders (cleaners, staff, students, etc.) through delivery of positive waste management culture at the school.
Cleaners Removing Material	 Responsible for acting in accordance with the OWMP. Transfer of waste within the school. Transfer of MGBs to the nominated waste storage area and return of MGBs to waste school areas. Clean areas around waste storage area. Ensure no waste is placed on the public way.
Staff	 Adherence to the OWMP. Placement of waste/recycling within correct bins. Notify manager/cleaning contractor when bins are overfull and require transport to the MGBs. Informing the Administrative Manager of any waste management incidences. Reinforcing positive waste management culture as defined by administrative manager amongst colleagues and students.
Students	• Responsible use of waste facilities and appropriate disposal of waste.

Table 8 – Roles and Responsibilities




Responsibility	Activity	
	 Encourage BYO for the following items: water bottles, containers, straws, reusable utensil sets, washable hand towel, carry bag and coffee cups. Engaging with positive waste management culture as delivered by teachers. 	
Waste Contractors	 Acknowledge and comply with waste targets. Use reasonable endeavours to assist reaching the waste targets. Provide feedback on actual volumes of waste and recycling collected to enable waste volume evaluation by Administrative Manager. 	

8 **REVIEW PROCESS**

This OWMP forms the basis of operational waste management on-site for the school. The OWMP is a living document which will be reviewed and revised to provide increased accuracy of waste generation estimates and to ensure appropriate onsite waste management in accordance with current and future waste management regulations. Compliance by the school staff, cleaning contractors and waste collection contractor is essential to ensure the efficiency of the system. As such, all stakeholder engaging with the OWMP will need to maintain awareness of any new relevant guidelines and regulations that come into effect during the operational phase of the activity.

The school management will undertake regular reviews of the OWMP including the following indices:






9 LIMITATIONS

This report documents an Operational Waste Management Plan (OWMP) as part of the REF with the following limitations:

- Estimates and details contained in this waste management plan have been prepared by analysing the information, plans and documents supplied by the client and third parties including Council and government information.
- The figures presented in the report are an estimate only the actual amount of waste generated will be dependent on the occupancy rate and waste generation intensity as well as the approach to educating visitors, staff and students regarding waste management operations and responsibilities.
- The School will make adjustments as required based on actual waste volumes (if waste is greater than estimated) and increase the number of bins and collections accordingly.
- This OWMP has been prepared with reference to applicable legislation, regulations and guidelines in effect at the time of writing and no guarantee can be made that the recommendations provided will remain compliant with future mandatory requirements during the operational lifespan of the school.
- EcCell provide specifications and recommendations on bin access and travel paths within this OWMP, however it is the architect's responsibility to ensure the architectural drawings meet these provisions
- The report has been prepared with all due care, however, no assurance or representation is made that the OWMP reflects the actual outcome and EcCell will not be liable for plans or outcomes that are not suitable for the purpose of the project, whether as a result of incorrect or unsuitable information or otherwise, and
- EcCell offer no warranty or representation of accuracy or reliability of the OWMP unless specifically stated.




APPENDIX A -WASTE STORAGE AREA





APPENDIX B - PROPOSED BIN LAYOUT WITHIN WASTE STORAGE AREA




The colour code is as follows:

Red	General
Yellow	Recycling
Blue	Paper cardboard



APPENDIX C – COLLECTION PATH



View from St Vincent St. Source: Google Maps Street View




APPENDIX D - EXAMPLES OF BIN TYPES



Photo 1: Two 240 litre bins

BIN TYPES

240 Litre Wheelie Bin



Nominal VolumeNet Weight 240 litres approx. 12.3 kg Max Load 96 kg 110 kg · Permitted Total Weight

1370

660 litres

310 kg

approx. 43 kg

660 Litre Wheelie Bin



Photo 2: A 660 litre bin


Photos, Bin Measurements and Bin Weights from Source Document: "Better Practise Guidelines for WasteManagement in Commercial and Industrial Facilities", December 2012)

EcCell Environmental Pty Ltd 2025

Reference: OWMP

Nominal Volume

Net Weight
Permitted Total Weight





White Bin/Any Colour (Container Deposit Scheme/Plastic Recycling Bins): Return & Earn Plastic Bottles (ONLY containers with the 10c

refund label) Soft Plastic • (Plastic bags, bread bags, bubble wrap, plastic warppers etc.)

Colour Scheme



Revision #: Version 1






Photo 3: A 1100 litre bin

Photos to the right: Photo 4: Front lift bin Photo 5: Front lift bin Photo 6: Rear-lift bins Photo 7: Skips

1100 Litre Domed Lid



 Nominal Volume 1100 litres Net Weight approx. 65 kg Max Load 440 kg · Permitted Total Weight 510 kg

Note:

Wheelie bins with capacities up to 1700 L should comply with Australian Standard AS 4123 Mobile Waste Containers.

Large Bulk Bins

Bin Type	2 m ³	3 m ³	4.5 m ³	
Height (mm)	865	1225	3750	
Depth (mm)	1400	1505	1605	
Width (mm)	1830	1805	1805	
Approx footprint (m ²)	2.6	2.7	2.9	

Common bulk bin sizes are provided in table above. Please note that the dimensions given are a guide only and differ according to each manufacturer.

Photos, Bin Measurements and Bin Weights from Source Document: "Better Practise Guidelines for WasteManagement in Commercial and Industrial Facilities", December 2012)









EcCell Environmental Pty Ltd 2025

Reference: OWMP

Revision #: Version 1





Source: Waste Handbook - A practical guide to introducing waste separation into schools, October 2023



APPENDIX E - EXAMPLES OF APPROPRIATE WASTE SIGNAGE





Mixed Recycling





Garden and food organics