Development consent

Section 4.16 of the Environmental Planning and Assessment Act 1979

As delegate of the Minister for Planning, under delegation executed on 9 March 2022, I approve the Development Application referred to in Schedule 1, subject to the conditions in Schedule 2.

These conditions are required to:

- prevent, minimise, or offset adverse environmental impacts;
- set standards and performance measures for acceptable environmental performance;
- require regular monitoring and reporting; and
- provide for the ongoing environmental management of the development.

Daniel James Team Leader Alpine Resorts Team Department of Planning and Environment

| Jindabyne | 31 October 2022 | | | |
|-----------------------|--|--|--|--|
| | SCHEDULE 1 | | | |
| Application No.: | DA No. 21/15634 | | | |
| Applicant: | James Price | | | |
| Consent Authority: | Minister for Planning | | | |
| Land: | Cabin 56 Riverside Cabins, 1 Diggings Terrace (Lot 772 DP 1119757), Thredbo Village, Thredbo Alpine Resort, Kosciuszko National Park | | | |
| Type of Development: | Integrated Development | | | |
| Integrated Bodies: | NSW Rural Fire Service | | | |
| Approved Development: | Internal and external alterations to existing tourist accommodation building and use of loft as a bedroom as outlined in Condition A.2 | | | |

DEFINITIONS

| Act | means the Environmental Planning and Assessment Act, 1979 (as amended). | | | | |
|---|--|--|--|--|--|
| Applicant | means James Price or any person carrying out any development to which this consent applies. | | | | |
| Approval Body | has the same meaning as within Division 4.8 of Part 4 of the Act. | | | | |
| BCA | means the edition of the Building Code of Australia in force at the time of lodgement of an application for a Construction Certificate. | | | | |
| Certifier | has the same meaning as in Part 6 of the Act. | | | | |
| DA No 21/15634 | means the development application lodged by the Applicant on 29 October 2021. | | | | |
| Department | means the Department of Planning and Environment, or its successors. | | | | |
| Development | means the development approved pursuant to this consent, as defined in Condition A.2 and as modified by the conditions of this consent. | | | | |
| Director | means the Director of Regional Assessments or a delegate of the Director of within the Department. | | | | |
| Minister | means the Minister for Planning, or nominee. | | | | |
| NPWS | means the National Parks and Wildlife Service, or its successors. | | | | |
| Non-compliance | means an occurrence, set of circumstances or development that is a breach of this consent. | | | | |
| Park | means the Kosciuszko National Park reserved under the National Parks and Wildlife Act 1974. | | | | |
| Precincts - Regional SEPP | means the State Environmental Planning Policy (Precincts – Regional) 2021 (as amended), that includes Chapter 4 – Kosciuszko National Park and alpine resorts. | | | | |
| Principal Certifier | means the principal certifier and has the same meaning as Part 6 of the Act. | | | | |
| Regulation | means the <i>Environmental Planning and Assessment Regulation, 2000</i> (as amended). | | | | |
| Rehabilitation Guide | means the NPWS document entitled: <i>Rehabilitation Guidelines for the</i> <i>Resorts Areas of Kosciuszko National Park</i> (2007) a copy of which is available at: <u>https://www.environment.nsw.gov.au/research-</u> <u>andpublications/publications-search/rehabilitation-guidelines-for-</u> <u>theresort-areas-of-kosciuszko-national-park</u> | | | | |
| RFS | means the NSW Rural Fire Service, or its successors. | | | | |
| Secretary | means the Secretary of the Department, or nominee/delegate. | | | | |
| Secretary's approval, agreement or satisfaction | al, means a written approval from the Secretary or nominee/delegate. | | | | |
| Site Environmental Management Plan SEMP | means a site environmental management plan for the Subject site, prepared by the Applicant as part of Condition A.2. | | | | |
| Stockpile Guide | means the NPWS document entitled: 'Soil Stockpile Guidelines for the Resort Areas of Kosciuszko National Park, October 2017', a copy of which can be obtained from the NPWS Resorts Environmental Services Team. | | | | |
| Subject site | has the same meaning as the land identified in Part A of this Schedule. | | | | |
| Team Leader | means the Team Leader of the Alpine Resorts Team within the Regional Assessments division (or its successors) or a delegate of the Team Leader of the Alpine Resorts Team within the Department. | | | | |

SCHEDULE 2

PART A – ADMINISTRATIVE CONDITIONS

A.1. Obligation to minimise harm to environment

In addition to meeting the specific performance measures and criteria established in this consent, all reasonable and feasible measures to prevent, and if prevention is not reasonable and feasible, minimise, any material harm to the environment that may result from the construction and operation of the development.

A.2. Development in accordance with approved documentation and plans

The development shall be in accordance with:

- (a) the conditions of this consent; and
- (b) the development application DA No. DA 21/15634 and supporting documentation lodged on 29 October 2021, as amended by the additional information received during the assessment of the application;
- (c) the approved documents in the table below (except where modified by conditions of this consent):

| Ref No. | Document | Title/Description | Author / Prepared by | Date | Document Reference |
|------------|--|--|---|----------------------|-----------------------------|
| 1 | Statement of Environmental Effects | Project: Alterations Riverside Cabin 56 Diggins Terrace Thredbo Village | Accent Town Planning | September 2021 | Rev. 2 |
| 2 | Plan | Site Environmental Managment Plan | Accent Town Planning | September 2021 | Section 8 SEE Page 22 |
| 3 | Report | Bushfire Hazard Assessment Report | Matthew Stewart Accent Town Planning | October 2021 | Report No 21134 Rev.1 |
| 4 | Plan | Cover Sheet and Location PLan | DJRD Architects | 29 September 2022 | DA0.001 Rev. G |
| 5 | Plan | Floor Plans: Lower Ground Plan; Ground Level Plan and Loft Plan | DJRD Architects | 29 September 2022 | DA1.100 Rev. G |
| 6 | Plan | South Elevation and Long Section | DJRD Architects | 29 September 2022 | DA2.001 Rev.F |
| 7 | Plan | Loft Section | DJRD Architects | 29 September 2022 | DA2.010 Rev.B |

| 8 | Report | Structural Assessment of Alterations Cabin 56, Riverside Cabons, Thredbo | Cameron Lee Camstruct Consulting | 25 January 2022 | 21064 LTR |
|---|----------------------------------|---|--|--------------------|-------------------------------------|
| 9 | Bush Fire Safety Authority | SFPP – Other Tourist Accommodation Riverside Cabins 1 Diggings Tce Thredbo NSW 2625 772//DP1119757 | NSW Rural Fire Service | 6 December 2021 | DA202111 04004788- Original-1 |

Note: In accordance with Clause 50(9) of the Regulation, a development application is lodged on the day on which the fees payable for the development application under this Regulation are paid. This includes any additional fee for integrated development in Part 15 of the Regulation.

A.3. Inconsistency between documents

The conditions of this consent prevail to the extent of any inconsistency, ambiguity or conflict between them and a document listed in Condition A.2. In the event of an inconsistency, ambiguity or conflict between any of the documents listed in Condition A.2, the most recent document prevails to the extent of the inconsistency, ambiguity or conflict.

A.4. Lapsing of consent

This consent lapses five years after the date of consent unless work for the purposes of the Development is physically commenced.

A.5. Prescribed conditions

In undertaking the Development, the Applicant must comply with all relevant prescribed conditions of development consent under Part 6, Division 8A of the Regulation.

A.6. Australian standards

All works which are part of the Development must be carried out in accordance with relevant current Australian Standards.

A.7. Legal notices

Any advice or notice to the consent authority shall be served on the Secretary.

A.8. Non-Compliance Notification

The Department must be notified in writing to <u>compliance@planning.nsw.gov.au</u> and <u>alpineresorts@planning.nsw.gov.au</u> within seven days after the Applicant becomes aware of any Non-compliance. The Prinicipal Certifier must also notify the Department in writing to <u>compliance@planning.nsw.gov.au</u> and <u>alpineresorts@planning.nsw.gov.au</u> within seven days after they identify any Non-compliance.

The notification must identify the Development and the application number for it, set out the condition of consent that the Development is Non-compliant with, the way in which it does not comply and the reasons for the Non-compliance (if known) and what actions have been, or will be, undertaken to address the Non-compliance.

A Non-compliance which has been notified as an incident does not need to also be notified as a Non-compliance.

PART B – PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE

B.1. Construction certificate

Work must not commence until a relevant construction certificate has been issued. Prior to the issue of the construction certificate, the Certifier must be satisfied that the documentation for the construction certificate demonstrates compliance with the conditions in Part B of this consent.

If the Department is not appointed as the certifier, the Applicant must provide a copy of the construction certificate to the Department within 2 days of it being issued by the Certifier.

Note: A construction certificate is required prior to commencing any physical activity involved in the erection of a building or other works associated with the Development. Some aspects of this development consent may not require a construction certificate.

Where works are to be staged, separate construction certificates would need to be obtained.

B.2. Building Code of Australia compliance

The proposed works must comply with the applicable performance requirements of the BCA to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the ongoing benefit of the community. Compliance with the performance requirements can only be achieved by:

- (a) complying with the deemed to satisfy provisions; or
- (b) formulating a performance solution which:
 - (i) complies with the performance requirements;
 - (ii) is shown to be at least equivalent to the deemed to satisfy provision; or
 - (iii) a combination of (i) and (ii).

B.3. Structural drawings and design statement

Prior to the issue of the relevant construction certificate, the Applicant must submit structural drawings and a design statement, prepared and signed by an appropriately qualified practising structural engineer, to the Certifier.

B.4. Building works plan

Prior to the issue of a construction certificate, the Applicant shall submit to the Certifier building work plans that demonstrates compliance with:

- (a) the relevant clauses of the BCA; and
- (b) this development consent.

B.5. Specifications

Prior to the issue of the relevant construction certificate, the Applicant shall provide to the Certifier specifications for the development demonstrating compliance with the BCA:

- (a) that describe the construction and materials of which the buildings, services and infrastructure are to be built, and
- (b) that state whether the materials to be used are new or second-hand and (in the case of second-hand materials) give particulars of the materials to be used and manner of use.

B.6. Payment of the long service levy

Prior to the issue of any construction certificate, evidence shall be provided to the Certifier, in the form of a receipt, confirming payment of the 'Long Service Levy' to the Long Service Payments Corporation in accordance with Section 34 of *the Building and Construction Industry Long Service Payments Act 1986*.

B.7. New external walls and cladding

The external walls of all buildings must comply with the relevant requirements of the BCA.

Prior to the issue of the relevant construction certificate, the Applicant must provide the Certifier with documented evidence that the products and systems proposed for use or used in the new construction of external walls including finishes and claddings such as synthetic or aluminium composite panels, comply with the requirements of the BCA.

The Applicant must provide a copy of the documentation given to the Certifier to the Secretary within seven days after the Certifier accepts it.

B.8. Termite protection

Any new building work which are part of the Development must be protected from attack from subterranean termites in accordance with AS 3660 *Termite management*. Details are to be submitted to the Principal Certifier prior to the issue of the construction certificate.

If the Department is not the certifier, the Certifier is to provide a copy of the information to the Department with the copy of the construction certificate.

B.9. Bush fire safety authority

Prior to the issue of the relevant construction certificate, the Certifier must be satisfied that the documentation for the construction certificate demonstrates compliance with the relevant conditions of the bush fire safety authority (Ref No. Item 9 in Condition A.2).

B.10. Existing and proposed fire safety measures

Prior to the issue of the relevant construction certificate, the Applicant shall provide to the certifier:

- (a) a list of any existing fire safety measures provided in relation to the land or any existing building on the land, and
- (b) a list of the proposed fire safety measures to be provided in relation to the land and any building on the land as a consequence of the building work.

B.11. Environmental performance

- (a) Water Efficiency All water associated fixtures, fittings and appliances installed in the building shall have a minimum three (3) star Water Efficiency Labelling and Standards (WELS) rating.
- (b) Energy Efficiency Energy efficiency shall be maximised within the development including, but not limited to the following:
 - (i) energy efficient options for lighting are to be installed in all cases where possible;
 - all classes of appliances that are available with an energy label or a Minimum Energy Performance Standard to be installed within the premises are to have an energy star rating of 4 stars or more (excluding clothes dryers which are to have a rating of 2.5 stars or more and gas water heaters which are to have a rating of 5 stars or more);
 - (iii) all baths, hot water pipes and ceiling spaces are to be insulated;
 - (iv) if air conditioners are installed they are to have a variable speed compressor or inverter drive and their outdoor components are to be positioned out of direct sunlight while still allowing access to outside air;
 - (v) doors and windows are to be fitted with draught seals and weather stripping; and
 - (vi) energy efficient water heaters are to be installed e.g. solar, heat pump or gas.

Details are to be submitted to the Certifier prior to the issue of a construction certificate. Where the Department is not the Certifier, a copy of the documentation must be provided to the Department with the approved construction certificate.

B.12. Laundry room height

Prior to the issue of the relevant construction certificate, the Applicant shall provide to the Certifier plans and/or a performance solution demonstrating compliance with Part F3 Room Height of Volume One of the BCA (or P2.4.2 of Volume Two of the BCA). The room height measurement must be taken from the existing floor level to the underside of any fixed and moveable fitting. No physical work including lowering of the existing floor is permitted to be carried out other than that endorsed by the development consent.

A copy of the plans and / or a performance solution must be submitted to the Department with the Construction Certificate.

B.13. Loft

Use of the loft for the purpose of a bedroom is permitted and for the provision of two single beds in the loft with the bedding and furniture configuration to be provided in accordance with the approved Loft Plan (Ref No. Item 5 in Condition A.2).

Prior to the issue of the relevant Construction Certificate, the Applicant shall provide to the Certifier plans and/or a performance solution demonstrating compliance with Part F3 Room Height of Volume One of the BCA (or P2.4.2 of Volume Two of the BCA).

A copy of the plans and / or a performance solution must be submitted to the Department with the Construction Certificate.

B.14. Mechanical ventilation

Prior to issue of the relevant construction certificate, a design statement shall be prepared by an appropriately qualified person and submitted to the Principal Certifier regarding the mechanical ventilation design for the kitchen, bathroom and laundry areas. A copy of the statement shall be provided to the Department within 7 days of it being issues to the Principal Certifier.

PART C – PRIOR TO THE COMMENCEMENT OF WORKS

C.1. Notification of commencement

- (a) The Applicant must notify the Department in writing, at least 48 hours prior, of the date of commencement of physical work for the Development.
- (b) If the construction of the Development is to be staged, the Applicant must notify the Department in writing at least 48 hours prior to each construction stage, of the commencement date and extent of works to be carried out for the Development in that stage.

C.2. Protection of adjacent vegetation areas

The Applicant must manage the Subject site appropriately and ensure that measures are in place to ensure that vehicles and machinery do not enter into areas of vegetation that are not necessary for the purposes of the Development.

C.3. Implementation of site environmental management measures

Prior to any relevant works which are part of the Development commencing, all site environmental management measures in accordance with the approved documentation (Condition A.2), the SEMP (Condition A.2) and these conditions of consent, shall be in place and in good working order.

C.4. Plumbing and drainage works

Prior to the commencement of works which are part of the Development, a notice of work must be pre-notified to the plumbing regulator (NPWS Perisher Team) in accordance with *Plumbing and Drainage Act 2011*. For more information please refer to the NPWS website:

https://www.environment.nsw.gov.au/topics/parks-reserves-andprotectedareas/parkmanagement/alpine-resort-management/our-services/plumbing-anddrainage

C.5. Machinery and storage

- (a) All equipment, machinery and vehicles used during construction of the Development must be cleaned prior to entry into the Park and prior to Subject site mobilisation to ensure they are free of mud and vegetative propagules.
- (b) Equipment, machinery and vehicles must be regularly maintained and manoeuvred to prevent the spread of exotic vegetation. Storage of equipment, machinery, vehicles and material is to be restricted to existing disturbed areas and not be stored on native vegetation.

C.6. Termite protection

Any new building work which are part of the Development must be protected from attack from subterranean termites in accordance with AS 3660 *Termite management*. Details are to be submitted to the Principal Certifier prior to the commencement of works.

C.7. Implementation of approved Asset Protection Zone (APZ) plan

Prior to commencement of building works, the vegetation management of the site in accordance with the approved APZ plan (Ref No. Item 3 and 9 in Condition A.2) is to be carried out. Following completion of the vegetation management, advice must be submitted to the Department and NPWS within 7 days of it being submitted to the Principal Certifier.

C.8. Demolitions work

Demolition works for the Development must comply with Australian Standard *AS 2601-2001 The demolition of structures* (Standards Australia, 2001). The work plans required by AS 2601-2001 must be accompanied by a written statement from a suitably qualified person that the proposals contained in the work plan comply with the safety requirements of the Standard. The work plans and the statement of compliance must be submitted to the Principal Certifier before the commencement of works.

A copy shall be forwarded to the Department within 7 days of it being submitted to the principal certifier.

No demolition is to occur without the issue of a construction certificate.

C.9. Pre-commencement compliance report

Prior to the commencement of works which are part of the Development, the Applicant must submit to the Principal Certifier a report addressing compliance with all conditions contained in sections B and C of this consent pertaining to those works. A copy of this compliance report must be submitted to the Department within 7 days of it being submitted to the Principal Certifier.

C.10. Compliance

The Applicant must ensure that all employees, contractors (and their sub-contractors) are made aware of, and are instructed to comply with, the conditions of this consent relevant to activities they carry out in respect of the development.

PART D – DURING CONSTRUCTION

D.1. Approved plans and documentation to be on-site

A copy of the approved plans and documentation must be kept by the Applicant on the Subject site at all times and be readily available for perusal by the Principal Certifier, any person associated with the construction works, or an officer of the Department or NPWS. Without limitation, this condition applies to the following approved documentation:

- (a) this consent and its schedule of conditions; and
- (b) the approved documentation and plans (Condition A.2).

D.2. Construction hours

All work in connection with the proposed Development may only be carried out between the hours of 7.00am and 6.00pm on Monday to Friday inclusive, and 7:00am to 1.00pm on Saturdays, with no work allowed on Sunday or gazetted public holidays in New South Wales, or as otherwise approved by the Secretary.

D.3. Construction period

- (a) All demolition, civil and construction works which are part of the Development may only occur in the 'summer period'. For the purposes of this condition, the summer period means the period of time commencing after the October long weekend and ending no later than 31 May the following year in each year works are required to complete the Development, or as otherwise approved by the Secretary or nominee.
- (b) By 31 May in each year works are required to complete the Development, the Applicant must ensure that the Subject site is made safe and secure by undertaking the following:
 - (i) removal of all materials, vehicles, machinery, equipment, and the like;
 - (ii) removal and/or securing of all stockpiles of soil and gravel;
 - (iii) ensuring the Subject site is fenced with para-webbing or other suitable visible protection fencing around the perimeter of the site to limit access to and from the site;
 - (iv) appropriate signage must be erected outlining that unauthorised access to the Subject site is prohibited and that the site is a construction zone;
 - (v) all external plumbing and drainage works are to be completed;
 - (vi) any excavations are to be made safe and secure;
 - (vii) stabilisation and rehabilitation works must be implemented in accordance with these conditions of consent and the approved documentation; and
 - (viii) any other specific matters related to making the Subject site safe and secure raised by the Principal Certifier or the Secretary.

D.4. Construction activities

At all times during the construction phase of the Development and unless agreed otherwise by the Secretary or nominee in writing, the Applicant must ensure that:

- (a) all construction activities in connection with the Development are undertaken in accordance with the approved documentation, including (without limitation) the documentation specified in paragraphs (a) to (b) inclusive of Condition D.1.
- (b) all construction activities in connection with the Development are confined to the Subject site;
- (c) no disturbance or other adverse environmental impacts occur outside the Subject site; and
- (d) all materials, stockpiles, vehicles, machinery and the like are be confined to the Subject site.

Note to Applicant: The damage or removal of any native vegetation that is not the subject of this consent requires further authorisation under the National Parks and Wildlife Act 1974 or the Environmental Planning and Assessment Act 1979. Failure to obtain authorisation may result in compliance action under that legislation.

D.5. Aboriginal heritage

- (a) Should any material suspected of being an Aboriginal relic or artefact become unearthed in the course of works which are part of the Development, the Applicant must immediately:
 - (i) cease all works impacting the suspected relic or artefact; and
 - (ii) contact the NPWS to arrange for representatives to inspect the Subject site.
- (b) The Applicant must ensure that all workers on the Subject site are made aware of the requirements of paragraph (a).

D.6. Waste

All waste must be contained in receptacles and covered daily, or removed from the Subject site each day, so as not to escape by wind, water or scavenging fauna. These receptacles must only be located in previously disturbed areas and not beneath the canopy or over roots of any trees. The receptacles must be cleaned regularly.

D.7. SafeWork NSW

The Applicant must ensure that all works which are part of the Development are carried out in accordance with current SafeWork NSW guidelines.

D.8. Site notice

The Applicant must ensure that site notice(s) are prominently displayed at the boundaries of the Subject site for the purposes of informing the public of Development details. The notice(s) is/are to satisfy all but not be limited to, the following requirements:

- (a) The notice is to be durable and weatherproof and is to be displayed throughout the construction phase of the Development.
- (b) The notice(s) must list the approved hours of work, the name of the principal contractor for the work (if any), and include a 24 hour contact phone number for any inquiries, including construction/noise complaints.
- (c) The notice(s) is/are to be mounted at eye level on the perimeter hoardings/fencing and is to state that unauthorised entry to the site is not permitted.
- (d) The name, address and phone number of the Principal Certifier is to be identified on the notice(s).

D.9. Prohibition of hazardous materials

No hazardous or toxic materials or dangerous goods may be stored or processed on the Subject site at any time unless otherwise agreed by the Secretary or nominee.

D.10. Dirt and dust control measures

The Applicant must ensure that adequate measures are taken to prevent dirt and dust from affecting the amenity or environment of the adjoining areas during the construction phase of the Development.

D.11. Safety demarcation

During the construction phase of the Development, the Applicant must ensure that the Subject site is clearly identified and signed to prevent access by unauthorised persons.

D.12. Erosion and sediment control measures

(a) All erosion prevention and sediment control measures must be checked and maintained in good working order at all times, particularly after precipitation events. All exposed earth

must be kept stabilised and revegetation must commence as soon as practicable. All straw bales used for sediment and erosion control must be certified as weed free.

- (b) The erosion and sediment controls must also ensure that:
 - (i) grading, excavation, and construction does not take place during or immediately after significant rainfall or snowfall events;
 - (ii) sediment traps are designed, installed, and maintained to maximise the volume of sediment trapped from the Subject site during construction; and
 - (iii) disturbed areas that are not required for further construction access are to be stabilised and revegetated during trail construction.

D.13. Noise and vibration management

Excavation and construction works must be managed in accordance with Australian Standard AS 2436-2010 Guide to noise and vibration control on construction, demolition and maintenance sites and to ensure there is no adverse impact on any neighbouring/affected tourist accommodation buildings during the construction phase of the Development.

D.14. Recycled Material

In undertaking works which are part of the Development, the Applicant must wherever possible, salvage building material for reuse during the construction phase of the Development (subject to Condition B.5(b)) or ensure that it is sent to a recycling facility in order to reduce landfill.

D.15. Demolitions work

Demolition work must comply with the provisions of Australian Standard AS 2601-2001 *Demolition of Structures.*

D.16. Loading and unloading of construction vehicles

All loading and unloading associated with demolition and construction work which is part of the Development must be restricted to those areas approved in the SEMP (Condition A.2) and these conditions.

D.17. Electrical works

All electrical works must be carried out by a qualified and licensed electrical contractor and installed in accordance with the relevant Australian Standards.

D.18. Plumbing and drainage works

All plumbing and drainage work which are part of the Development must comply with the Plumbing Code of Australia and Australian Standard AS/NZS *3500 Plumbing and drainage* and must be carried out by an appropriately licensed plumber.

D.19. Rehabilitation and site establishment

- (a) Site stabilisation and rehabilitation works must commence, as soon as possible, following the completion of each stage of work which is part of the Development to minimise exposed areas. Disturbed areas must be adequately mulched and maintained with weed free straw (i.e. straw which does not contain viable seed or other vegetative propagules) until an erosion resistant ground condition is achieved. All erosion prevention and sediment control measures must remain in place until all exposed areas of soil are stabilised and/or revegetated.
- (b) Rehabilitation must be undertaken by the Applicant in accordance with:
 - (i) the Rehabilitation Guide; and
 - (ii) these conditions of consent.

D.20. Asbestos

- (a) The removal of any asbestos or other hazardous material found on the Subject site must be carried out in accordance with current SafeWork NSW guidelines and only by an appropriately qualified and licensed contractor.
- (b) Any asbestos or other hazardous materials must be disposed of at an authorised waste facility. Receipts must be provided to the Principal Certifier by the Applicant as evidence of appropriate disposal.

D.21. Scaffolding

All scaffolding is to be located within the lot boundaries and shall comply with AS/NZS 1576 *Scaffolding* and AS/NZS 4576 *Guidelines for Scaffolding*'.

D.22. Termite protection

Upon completion of the installation of the barrier, the Principal Certifier must be furnished with a certificate from the person responsible, stating that the barrier complies with Australian Standard *AS 3660 Termite management* and durable notice in accordance with this standard shall be erected.

PART E – PRIOR TO COMMENCEMENT OF USE

E.1. Occupation certificate

Prior to the occupation of the building or the commencement of use which are part of the Development, an occupation certificate must be obtained from the Principal Certifier. A copy of the occupation certificate must be furnished to the Secretary prior to the occupation of the relevant buildings or commencement of use which are part of the Development.

E.2. Site Clean Up

Prior to commencement of use which are part of the Development, the Subject site must be cleaned and made good to the satisfaction of the Principal Certifier.

E.3. Removal of site notice

Any site notices or other site information signs must be removed upon completion of the works which are part of the Development and prior to the commencement of use.

E.4. Fire safety certificate

Prior to the issue of the relevant occupation certificate, a fire safety certificate conforming to the Regulations must be submitted to the Principal Certifier. A copy of the fire safety certificate must be submitted to the Secretary or nominee with the copy of the occupation certificate.

E.5. Structural certification of new work

A structural engineer's certificate must be submitted to the Principal Certifier prior to issue of the relevant occupation certificate. This certificate is to verify that structural works which are part of the Development have been completed in accordance with approved plans and specifications and comply with the provisions of the BCA and relevant standards.

A copy of the certificate is to be submitted to the Secretary or nominee with the occupation certificate documentation.

E.6. Rehabilitation

Prior to the issue of any occupation certificate, any disturbed ground shall be rendered erosion resistant and rehabilitated in accordance with the approved documentation and these conditions of consent (including Condition D.19).

E.7. External walls and cladding

Prior to the issue of an occupation certificate, the Applicant must provide the Principal Certifier with documented evidence that the products and systems used in the construction of external walls including finishes and claddings such as synthetic or aluminium composite panels comply with the requirements of the BCA.

The Applicant must provide a copy of the documentation given to the Principal Certifier to the Planning Secretary within seven days after the Principal Certifier accepts it.

E.8. Termite protection certification

Prior to the issue of the occupation certificate, the Principal Certifier is to be provided with a certificate from the person responsible, stating that the barrier complies with AS 3660 *Termite management* and durable notice in accordance with this standard shall be erected.

A copy of the certificate is to be submitted to the Secretary or nominee with the occupation certificate documentation.

E.9. Bush fire safety authority

Prior to the issue of the relevant occupation certificate, the Applicant must submit documentation to be Principal Certifier to demonstrate that the works have been undertaken in accordance with the relevant conditions of the bush fire safety authority (reference Item 9 in Condition A.2). A copy of the documentation is to be submitted to the Secretary or nominee with the occupation certificate documentation.

E.10. Mechanical ventilation certificate

Prior to the issue of any occupation certificate, certification must be provided that the mechanical ventilation systems have been installed in accordance with the design and are compliant with the relevant Australian Standards. A copy of the documentation shall be submitted to the Department with the occupation certificate.

PART F – POST OCCUPATION

F.1 Annual fire safety statement

An annual fire safety statement conforming to the Regulations must be provided to the Department and the NSW Fire Brigade every 12 months commencing within 12 months after the date on which the Department received the initial fire safety certificate for the Development.

ADVISORY NOTES

AN.1 Appeals

The Applicant has the right to appeal to the Land and Environment Court in the manner set out in the *Environmental Planning and Assessment Act, 1979* and the *Environmental Planning and Assessment Regulation, 2000* (as amended).

AN.2 Responsibility for other consents / agreements

The Applicant is solely responsible for ensuring that all additional approvals, licenses, consents and agreements are obtained from other authorities, as relevant. No condition of this consent removes any obligation to obtain, renew or comply with such additional approvals, licenses, consents and agreements.

AN.3 Other approvals and permits

The Applicant must apply to the relevant authority for all necessary permits including crane permits, road opening permits, hoarding or scaffolding permits, footpath occupation permits and/or any other approvals under Section 68 (Approvals) of the *Local Government Act, 1993* or Section 138 of the *Roads Act, 1993*.

AN.4 Utility services

- (a) The Applicant must liaise with the relevant utility authorities for electricity, gas (if relevant), water, sewage, telecommunications on the Subject site:
 - (i) to locate all service infrastructure on the Subject site; and
 - (ii) negotiate relocation and/or adjustment of any infrastructure related to these services that will be affected by the construction of the Development.
- (b) The Applicant is responsible for costs associated with relocating any services.

AN.5 Dial before you dig

Underground assets may exist in the area that is the Subject site. In the interests of health and safety and in order to prevent damage to third party assets please contact the Dial Before You Dig service at <u>www.1100.com.au</u> or telephone on 1100 before excavating or erecting structures (this is the law in NSW).

If alterations are required to the configuration, size, form or design of the Development upon contacting the Dial Before You Dig service, an amendment to this consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial Before You Dig service in advance of any construction or planning activities.

AN.6 Disability Discrimination Act

The Applicant has been assessed in accordance with the *Environmental Planning and Assessment Act, 1979.* No guarantee is given that the proposal complies with the *Disability Discrimination Act 1992* (Cth). The Applicant is responsible to ensure compliance with this and other anti-discrimination legislation. The *Disability Discrimination Act 1992* (Cth) covers disabilities not catered for in the minimum standards called up in the Building Code of Australia which references *AS 1428.1 - Design for Access and Mobility.* AS 1428 Parts 2, 3 and 4 provides the most comprehensive technical guidance under the *Disability Discrimination Act 1992* (Cth) currently available in Australia.