


MGA 2020

CORNER	EASTING	NORTHING
1	283513.23	6112731.17
2	283473.22	6112723.5
3	283499.55	6112665.15
4	283535.66	6112681.47

TREE ID	APPROXIMATE HEIGHT	APPROXIMATE GIRTH	TREE ID	APPROXIMATE HEIGHT	APPROXIMATE GIRTH
A	20	1.2	AA	20	0.8
B	5	0.2	AB	10	0.2
C	10	0.4	AC	20	0.7
D	10	0.5	AD	25	0.8
E	10	0.5	AE	10	0.1
F	10	0.5	AF	10	0.3
G	10	0.5	AG	5	0.4
H	5	0.2	AH	25	0.9
I	5	0.2	AI	25	1
J	20	0.7	AJ	25	0.9
K	15	0.5	AK	30	1.5
L	10	0.5	AL	25	0.7
M	15	0.3	AM	25	0.5
N	15	0.3	AN	20	0.9
O	20	0.6	AO	25	1
P	20	0.6	AP	20	1.2
Q	10	0.5	AQ	25	0.7
R	15	0.4	AR	25	0.7
S	15	0.3	AS	25	0.4
T	15	0.3	AT	30	1
U	15	0.4	AU	15	0.4
V	15	0.5	AV	20	0.5
W	10	0.4	AW	20	0.5
X	10	0.3	AX	15	1.5
Y	30	1.5	AZ	30	1.5
Z	20	0.5	BA	20	0.4
			BB	20	0.3
			BC	30	0.9



- LEGEND
- ELP ELECTRIC LIGHT POLE
 - IO INSPECTION OPENING
 - PP POWER POLE
 - SMH SEWER MANHOLE
 - PIT STORMWATER DRAINAGE PIT
 - INV INVERT
 - OTL OVERHEAD TRANSMISSION LINES

WARNING NOTES

- CONTOURS SHOWN DEPICT THE TOPOGRAPHY, EXCEPT AT SPOT LEVELS SHOWN THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT
- AUSTRALIAN HEIGHT DATUM WAS ESTABLISHED FROM SSM88874 REDUCED LEVEL 10.42 A.H.D. (SCIMS)
- THE INFORMATION IS ONLY TO BE USED AT A SCALE ACCURACY OF 1:200
- TREE HEIGHT, SPREAD AND TRUNK DIAMETER ARE APPROXIMATE ONLY. TREE SPREAD AS DEPICTED IS SYMBOLIC ONLY




Liability limited by a scheme approved under Professional Standards Legislation

<p>SCALE</p> <p>1:200 ● A1 SIZE</p> <p>1:400 ● A3 SIZE</p>	<p>DATUM</p> <p>AHD</p> <p>CONTOUR INTERVAL 0.2m</p>	<p>WARNING NOTE:</p> <p>THE INFORMATION SHOWN ON THIS PLAN (OR THE DATA TRANSMITTED HEREWITH) IS CORRECT AS AT 16/11/2020 AND HAS BEEN PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF BREWSTER HJORTH ARCHITECTS.</p> <p>THESE WARNING NOTES MUST NOT BE REMOVED FROM THIS ELECTRONIC FILE. IF THESE NOTES ARE REMOVED SET CONSULTANTS PTY LTD IS RELIEVED OF ALL RESPONSIBILITY AND LIABILITY RELATING TO ANY SUBSEQUENT USE OF THE INFORMATION CONTAINED WITHIN THIS FILE.</p> <p>THIS ELECTRONIC FILE SHALL NOT BE TRANSMITTED TO ANY THIRD PARTY WITHOUT THE EXPRESS PERMISSION OF SET CONSULTANTS PTY LTD.</p>	<table border="1"> <thead> <tr> <th>SURVEY</th> <th>DATE</th> <th>AMENDMENTS</th> <th>BY</th> <th>DATE</th> </tr> </thead> <tbody> <tr> <td>A</td> <td>17/11/2020</td> <td>ORIGINAL ISSUE</td> <td>DH</td> <td></td> </tr> <tr> <td>B</td> <td>25/11/2020</td> <td>ADDITIONAL INFORMATION</td> <td>DH</td> <td></td> </tr> <tr> <td>C</td> <td>11/12/2020</td> <td>ADDITIONAL INFORMATION & 3D MODEL</td> <td>SH</td> <td></td> </tr> <tr> <td>D</td> <td>05/03/2021</td> <td>CORNER COORDINATES</td> <td>DH</td> <td></td> </tr> </tbody> </table>	SURVEY	DATE	AMENDMENTS	BY	DATE	A	17/11/2020	ORIGINAL ISSUE	DH		B	25/11/2020	ADDITIONAL INFORMATION	DH		C	11/12/2020	ADDITIONAL INFORMATION & 3D MODEL	SH		D	05/03/2021	CORNER COORDINATES	DH		<p>SET CONSULTANTS PTY LTD</p> <p>51 Graham Street Nowra PO Box 495 Nowra NSW 2541</p> <p>p 02 4421 4500 Kiamia 02 4233 2006 mail@setconsultants.com.au www.setconsultants.com.au ABN 54 682 364 037</p>	<p>BEWARE - Damage to telephone cables can disrupt communication services and cost you money. For prompt location of telephone cables ring - 1100</p> <p>DIAL 1100 BEFORE YOU DIG</p> <p>Calls to this number are free.</p>	<p>SET consultants</p> <p>SURVEYING ENGINEERING TOWN PLANNING</p>	<p>SKETCH PLAN SHOWING DETAIL OVER</p> <p>LOTS 944-947 DP 27857 & LOT 4 DP 806393</p> <p>CORNER PARADISE BEACH ROAD & KERRY STREET, SANCTUARY POINT</p> <p>FOR BREWSTER HJORTH ARCHITECTS</p>	<p>A1</p> <p>SHEET 1 OF 3 SHEETS</p> <p>REF. No.</p> <p>21341/1</p>
SURVEY	DATE	AMENDMENTS	BY	DATE																													
A	17/11/2020	ORIGINAL ISSUE	DH																														
B	25/11/2020	ADDITIONAL INFORMATION	DH																														
C	11/12/2020	ADDITIONAL INFORMATION & 3D MODEL	SH																														
D	05/03/2021	CORNER COORDINATES	DH																														

SEE SHEET 2


SEE SHEET 3

SET CONSULTANTS PTY LTD (COMP) 21341-RETAIL-REV0



LEGEND

ELP	ELECTRIC LIGHT POLE
IO	INSPECTION OPENING
PP	POWER POLE
SMH	SEWER MANHOLE
PIT	STORMWATER DRAINAGE PIT
INV	INVERT
—	OVERHEAD TRANSMISSION LINES



TREE ID	HEIGHT	GIRTH	TREE ID	HEIGHT	GIRTH
A	20	1.2	AA	20	0.8
B	5	0.4	AB	10	0.2
C	10	0.2	AC	20	0.7
D	10	0.5	AD	25	0.8
E	10	0.5	AE	10	0.1
F	10	0.5	AF	10	0.3
G	10	0.5	AG	5	0.4
H	5	0.2	AH	25	0.9
I	5	0.2	AI	25	1
J	20	0.7	AJ	25	0.9
K	15	0.5	AK	30	1.5
L	10	0.5	AL	25	0.7
M	15	0.3	AM	25	0.5
N	15	0.3	AN	20	0.9
O	20	0.6	AO	25	1
P	20	0.6	AP	20	1.2
Q	10	0.5	AQ	25	0.7
R	15	0.4	AR	25	0.7
S	15	0.3	AS	25	0.4
T	15	0.3	AT	30	1
U	15	0.4	AU	15	0.4
V	15	0.5	AV	20	0.5
W	10	0.4	AW	20	0.5
X	10	0.3	AX	15	1.5
Y	30	1.5	AY	15	0.4
Z	20	0.5	AZ	30	1.5
			BA	20	0.4
			BB	20	0.3
			BC	30	0.9


- WARNING NOTES**
1. CONTOURS SHOWN DEPICT THE TOPOGRAPHY. EXCEPT AT SPOT LEVELS SHOWN THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT
 2. AUSTRALIAN HEIGHT DATUM WAS ESTABLISHED FROM SSM88874 REDUCED LEVEL 10.42 A.H.D. (SCIMS)
 3. THE INFORMATION IS ONLY TO BE USED AT A SCALE ACCURACY OF 1:200
 4. TREE HEIGHT, SPREAD AND TRUNK DIAMETER ARE APPROXIMATE ONLY. TREE SPREAD AS DEPICTED IS SYMBOLIC ONLY



Liability limited by a scheme approved under Professional Standards Legislation

SCALE 1:200 ● A1 SIZE 1:400 ● A3 SIZE	DATUM AHD CONTOUR INTERVAL 0.2m	WARNING NOTE: THE INFORMATION SHOWN ON THIS PLAN (OR THE DATA TRANSMITTED HEREWITH) IS CORRECT AS AT 16/11/2020 AND HAS BEEN PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF BREWSTER HJORTH ARCHITECTS.	THESE WARNING NOTES MUST NOT BE REMOVED FROM THIS ELECTRONIC FILE. IF THESE NOTES ARE REMOVED SET CONSULTANTS PTY LTD IS RELIEVED OF ALL RESPONSIBILITY AND LIABILITY RELATING TO ANY SUBSEQUENT USE OF THE INFORMATION CONTAINED WITHIN THIS FILE.	THIS ELECTRONIC FILE SHALL NOT BE TRANSMITTED TO ANY THIRD PARTY WITHOUT THE EXPRESS PERMISSION OF SET CONSULTANTS PTY LTD.	SURVEY DH DESIGN DRAWN DH CHECKED SA APPROVED	AMENDMENTS A - ORIGINAL ISSUE B - ADDITIONAL INFORMATION C - ADDITIONAL INFORMATION & 3D MODEL D - CORNER COORDINATES	BY DH DH DH	DATE 17/11/2020 25/11/2020 11/12/2020 05/03/2021	DIAL 1100 BEFORE YOU DIG Calls to this number are free.	SET consultants SURVEYING ENGINEERING TOWN PLANNING	SET CONSULTANTS PTY LTD 51 Graham Street Nowra PO Box 495 Nowra NSW 2541 p 02 4421 4500 Kiama 02 4233 2006 mail@setconsultants.com.au www.setconsultants.com.au ABN 54 682 364 037	SKETCH PLAN SHOWING DETAIL OVER LOTS 944-947 DP 27857 & LOT 4 DP 806393 CORNER PARADISE BEACH ROAD & KERRY STREET, SANCTUARY POINT FOR BREWSTER HJORTH ARCHITECTS	A1 SHEET 2 OF 3 SHEETS REF. No. 21341/1
		SKETCH PLAN SHOWING DETAIL OVER LOTS 944-947 DP 27857 & LOT 4 DP 806393 CORNER PARADISE BEACH ROAD & KERRY STREET, SANCTUARY POINT FOR BREWSTER HJORTH ARCHITECTS											

16/11/2020 14:30:34 (Sun) 21341-01-A1-REV-00-30



TREE ID	APPROXIMATE HEIGHT	APPROXIMATE GIRTH	TREE ID	APPROXIMATE HEIGHT	APPROXIMATE GIRTH
A	20	1.2	AA	20	0.8
B	5	0.2	AB	10	0.2
C	10	0.4	AC	20	0.7
D	10	0.5	AD	25	0.8
E	10	0.5	AE	10	0.1
F	10	0.5	AF	10	0.3
G	10	0.5	AG	5	0.4
H	5	0.2	AH	25	0.9
I	5	0.2	AI	25	1
J	20	0.7	AJ	25	0.9
K	15	0.5	AK	30	1.5
L	10	0.5	AL	25	0.7
M	15	0.3	AM	25	0.5
N	15	0.3	AN	20	0.9
O	20	0.6	AO	25	1
P	20	0.6	AP	20	1.2
Q	10	0.5	AQ	25	0.7
R	15	0.4	AR	25	0.7
S	15	0.3	AS	25	0.4
T	15	0.3	AT	30	1
U	15	0.4	AU	15	0.4
V	15	0.5	AV	20	0.5
W	10	0.4	AW	20	0.5
X	10	0.3	AX	15	1.5
Y	30	1.5	AY	15	0.4
Z	20	0.5	AZ	30	1.5
			BA	20	0.4
			BB	20	0.3
			BC	30	0.9

- WARNING NOTES**
1. CONTOURS SHOWN DEPICT THE TOPOGRAPHY. EXCEPT AT SPOT LEVELS SHOWN THEY DO NOT REPRESENT THE EXACT LEVEL AT ANY PARTICULAR POINT
 2. AUSTRALIAN HEIGHT DATUM WAS ESTABLISHED FROM SSM88874 REDUCED LEVEL 10.42 A.H.D. (SCIMS)
 3. THE INFORMATION IS ONLY TO BE USED AT A SCALE ACCURACY OF 1:200
 4. TREE HEIGHT, SPREAD AND TRUNK DIAMETER ARE APPROXIMATE ONLY. TREE SPREAD AS DEPICTED IS SYMBOLIC ONLY

Liability limited by a scheme approved under Professional Standards Legislation

SCALE
 1:200 ● A1 SIZE
 1:400 ● A3 SIZE

DATUM
 AHD
 CONTOUR INTERVAL 0.2m

WARNING NOTE:
 THE INFORMATION SHOWN ON THIS PLAN (OR THE DATA TRANSMITTED HEREWITH) IS CORRECT AS AT 16/11/2020 AND HAS BEEN PREPARED IN ACCORDANCE WITH THE REQUIREMENTS OF BREWSTER HJORTH ARCHITECTS.
 THESE WARNING NOTES MUST NOT BE REMOVED FROM THIS ELECTRONIC FILE. IF THESE NOTES ARE REMOVED SET CONSULTANTS PTY LTD IS RELIEVED OF ALL RESPONSIBILITY AND LIABILITY RELATING TO ANY SUBSEQUENT USE OF THE INFORMATION CONTAINED WITHIN THIS FILE.
 THIS ELECTRONIC FILE SHALL NOT BE TRANSMITTED TO ANY THIRD PARTY WITHOUT THE EXPRESS PERMISSION OF SET CONSULTANTS PTY LTD.

SURVEY	DH	AMENDMENTS	BY	DATE
DESIGN	DH	A - ORIGINAL ISSUE B - ADDITIONAL INFORMATION C - ADDITIONAL INFORMATION & 3D MODEL D - CORNER COORDINATES	DH	17/11/2020 25/11/2020 11/12/2020 05/03/2021
DRAWN	DH			
CHECKED	SA			
APPROVED				

BEWARE - Damage to telephone cables can disrupt communication services and cost you money. For prompt location of telephone cables ring - 1100

DIAL 1100 BEFORE YOU DIG Calls to this number are free.

SET consultants
 SURVEYING | ENGINEERING | TOWN PLANNING

SET CONSULTANTS PTY LTD
 51 Graham Street Nowra
 PO Box 495 Nowra NSW 2541
 p 02 4421 4500
 Kiama 02 4233 2006
 mail@setconsultants.com.au
 www.setconsultants.com.au
 ABN 54 682 364 037

SKETCH PLAN SHOWING DETAIL OVER
 LOTS 944-947 DP 27857 & LOT 4 DP 806393
 CORNER PARADISE BEACH ROAD
 & KERRY STREET, SANCTUARY POINT
 FOR BREWSTER HJORTH ARCHITECTS

A1
 SHEET 3 OF 3 SHEETS
 REF. No. 21341/1

SET CONSULTANTS PTY LTD (COMPANY NO. 12141) - DETAIL - REF-02-20