

FABRICATED SHED Reg-A3 Cat 2.5
12.5m WIDE x 22.5m LONG x 5.41m EAVEHEIGHT
ROOF ONLY



Department of Planning
and Environment

Issued under the Environmental Planning and Assessment Act 1979

Approved Application No DA 22/5248

Granted on the 27 May 2022

Signed D James

Sheet No 27 of 30



Any Shed, Any Size


DWG NO.

Lucy Blyton

A3

SCALE:1:500

SHEET 1 OF 18



COLUMN	RAFTER		STRUT
	CHORD	WEB	
410UB59	100 x 3 SHS	50 x 3 SHS	100 X 3 SHS





DWG NO.

Lucy Blyton

A3

SCALE:1:500


SHEET 2 OF 18



FB = FLY BRACE DETAIL

ROOF PURLIN			EAVE PURLIN
SIZE	LAP	BRIDGE	C20019
Z20015	15%	2	
700 MAX SPACING			

**TURNBUCKLE & WIRE ROPE
BRACING 50kN**





Department of Planning
and Environment

Issued under the Environmental Planning and Assessment Act 1979

Approved Application No DA 22/5248

Granted on the 27 May 2022

Signed D James

Sheet No 29 of 30



Any Shed, Any Size


DWG NO.

Lucy Blyton

A3

SCALE:1:200

SHEET 3 OF 18



Department of Planning
and Environment

Issued under the Environmental Planning and Assessment Act 1979

Approved Application No DA 22/5248

Granted on the 27 May 2022

Signed D James

Sheet No 30 of 30

NOTE: THESE FOOTINGS HAVE BEEN DESIGNED FOR A CLASS "M" SITE AS DEFINED BY AS2870 WITH AN ALLOWABLE BEARING PRESSURE 200kPa AND CONCRETE STRENGTH OF 25MPa. SHOULD SITE CONDITIONS DIFFER FROM THIS, THE ADVISE OF A PROFESSIONAL ENGINEER SHOULD BE OBTAINED.



Any Shed, Any Size

DWG NO.

Lucy Blyton

A3

SCALE:1:200

SHEET 4 OF 18