BASIX°Certificate

Building Sustainability Index www.basix.nsw.gov.au

Alterations and Additions

Certificate number: A453767

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Thursday, 24, March 2022

To be valid, this certificate must be lodged within 3 months of the date of issue.



Description of project

Project address							
Project name	21029						
Street address	19 cooks Avenue canterbury 2193						
Local Government Area	Canterbury City Council						
Plan type and number	Deposited Plan 13971						
Lot number	2						
Section number							
Project type							
Dwelling type	Separate dwelling house						
Type of alteration and addition	My renovation work is valued at \$50,000 or more, and includes a pool (and/or spa).						

Certificate Prepared by (please complete before submitting to Council or PCA)

Name / Company Name: RenovatePlans

ABN (if applicable): 16617139296

BASIX Certificate number: A453767 page 2 / 7

Pool and Spa	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Outdoor swimming pool	<u>'</u>		
The swimming pool must be outdoors.	~	✓	✓
The swimming pool must not have a capacity greater than 26 kilolitres.	✓	✓	✓
The swimming pool must have a pool cover.		✓	✓
The applicant must install a pool pump timer for the swimming pool.		✓	✓
The applicant must not incorporate any heating system for the swimming pool that is part of this development.		✓	✓

BASIX Certificate number: A453767 page 3 / 7

Fixtures and systems	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Hot water			
The applicant must install the following hot water system in the development: gas instantaneous.	✓	✓	✓
Lighting			
The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		~	✓
Fixtures			
The applicant must ensure new or altered showerheads have a flow rate no greater than 9 litres per minute or a 3 star water rating.		✓	✓
The applicant must ensure new or altered toilets have a flow rate no greater than 4 litres per average flush or a minimum 3 star water rating.		✓	✓
The applicant must ensure new or altered taps have a flow rate no greater than 9 litres per minute or minimum 3 star water rating.		✓	

BASIX Certificate number: A453767 page 4 / 7

Construction			Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Insulation requirements					
The applicant must construct the new or altered the table below, except that a) additional insula is not required for parts of altered construction	V	√	√		
Construction	Additional insulation required (R-value)	Other specifications			
suspended floor with open subfloor: framed (R0.7).	R0.8 (down) (or R1.50 including construction)				
external wall: framed (weatherboard, fibro, metal clad)	R1.30 (or R1.70 including construction)				
flat ceiling, pitched roof	ceiling: R3.00 (up), roof: foil/sarking	medium (solar absorptance 0.475 - 0.70)			

BASIX Certificate number: A453767 page 5 / 7

Glazing requ	irements						Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Windows and	glazed do	ors							
					ading devices, in accordance with each window and glazed door.	the specifications listed in the table below.	>	<	<
The following requirements must also be satisfied in relation to each window and glazed door:								✓	✓
have a U-value	and a Solar I	Heat Gair	Coefficie	ent (SHGC) n		ed glass may either match the description, or, le below. Total system U-values and SHGCs s.		✓	✓
For projections above the head	described in of the windo	millimetre w or glaze	es, the lea ed door a	ding edge of nd no more th	each eave, pergola, verandah, bal nan 2400 mm above the sill.	cony or awning must be no more than 500 mm	✓	~	✓
Windows an	d glazed d	doors gl	azing r	equiremen	nts				
Window / door no.	Orientation	Area of glass inc. frame (m2)	Oversha Height (m)	dowing Distance (m)	Shading device	Frame and glass type			
W1	SE	1.5	0	0	none	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
W2	NW	2	0	0	awning (adjustable) >=900 mm	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
W3	NW	2	0	0	awning (adjustable) >=900 mm	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
W4	NW	1.7	0	0	awning (adjustable) >=900 mm	standard aluminium, single toned, (or U-value: 7.57, SHGC: 0.57)			
ED01	SW	14.4	0	0	none	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
Skylights									
The applicant m	he applicant must install the skylights in accordance with the specifications listed in the table below.						✓	✓	✓

BASIX Certificate number: A453767 page 6 / 7

Glazing require	ements			Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
The following requ	uirements must also	be satisfied in relation to each	n skylight:		✓	✓
Each skylight may the table below.		✓	✓			
Skylights glaz	ing requiremen	ts				
Skylight number	Area of glazing inc. frame (m2)	Shading device	Frame and glass type			
S1	0.72	no shading	aluminium, moulded plastic single clear, (or U-value: 6.21, SHGC: 0.808)			

BASIX Certificate number: A453767 page 7 / 7

Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a " " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a "

"in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a "

"" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.