

in the event that asbestos is found:


asbestos removal method
Code of practice for the safe removal of asbestos, 2nd edition, NHOHSC:2002(2005).

- licensed asbestos removal contractor only,
- to be commenced first day of demolition, for one day only,
- sheets in good condition to be well wetted and carefully removed, placed in a bin lined with heavy duty plastic, wrapped and taped.
- neighbours to be notified minimum 24 hours in advance of removal,
- gloves, filtered facemasks with disposable cartridges, eye protection, and disposable hooded suits all to be disposed of in the same bin as the sheets,
- sheets not to be cut;
- asbestos vacuum cleaner to remove any remnant asbestos from site and frame

- soil and water management**
- formwork for construction to begin immediately prior to demolition, to minimise exposure of soils.
- topsoil removed to be reused to raise existing garden beds.
- level site with no peak overflow areas
- existing site drainage to be used for amended roof as there is minimal additional roof catchment
- pedestrian path cattle grid to remove any soil from wheel tracks leaving the site.
- hay bales used to filter stormwater leaving the site that may contain sediment.
- all measures to be in place prior to commencement of works.
- a soil and water warnings and penalties notice, available from council, is to be erected at the front of the site.

general notes	project	Proposed alterations and additions to an existing cottage, including: relocation of existing kitchen; new study area; garage and storage area; upper floor master bedroom; prefabricated swimming pool; front fencing with sliding garage gate
development application	address	5 Railway Street Hurlstone Park NSW 2193; lot 1, dp959800
	client	Katie McCallum & Robert Bruno

plot date	28/4/22	I.g.a.	Canterbury Bankstown Council
scale	as noted @A1	page no.	8 of 64
drawn by	greg prentice, b.arch	plan no.	kt_211012
no. 7	drawing name silt and erosion control measure_5 Railway Street, Canterbury Bankstown NSW 2193 211012		rev C



karmatecture
prentice design pty ltd t/as **karmatecture**
75 pigott street, dulwich hill nsw 2203
ph 0412 013 627
www.karmatecture.com.au
(c)kt 2022

