



GENERAL NOTES; DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY.
CONFIRM DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. DISCREPANCIES MUST BE BROUGHT TO THE ATTENTION OF THIS FIRM IMMEDIATLEY, ENGINEERING PLANS AND DETAILS MUST TAKE PREFERENCE TO THIS DRAWING. ALL WORK IS TO BE CARRIED OUT AS PER APPROVED PLANS IN ACCORDANCE WITH THE BCA AND RELEVANT CONSENT AUTHORITY CONDITIONS COPYRIGHT CLAUSE: THE DESIGN AND DETAILS CONTAINED ON THIS DRAWING IS SUBJECT TO COPYRIGHT LAWS AND IS SUPPLIED IN CONFIDENCE THAT IT IS NOT

GENERAL NOTES

1. LIFT OFF HINGES TO ALL BATHROOM DOORS.

2. ALL MECHANICAL VENTILATION TO BE DUCTED.

3. RANGEHOOD TO BE DUCTED EXTERNALLY.

4. ALL SQUARE SET OPENINGS FOR JAM CEILINGS TO BE 2.1M IN HEIGHT.

5. ALL INTERNAL DOORS TO BE 2400mm IN HEIGHT UNLESS STATED OTHERWISE.

6. ALL WINDOWS SET TO 2400mm HEAD HEIGHT UNLESS STATED OTHERWISE.

7. PROVIDE A 25mm MINIMUM RECESS IN CONGRETE SLAB FOR ALL WET AREAS.

8. ALL SHOWER NICHE TO BE 600mm X 600mm IN DIMENSIONS AT 1200mm FFL UNLESS STATED OTHERWISE.

9. HARD WIRED PHOTO-ELECTRIC SMOKE ALARMS TO BE INSTALLED IN ACCORDANCE WITH NCC PART 3.7.5 a AS 3786.

10. ENHAUST SYSTEMS INSTALLED IN THE KITCHEN, BATHROOM, SANITARY COMPARTMENTS OR LAUMORY MUST COMPLY WITH MINIMUM FLOW RATES AS SPECIFIED IN NCC PART 3.7.5 a KATHROOM, SANITARY COMPARTMENTS OR LAUMORY MUST COMPLY WITH MINIMUM FLOW RATES AS SPECIFIED IN NCC PART 3.7.5 a KATHROOM, SANITARY COMPARTMENTS OR LOUDED AND STAR SET OF THE STATE O TILED DP NO: 13832


PROJECT DETAILS FILLS PROPOSED: DOUBLE STOREY HOUSE WITH STEEL BEAM BASEMENT CARPARKING


OVERHEAD CLIENT NAME: JOYCE NGUYET HANG ADDRESS: 7 CRAGG ST, CONDELL PARK LOT NO: 8

COUNCIL: CANTEBURY BANKSTOWN COUNCIL


	DESIGNED: AO	CHECKED: AO
	DRAWN: AO	DATE: 27/04/2022
-	SCALE: 1:200	DRAWING NO: 20
-	TITLE: NOTIFICATIONS -	

SITE PLAN











GENERAL NOTES; DO NOT SCALE DRAWINGS, USE FIGURED DIMENSIONS ONLY.
CONFIRM DIMENSIONS AND LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. DISCREPANCIES MUST BE BROUGHT TO THE ATTENTION OF THIS FIRM IMMEDIATLEY. ENGINEERING PLANS AND DETAILS MUST TAKE PREFERENCE TO

THIS DRAWING. ALL WORK IS TO BE CARRIED OUT AS PER APPROVED PLANS IN ACCORDANCE WITH THE BCA AND RELEVANT CONSENT AUTHORITY CONDITIONS. COPYRIGHT CLAUSE: THE DESIGN AND DETAILS CONTAINED ON THIS DRAWING IS SUBJECT TO COPYRIGHT LAWS AND IS SUPPLIED IN CONFIDENCE THAT IT IS NOT THE LEGAL AND BENEFICIAL OWNER.

GENERAL NOTES

1. LIFT OFF HINGES TO ALL BATHROOM DOORS.
2. ALL MECHANICAL VENTILATION TO BE DUCTED.
3. RANGEHOOD TO BE DUCTED EXTERNALLY.
4. ALL SOUARE SET OPENINGS FOR 2.4M CEILINGS TO BE 2.1M IN HEIGHT.
5. ALL INTERNAL DOORS TO BE 2400mm IN HEIGHT UNLESS STATED OTHERWISE.
6. ALL WINDOWS SET TO 2400mm HEAD HEIGHT UNLESS STATED OTHERWISE.
7. PROVIDE A 25mm MINIMUM RECESS IN CONCETE ELAB FOR ALL WET AREAS.
8. ALL SHOWER NICHET TO BE 600mm X 600mm IN DIMENSIONS AT 1200mm FFL UNLESS STATED OTHERWISE.
9. HARD WIRED PHOTO-ELECTRIC SMOKE ALARMS TO BE INSTALLED IN ACCORDANCE WITH NOC PART 3.7.5 A.S. 3786.
10. EXPALUST SYSTEMS INSTALLED IN THE KITCHEN, BATHROOM, SANITARY COMPARTMENTS OR LAUNDRY MUST COMPLY WITH MINIMUM FLOW RATES AS SPECIFIED IN NOC PART 3.7.3. 3BATHROOM, SANITARY COMPARTMENTS OR LAUNDRY MUST COMPLY WITH MINIMUM FLOW RATES AS SPECIFIED IN NOC PART 3.7.3. 3BATHROOM, SANITARY COMPARTMENTS A LAUNDRIES MUST BE DISCHARGED DIRECTLY VIA SHAFT OR DUCT TO OUTDOOR AIR OR TO A VENTILATED ROOF SPACE COMPLYING WITH NCC PART 3.8.7.4

PROJECT DETAILS FILLS

FILLS
PROPOSED: DOUBLE STOREY HOUSE WITH
STEEL BEAM
BASEMENT CARPARKING OVERHEAD CLIENT NAME: JOYCE NGUYET HANG

ADDRESS: 7 CRAGG ST, CONDELL PARK TILED LOT NO: 8 DP NO: 13832

COUNCIL: CANTEBURY BANKSTOWN COUNCIL

	DESIGNED: AO	CHECKED: AO	
	DRAWN: AO	DATE: 27/04/2022	
\bigcirc z	SCALE: 1:200	DRAWING NO: 21	
	TITLE: NOTIFICATIONS /		
	ELEVATIONS		