


LEGEND

- 200MM DINCEL WALL
- 250MM BRICK VENEER CONSTRUCTION
- 270MM DOUBLE BRICK CONSTRUCTION
- 110MM SINGLE BRICK CONSTRUCTION
- 110MM STUD WALL
- 200MM BLOCK WALL CONSTRUCTION
- EX XXXX EXISTING NATURAL GROUND LEVELS
- 30 SET DOWN IN BATHROOMS
- XXXX SSL - STRUCTURAL SLAB LEVEL
- EXISTING STRUCTURES TO BE DEMOLISHED.

GENERAL NOTES:

- Written dimensions to take precedence over scale
- Builder to verify all boundary clearances and site set out dimensions prior to commencement of construction
- Levels and contours are based on supplied datum, prior to construction the relevant authority should be contacted for possible minimum floor level requirements and flood information
- All works to be carried out in accordance with the Building Code of Australia, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned.
- All structural work and site drainage to be subject to the Engineers details or certification where required by Council.
- Articulation joints in masonry to be provided as per Engineers Details and/or in accordance with BCA clause 3.3.1.8
- Retaining walls are required to be engineer designed and certified where required.
- All plumbing works to be strictly in accordance with A.S. 3500 and approved by relevant authorities.
- All drawings are to be read in conjunction with the Engineer's Structural Drawings.
- All windows and glazing to comply with A.S. 1288 & A.S. 2047.
- Batters to comply with appropriate soil classification described in Table 3.1.1.1 BCA Vol 2
- Engineer to provide design to address loadings if built in close proximity to sewer, stormwater easements.
- Vehicular crossover to be constructed as per Council requirements.
- Articulated joints in accordance with BCA 3.3.1.8 (Vol2)
- Ventilation to be in accordance with BCA-14.5 & As-1668.2
- Provide cold water connection & gpo to dishwasher space
- Hotwater system to comply with A.S.3500
- Downpipes to be a maximum 12m spacing and adjacent to valley intersections
- Drainage to be in accordance with part 3 of the BCA, point of discharge to meet local authority requirement



16 RAILWAY PARADE, BURWOOD, NSW, SYDNEY - 2134-
EMAIL: INFO@PLATFORMFIVE.COM.AU
WEBSITE: WWW.PLATFORMFIVE.COM.AU

PROJECT TITLE
21 EDGAR STREET, YAGOONA - NSW - 2199

CLIENT
VISCONA DEVELOPMENT GROUP PTY LTD

REV	DESCRIPTION	DATE
A	ISSUE FOR INFORMATION	14/06/2022
B	ISSUE FOR CONSULTANTS	15/06/2022
C	ISSUE FOR DA SUBMISSION	30/07/2022

DRAWING TITLE: **SOLAR ACCESS DIAGRAMS** PROJECT NUMBER: **22-025**

DRAWING NUMBER: **DA2902**

DATE OF ISSUE: **30/07/2022**

SCALE: **AS SHOWN**

DEVELOPMENT APPLICATION

