page 1/4

BASIX Certificate

Building Sustainability Index www.basix.nsw.gov.au

Alterations and Additions

Certificate number: A462036

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Alterations and Additions Definitions" dated 06/10/2017 published by the Department. This document is available at www.basix.nsw.gov.au

Secretarv

Date of issue: Friday, 03, June 2022 To be valid, this certificate must be lodged within 3 months of the date of issue.



Planning, Industry & Environment

Project add	ress			
Project name)	Sequioa 5		
Street addres	SS	15 Diggings Terrace Thredbo 2625		
Local Govern	nment Area	Snowy Monaro Regional Council		
Plan type and	d number	Deposited Plan 1119757		
Lot number		742		
Section num	ber			
Project type				
Dwelling type	9	Unit		
Type of altera	ation and	My renovation work is valued at \$50,000 or more.		

Certificate Prepared by (please complete before submitting to Council or PCA)

Name / Company Name: Humphrey & Edwards

ABN (if applicable): 89056638227

Fixtures and systems	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Lighting			
The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		~	~
Fixtures	1		
The applicant must ensure new or altered showerheads have a flow rate no greater than 9 litres per minute or a 3 star water rating.		\checkmark	~
The applicant must ensure new or altered toilets have a flow rate no greater than 4 litres per average flush or a minimum 3 star water rating.		\checkmark	~
The applicant must ensure new or altered taps have a flow rate no greater than 9 litres per minute or minimum 3 star water rating.		\checkmark	

Glazing	requirements							now on A Plans	Show on CC/CDC Plans & specs	Certifier Check
Windows	and glazed do	oors								
The applicant must install the windows, glazed doors and shading devices, in accordance with the specifications listed in the table below. Relevant overshadowing specifications must be satisfied for each window and glazed door.								 	\checkmark	~
The follow	The following requirements must also be satisfied in relation to each window and glazed door:								\checkmark	\checkmark
have a U- must be c only. Alter	value and a Solar alculated in accor	Heat Gair dance with ith comply	n Coefficie n National ing U-valu	ent (SHGC) r Fenestration ue and SHGC	no greater than that listed in Rating Council (NFRC) of Council (NFRC) of Council the substituted.	r gap/clear glazing, or toned/air gap/clear glazir n the table below. Total system U-values and S conditions. The description is provided for inform	HGCs		~	~
	door Orientation		Oversha Height (m)	- ·	Shading device	Frame and glass type				
W1	NW	6	0	0	none	standard aluminium, clear/air gap/cle (U-value: 5.34, SHGC: 0.67)	ear,			
W2	NW	2.1	0	0	none	standard aluminium, clear/air gap/cle (U-value: 5.34, SHGC: 0.67)	ear,			

Legend

In these commitments, "applicant" means the person carrying out the development.

Commitments identified with a " / " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).

Commitments identified with a "
"
"
in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.

Commitments identified with a " / " in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.