






Maßstab/Scale 1:5



4,5

TIGHTENING TORQUE 100Nm

Maßstab/Scale 1:5





verzinkt!	Galvanized!
Ges.Gew.:~150kg	Total weight:~150kg


SHEAVE ASSEMBLY,
COMPLETE

10253479


Index	Änderung / Revision	Date	Name	Execution		Identific. No.
General tolerances as per DIN ISO 2768/1 (lengths a. angles)		General tolerances as per DIN ISO 2768/2 (form + position)		Maßstab / Scale	Date	Name
General tolerances as per DIN EN ISO 13920 (lengths a. angles)		General tolerances as per DIN EN ISO 13920 (form + position)		1/10	1999-04-08	Linder Stefan
				Factor: 1.000	approved	
Installation GUTHRIES.				Plot remark 2002-08-07		
Auftrag / Order 2020-15		Copies _____		2020-09-23 07:40:03		
2TE-RB. Type-401/Au				DMAU plotted: sht Id: 10253478		
an Joch 200x200 , SA=0				Original drwg. no. Identific. No.		
WITH STEEL SIDE PLATES ø406				20000395G004370 10070309		
2TE-Sh.assy. Type-401				Drawing No. Index		
				20003057G004370		



Schnitt A-A
M 1:5



Schnitt B-B
M 1:5



verzinkt!
Ges.Gew.:~142kg

SIT	10006343
ZBT	10048448

RB. kompl. 10048449




Index	Änderung / Revision	Datum / Date	Name	Ausführung / Realization	Ident
Allgemeintoleranzen nach DIN 7168/1 (Längen u. Winkel) General tolerances as per DIN 7168/1 (lengths a. angles)		Allgemeintoleranzen nach DIN 7168/2 (Form u. Lage) General tolerances as per DIN 7168/2 (form a. position)		Maßstab / Scale 1/10	Datum / Date 1992-01-17 08:38:04
Anlage / Installation GUTHRIES.		Auftrag / Order 2020-15		Stück / Copies X	Plotvermerk 2020-09-21 DMAU plotted: sht Id: 10048448
2TE-RB. Type-401		an Joch 200x200 , SA.200-290		Ursprungszeichnungs Nr. 20000108G004370	/ Original drawing no.
CAD		Zeichnungs Nr. 20000110G004370		/ Drawing no.	Index




Diese Zeichnung ist unser geistiges Eigentum. Sie darf ohne unsere besondere Zustimmung weder vervielfältigt, noch ausgeführt, noch dritten Personen bekanntgegeben werden.
This drawing or information is the property of Innova Patent GmbH and must not be copied nor utilized in whole or in part without permission and is subject to return upon request.

Innova Patent GmbH
Rickenbacherstr. 8-10
A-6961 WOLFURT / AUSTRIA


A3



SECTION B-B
Maßstab/Scale 1:5



SECTION C-C
Maßstab/Scale 1:5








Bruchstabschalter (Pos.30)
einlaufseitig montieren!
verzinkt!
Ges.Gew.:~270.01kg

Mount break fork switch (item 30)
on incoming side!
Galvanized!
Total weight.:~270.01kg

safety parts	LAYOUT	10126556
MOUNTING PARTS	BFT	10006342
ASSEMBLY PARTS	ZBT	10137043
sheave assembly complete		10137042

Index	Änderung / Revision	Date	Name	Execution		Identific. No.	
General tolerances as per DIN ISO 2768/1 (lengths a., angles)		-	General tolerances as per DIN ISO 2768/2 (shape + position)	-	Maßstab / Scale	Date	Name
General tolerances as per DIN ISO 2768/1 (lengths a., angles)		-	General tolerances as per DIN ISO 2768/2 (shape + position)	-	1/10	1999-05-12	Eder Markus
General tolerances as per DIN ISO 2768/1 (lengths a., angles)		-	General tolerances as per DIN ISO 2768/2 (shape + position)	-	Factor: 1.000	1999-05-12	Eder Markus
Installation GUTHRIES.		2020-09-22		2020-09-22		13:42:04	
Auftrag / Order		2020-15		Copies		X	
4T-RB. Type-401/Ao		WITH STEEL SIDE PLATES Ø406		Original draw. no.		Identific. No.	
4T-Sheave assy. Type-401		with steel side plates Ø406		200003566004370		200013486004370	
Doppelmayr		This drawing is our property. It must not be copied, carried out nor be disclosed to third-parties without our express permission.		Innova Patent GmbH Rickenbacherstr. 8-10		A-6961 WOLFFURT / AUSTRIA	


FILE NO.: 1.55



Bruchstabschalter (Pos.30)
einlaufseitig montieren!
verzinkt!
Ges.Gew.:~300.01kg

Mount break fork switch (item 30)
on incoming side!
Galvanized!
Total weight.:~300.01kg

safety parts	LAYOUT	10126556
MOUNTING PARTS	BFT	10099970
ASSEMBLY PARTS	ZBT	10141766
sheave assembly complete		10141767


Index	Änderung / Revision	Date	Name	Execution		Identific. No.	
General tolerances as per DIN ISO 2768/1 (lengths a, angles)	—	General tolerances as per DIN ISO 2768/2 (shape + position)	—	Maßstab / Scale	Date	Name	
	General tolerances as per DIN ISO 2768/1 (lengths a, angles)		—		drawn	1994-10-10	Fischer Harald
General tolerances as per DIN ISO 2768/1 (lengths a, angles)		—	General tolerances as per DIN ISO 2768/2 (shape + position)	—	approved		
					Factor: 1.000		
Installation GUTHRIES.				Plot remark		1994-10-10	
Auftrag / Order 2020-15				Copies X		2020-09-23 15:18:41	
4T-RB. Type-401/Au						DMAU plotted: sht Id: 10141766	
WITH STEEL SIDE PLATES Ø406						Original dwg. no. Identific. No.	
						200012546004370	
4T-Sheave assy.Type-401				with steel side plates Ø406		Drawing No. Index	
						200014016004370	
		This drawing is our property. It must not be copied, carried out nor be disclosed to third-parties without our express permission.				Innova Patent GmbH Rickenbacherstr. 8-10 A-6961 WOLFFURT / AUSTRIA	

FILE NO.: 1.55



This drawing is our property. It must not be copied, carried out nor be disclosed to third-parties without our express permission.

Innova Patent GmbH Rickenbacherstr. 8-10
A-6961 WOLFFURT / AUSTRIA



1 6 34 (5) 8

7 34 (5) 9

SECTION B-B

Maßstab/Scale 1:5

SECTION C-C

Maßstab/Scale 1:5

Schnitt/Section D-D






Maßstab/Scale 1:5

Schnitt/Section E-E

Maßstab/Scale 1:5

SECTION A-A

Maßstab/Scale 1:5




Bruchstabschalter (Pos.34)
einlaufseitig montieren!
verzinkt!
Ges.Gew.:~580.01kg

Mount break fork switch (item 34)
on incoming side!
Galvanized!
Total weight.:~580.01kg

safety parts	LAYOUT	10127953
safety parts	LAYOUT	10126996
MOUNTING PARTS	BFT	10049795
ASSEMBLY PARTS	ZBT	10146361

sheave assembly complete 10146362

Index	Änderung / Revision	Date	Name	Execution	Identific. No.
General tolerances as per DIN ISO 2768/1 (lengths a, angles)	-	General tolerances as per DIN ISO 2768/2 (shape + position)	-	Maßstab / Scale	Date Name
General tolerances as per DIN ISO 2768/1 (lengths a, angles)	-	General tolerances as per DIN ISO 2768/2 (shape + position)	-	1/10	drawn 1994-12-02 Fischer Harald
General tolerances as per DIN ISO 2768/1 (lengths a, angles)	-	General tolerances as per DIN ISO 2768/2 (shape + position)	-	Factor: 1.000	approved
Installation GUTHRIES.				Plot remark 1994-12-02 15:50:13	
Auftrag / Order 2020-15				Copies X	
8N-RB. Type-401/Au				Original draw. no. Identific. No.	
Stahlbordsch.Ø406 ,Schutzhülse				200014096004370	
ON YOKE 200x275				Drawing No. Index	
80-Sheave assy.Type-401 with protection sleeve				200014426004370	



FW.: 19.31kg				10186217	
Index Änderung / Revision		Date Name		Execution	
General tolerances as per DIN 15037 (lengths & angles)		General tolerances as per DIN 15037 (shape & position)		Date Name	
General tolerances as per DIN 15037 (lengths & angles)		General tolerances as per DIN 15037 (shape & position)		Linder Stefan	
Installation GUTHRIES.		X		2003-05-27 12:21:29	
Auftrag / Order 2020-15		Copies		2003-05-27 12:21:29	
SHEAVE TYPE -401		WITH STEEL SIDE PLATES ø406		200003176004301 10067135	
Sheave type-401		with steel side plates ø406		2000019116004301	
		This drawing is our property. It must not be copied, carried out nor be disclosed to third parties without our express permission.		Immo Pöschl GmbH Rickenbacherstr. 8-10 A-6961 MOLLFURT / AUSTRIA	