

PLAN OF MANAGEMENT

Third Party Advertising on Cleveland Street - Inbound



URBIS STAFF RESPONSIBLE FOR THIS REPORT WERE:

Director John Wynne
Senior Consultant Rob Battersby
Consultant Harsha Yadav
Project Code P0035792
Report Number FINAL

Urbis acknowledges the important contribution that Aboriginal and Torres Strait Islander people make in creating a strong and vibrant Australian society.

We acknowledge, in each of our offices, the Traditional Owners on whose land we stand.

All information supplied to Urbis in order to conduct this research has been treated in the strictest confidence. It shall only be used in this context and shall not be made available to third parties without client authorisation. Confidential information has been stored securely and data provided by respondents, as well as their identity, has been treated in the strictest confidence and all assurance given to respondents have been and shall be fulfilled.

© Urbis Pty Ltd 50 105 256 228

All Rights Reserved. No material may be reproduced without prior permission.

You must read the important disclaimer appearing within the body of this report.

urbis.com.au

CONTENTS

1.	Introduction			
2.	Design Principles			
	2.1.	Design Intent		
_			_	
3.		ge Type and Design		
	3.1.	Description		
	3.2.	Proposal Specifications		
	3.3.	Waste and Recycling Management Plan		
	3.4.	Installation		
	3.5.	Illumination		
	3.6.	Content Management		
	3.7.	Industry Membership and Advertising Codes		
	3.8.	Monitoring and Maintenance		
	3.9.	Complaints and Compliance		
	3.10.	Proposed Third-Party Advertising	13	
Discla	imer		14	
FIGUE	RES			
Figure	1 Photomo	ontages	13	
PICTL	JRES			
		Elevation	13	
rictur	e i Soutii L	_levalion	10	
TABL	ES			
Table	1 Site Subj	ject to Plan of Management	4	
	_	I Specifications		
Table	3 Illuminati	ion of Proposed Asset	11	

1. INTRODUCTION

This Plan of Management has been prepared by Urbis on behalf of JCDecaux Australia to inform the management of third-party advertising orientated inbound on the corner of Cleveland Street and Regent Street, Redfern. The objective of this Plan of Management is to control the proposed activity (third-party advertising) to ensure that the amenity of surrounding land uses is not adversely affected.

This Plan of Management addresses:

- Content Management
- Illumination
- Monitoring and Maintenance
- Emergency Management Systems
- Complaints and Compliance

This Plan of Management relates to the site detailed in **Table 1**.

Table 1 Site Subject to Plan of Management

Location	The site is legally identified as Lot 118 in DP 1078271 and is located at coordinates -33.888944, 151.201831 (using NearMaps).
	As shown in Figure 1, the site is located near the junction of Regent Street and Cleveland Street and is along a railway corridor which runs six lines, these being the Eastern Suburbs & Illawarra Line, Leppington to City Circle, Bankstown Line, Northshore & Western Line, Inner West & South Line and Northshore to Hornsby & Berowra Line. The railway tracks run along the western side of the site.
	Currently, the site does not contain any signage. In terms of topography, the site is generally flat. Moderate vegetation and fence is present along the eastern and southern side of the site respectively. The site is owned by the Sydney Trains.
Surrounding Land Uses	The site is located within the City of Sydney Local Government Area (LGA) and is approximately 3km from the Sydney Central Business District (CBD). The site is located within Chippendale locale, which is an important location within the City of Sydney LGA, providing a variety of housing types, commercial opportunities and public open spaces such as the Prince Alfred Park.
	The site locality is characterised by a predominately mixed-use developments comprising of commercial premises and residential flat buildings. The surrounding developments are described below:
	To the north – the railway corridor runs along the north of the site. The Sydney CBD skyline is visible when viewed from the north of the site.
	■ To the east – directly east of the site is a car park associated with the church known as Greek Orthodox Archdiocese. The car park western boundary is heavily vegetated, including trees moderate in height creating a visual barrier between the railway corridor and

Orthodox Archdiocese. Further east of the site is a public recreational facility known Prince Alfred Park.

- To the south directly south of the site is a traffic signal. A two storey mixed use development comprising of business and retail premises is located across the traffic signal (falling under B4 Mixed use zone). Further south of the site is a mixed-use development ranging from three to six storeys in height including commercial premises along the ground floor and apartment units above, located within the B4 Mixed Use zone. Further south of Regent Street includes two storey commercial developments. South-west of the site (along Cleveland Street) is the Song Hotel and medium to high density mixed-use developments comprising of commercial premises on the ground floor level and residential uses above.
- To the west directly west of the site are low-density mixed-use developments located within the B4 Mixed use zone. The developments comprise of two storey business or retail premises; however, some developments include residential space above.

A search of the City of Sydney Council's DA tracker and the Planning Portal showed that there is no application under assessment which may be detrimentally impacted by the proposed digital signage.

Proposed Activity

This development application seeks approval for installation of a new digital advertising signage. More specifically, this includes the following works:

- Installation of a column paint monument at RL 20.62 approximately 5m away from the railway track and installation of pile cape of dimensions 1m x 1m and dia pier of size 750mm;
- Installation of digital advertising structure above the column paint monument of the following features:
- Screen dimension of 3.172m x 4.708m, attached to a monopole of height of approximately 11,49m;
- JCDecaux logo of dimension 120mm x 745mm, located at the bottom left of the screen;
- Perforated silver metal panels rear of the sign; and
- Installation of bolt column to the top of concrete tunnel.

The digital sign will have a dwell time of six (6) advertisements per minute and an instantaneous (or 0.1 second) transition time.

The signs will maintain compliance with the maximum luminance levels specified in Transport Corridor Outdoor Advertising and Signage Guidelines 2017 and AS14282 (2019)

The sign will operate continuously, 24 hours per day, 365 days a year.

2. DESIGN PRINCIPLES

2.1. DESIGN INTENT

The concepts illustrated in this proposal reflect a commitment to design excellence and the rationalisation of advertising assets across the Sydney Trains network. Placemaking potential and sensitive integration with the existing bridge structure has been considered a high priority, together with an alignment with the key public domain outcomes desired for the Cleveland St, Sydney.

The design intent of JCDecaux's proposal is based on the following:

- Compatibility of design—with a wide variety of built contexts and coordination in design to achieve a
 unified design of Sydney Trains advertising assets across the greater Sydney network;
- Flexible design

 to allow for adaptation to the local built environment context;
- Secure, safe and functional design for installation, operation and ongoing maintenance;
- Use of high quality, durable and vandal resistant materials;
- Minimisation of impact on road safety and visual character of the streetscape by rationalising the footprint and recognising the importance of Sydney Train's asset's function and other requirements.

The proposal has also been designed to be sensitive to the visual curtilage of the heritage items within the immediate vicinity, maximise durability, minimise maintenance and ensure reuse of materials after disassembly.

3. SIGNAGE TYPE AND DESIGN

3.1. DESCRIPTION

This Plan of Management supports a development application seeking consent to allow digital third-party advertising to be installed on the existing Sydney Trains at the corner of Cleveland Street and Regent Street, Redfern.

While the proposed digital structure has a dimension of 4.708m x 3.172m, the digital screen itself has a dimension of 3.072m x 4.608m and a display area of 14.15sqm. The thickness of the digital structure is 1690mm. The digital structure is attached to a monopole and has a total height of 11.490m. The digital structure will be visible to traffic moving south-bound along Regent Street.

3.2. PROPOSAL SPECIFICATIONS

Table 2 Proposal Specifications

Dimensions	4.708m x 3.172m
Finishes	Aluminium composite, Perforated Aluminium Sheet, Opal Acrylic, LED Illumination & Steel
Display Pixel Pitch	8mm
Maximum Display Brightness	6000 cd/m2
Average Power Consumption	3.9kW
Suggested Power Supply Method	Install new switchboard at nearest Point of Supply – 3 phase required. Design detail TBC.
Integration	The design of the support structure is intended to be a Monopole that extends down to the rail corridor.
Communications	4g LTE Modern
Engineering suitability	A structural assessment will be completed by JCDecaux's engineers, Dennis Bunt Consulting Engineers. A Structural Design Certificate will be submitted prior to any works commencing.
Estimated maximum weight of structures	300kg per Advertising Sign

3.3. WASTE AND RECYCLING MANAGEMENT PLAN

The Waste and Recycling Management Plan is to be generally consistent with the City of Sydney Guidelines for Waste Management in New Developments, inclusive of the removal of and ongoing operation of the digital signage asset. The plan includes;

- (a) details regarding how waste is to be minimised within a development;
- (b) estimations of quantities and types of materials to be re-used or left over for removal from the site;
- (c) details regarding the types of waste and likely quantities of waste to be produced;
- (d) a description for the capture and storage of reusable materials and recyclables during demolition and construction:
- (e) targets for recycling and reuse;

- (f) nomination of the role/person responsible for ensuring targets are met and the person responsible for retaining waste dockets from facilities appropriately licensed to receive the development's construction and demolition waste:
- (g) confirmation that, where practicable, waste going to landfill is not recyclable.

Waste Reduction

JCDecaux Australia and its contractors reduce consumption of resources that have the potential to become waste as a standard practise throughout their operations minimising the waste generated by the installation and disengagement of assets within the City of Sydney. Reduction strategies include:

- a) Maximise the use of materials from a sustainable source, that are, and/or can be, recycled
- b) Examining each work process step to determine where wastes are produced and to devise measures for waste prevention or reduction
- c) Minimise the use of solvents, glues, paints and other materials which release odours or vapour Isopropyl Alcohol (Class 3)
- d) Partnering with a waste management contractor to assist with waste minimisation.
- e) Quantifying and recording the waste produced to track changes and improvement.

To monitor the implementation of JCDecaux's "Waste Reduction Strategy" and in the meantime fulfilling its JCDecaux corporate regulatory obligations under the French Grenelle II law and defined in Article R.225-105-1 of the French Code de commerce, JCDecaux Group performs comprehensive internal extra-financial reporting on a quarterly basis.

This extra-financial reporting requires all global business units, including JCDecaux Australia, to provide concrete data for environmental indicators such as waste reduction.

Reuse

JCDecaux Australia's digital signage infrastructure components are made from high quality, highly durable materials designed to make the components last beyond the calculated lifespan of the asset.

JCDecaux identifies such components of the infrastructure and puts processes in place to ensure their consistent re-use as follows:

- a) Reusing any components of the infrastructure for maintenance where possible.
- b) Selling or donating usable components to other organisations.
- c) Redeploying assets to other contracts, where permissible.

Internal maintenance staff or third-party supply contractors disassemble and assess each asset in collaboration with third-party engineers for structural integrity, functionality and ease of redeployment. A life cycle assessment is then performed on those assets or components of assets deemed structurally reusable to determine whether to reuse, sell on or redeploy. Factors included in the decision making are:

- f) Uniformity of components
- g) Complexity of refurbishment or redeployment
- h) Quantity of usable components
- i) Proximity and scale of redeployment opportunities
- j) Resource and material value,
- k) Collection and Reprocessing cost
- I) Cost benefit analysis

Items to be reused but not immediately redeployed may be stored for up to 36 months at our storage facilities at Prestons in Sydney and Port Melbourne, which have a combined floor space of 15,000 sqm.

JCDecaux is part of a global network of JCDecaux subsidiaries. Through our global corporate network, opportunities are scoped out regularly to redeploy parts or components of assets to other countries if cost benefits allow and overseas redeployment does not negatively impact JCDecaux's carbon footprint.

Recycling

Where reuse of components removed from signage is deemed unfeasible JCDecaux actively identifies and separates its waste stream daily and this allows the materials to be collected and taken to facilities that reprocess the material for use in new products.

JCDecaux actively contributes to the three main types of recycling:

- a) Primary recycling materials are used to create the same product
- b) Secondary recycling materials are reused for make a different product
- c) Tertiary recycling materials are broken down chemically to create a new product

Primary recycled items include ferrous steel components which is hauled from our storage's facilities on stillages to various scrap metal yards across Sydney. Recycling ferrous metals has many financial and environmental benefits. Most importantly it reduces the need to extract and manufacture raw materials and contributes to significant savings in greenhouse gas emissions.

Other Primary recycled items include LED electronic components and associated equipment which are recycled by suitably qualified resource recovery agents or third-party suppliers.

Secondary recycled items include plastics which can be used specifically to manufacture Corflute products within Australia and overseas.

Where applicable, tertiary recycled or chemical recycled items include PVC vinyl banner material and glass that cannot cost-efficiently be recycled into new PVC or glass products. For example, Campbelltown recyclers on sell the recycled glass to Bradford for the manufacturing of Insulation Batts.

Disposal

JCDecaux Australia actively engages with the waste industry to ensure that our waste and recyclables are managed in a responsible and effective manner. Responsible waste management is a shared, day-to-day responsibility.

JCDecaux Australia will dispose of waste in accordance with the company Waste Management Procedure:

- a) General waste is handled appropriately and stored in the bins provided for collection by an authorised service provider for transport to a facility appropriate for the purposes of disposing of that waste.
- b) Separated Waste is to be disposed of in the appropriate bins/ways such that it can be re-cycled/reused.

Disposal of this waste is considered the least desirable option. JCDecaux Australia considers disposal as a last resort and is actively working on increasingly minimizing such waste as this generally means that the waste is sent to landfill.

3.4. INSTALLATION

The below steps show the overall general installation process from Engineering, Construction and Certification of JCDecaux assets. State and Authority requirements must be adhered to throughout this process.

- (NFC) General Arrangement and Elevation Drawings are firstly prepared by an engineer (draftsman) at DA submission stage. The GA design detail provide basic structural design detail, visual design detail and elevation detail which are based on survey reports. This detail is important from a height & boundary clearances perspective and ensure the submission complies with various SEPP64 (NSW) and other State or Local Government road safety and environmental town planning regulations.
- 2. **The Development Application (DA)** gets approved by the relevant authorities based on the compliance of the submission with the planning regulation.
- 3. **Digital Screen** suppliers are engaged to provide a pricing proposal detailing full product specification and screen design drawings.
- 4. **Structural Feasibility Assessment** is performed first. This can be either a soil test or ground survey for footing detail design or bridge structural assessment. These initial assessments (either performed prior to the development application (DA) being submitted or after DA approval) is conducted by an independent specialist engineer who will provide an engineering feasibility assessment statement

- and recommendations.
- 5. Structural Design IFA (issued for approval) drawings are then prepared by an independent structural engineer based on the general arrangement drawing details to ensure height, display details and position comply with the DA and based on the initial engineering feasibility assessment to comply with on load ratings, structural integrity and safe access rules. The IFA package 'Structural Notes' will list all relevant AS/NZ standard relevant that the design needs to comply with.
- 6. **Safety In Design Risk Assessment** showing a detailed Hazard Identification Risk Assessment and Control is provided by the independent structural engineer with the IFC package and design verification statement before submission to the relevant authority engineering hub.
- 7. **Building Consent** Letter is provided by the relevant authority or agency once the feasibility study and structural design is checked and authorized by the authority engineers to confirm:
 - Approval of the structural drawings
 - Satisfied with the fall arrest system (for the structure)
- 8. **Building Compliance Surveyor** is engaged by JCD to survey the engineering process has been followed correctly, design is accurate, and standards are met who subsequently issue a Construction Certificate (CC).
- 9. **Structural Design drawings are finalised** by the independent structural engineer to IFC (issued for Construction) and issued to the relevant fabrication and installation company.
- 10. An ISO 14001 accredited Fabrication Company is engaged by JCD and issued the IFC design package to commence manufacturing process. The independent engineer is provided with Shop Drawings of the relevant subsection to check against the design and sign off.
- 11. **An ISO 14001 / ISO 9001 and AS/NZ 4801 accredited Installation Company** (almost always the same company as the manufacturer) is engaged by JCD to commence the installation process. The installation company is to provide install methodology:
 - Safe Work Method Statement
 - Traffic Management Plan
 - ITP (inspection and test plan)
 - o Lifting Plan
 - o ROL and other relevant permit related to the installation SOW
- 12. **NOC (notice of commencement of works)** is provided by the building compliance surveyor prior to commencement works on site.
- 13. **On site installation works commence** under super vision by the (bridge) asset management company contracted to the relevant authority.
- 14. **Structural Construction Certificate** is issued after a final structural inspection by the structural engineer who issued the IFC to ensure the sign structure is built as per the 'As Built' design drawings.
- 15. **Occupation Certificate (OC)** is issued by the building compliance surveyor after performing a final inspection on the site to confirm relevant construction criteria are met.
- 16. **Operations Maintenance Plan (OMP)** is provided to relevant authority to confirm ongoing maintenance commitments are maintained

Separately from the build stage:

17. **IC Structural Inspection Framework** – All Large Format signage are routinely and periodically inspected and rated, including newly or recently constructed assets. Depending on specific commercial obligations this is typically every 3 or 5 years.

Some steps in the above process may overlap from time to time and can vary from State to State or authority depending on relevant State regulations and other commercial obligations.

3.5. ILLUMINATION

This proposal is seeking 24-hour illumination. The electronic advertisement screens have an inbuilt light adjustment sensor that measures ambient light around the structure and gradually adjusts the screen brightness based on the need for light. The light adjustment sensor has a built-in delay to accommodate

occasional cloud passing overhead or headlights from traffic so that the brightness of the screen does not change suddenly or unnecessarily. The brightness adjustments are undertaken in 1% increments so that no dramatic change of screen brightness can be detected by onlookers.

The screen brightness outputs are designed in accordance to satisfy Australian Standard AS4282:2019 Control of the Obtrusive Effects of Outdoor Lighting. Screen brightness is summarised in Table 3.

Table 3 Illumination of Proposed Asset

Lighting Condition	Maximum
Full Direct Sun	6,000 cd/m2
Day Time	6,000 cd/m2
Inclement Weather	600 cd/m2
Night Time	200 cd/m2

3.6. CONTENT MANAGEMENT

All digital infrastructure is remotely monitored and controlled by JCDecaux staff via an internal content management software system. The content management system has firewalls and security protocols in place to ensure the integrity of the digital advertising network.

It is noted that the following content will not be displayed under any circumstance:

- Discriminate against or vilify a person or section of the community on account of race, ethnicity, nationality, gender, age, sexual preference, religion, disability, mental illness or political belief.
- Employ sexual appeal:
 - o in a manner which is exploitative or degrading of any individual or group; or
 - o where images of minors, or people who appear to be minors, are used.
- Present or portray violence that is not justifiable in the context of the product or service being advertised, or that is inappropriate for a broad audience.
- Fail to treat sex, sexuality and nudity with sensitivity to a broad audience.
- Use language that is strong, obscene or inappropriate for a broad audience.
- Depict material contrary to prevailing community standards on health and safety.
- Are not clearly distinguishable as advertisements to the relevant audience.

3.7. INDUSTRY MEMBERSHIP AND ADVERTISING CODES

JCDecaux is a member of the Outdoor Media Association (OMA) who are the peak body representing Outof-Home advertising within Australia. As a tier one member of the OMA, JCDecaux are committed to complying with the following codes that regulate the content and placement of advertisements which include:

- OMA Code of Ethics
- OMA Alcohol Advertising Guidelines
- OMA Environment and Sustainability
- AANA Code of Ethics
- AANA Environmental Claims in Advertising and Marketing Code

- AANA Code for Advertising and Marketing in Communications for Children
- AANA Food and Beverages Advertising and Marketing Communications Code
- Alcohol Beverages Advertising Code
- Federal Chamber of Automotive Industry's Voluntary Code of Practice for Motor Vehicle Advertising

JCDecaux have an internal creative review process to ensure that advertisements do not breach any applicable code. This review process is undertaken prior to advertisements being displayed.

3.8. MONITORING AND MAINTENANCE

All digital displays automatically send alerts if a technical problem or a loss of power or content occurs. This alert is sent directly to JCDecaux's content and operational management software.

If power is lost completely, the screen maintains enough power to allow for an orderly shut-down of the screen and operating system, saving all settings and allowing the modem to send an alert about the problem. Once power is restored the screen will automatically display a black screen.

The proposed billboards have been designed to enable maintenance to be carried out from the bridge itself, meaning that maintenance will not impact traffic conditions or require any road closures.

JCDecaux will adopt a maintenance, cleaning or repair regime for the advertising structures which includes periodic cleaning according to its concessional contract obligations. In addition to the remote monitoring system described, above, the LED panel is also typically physically inspected and checked 2-3 times a year.

JCDecaux will keep an electronic log of activity that is maintained by the operator for the duration of the development consent and be available to the consent authority or Transport for NSW to monitor compliance with any conditions.


3.9. COMPLAINTS AND COMPLIANCE

Where the consent authority or Transport for NSW consider that the content of third-party advertising offends any contractual requirements or industry or advertising content codes, or that the advertising panel has not been properly maintained or operated, the process as set out in this clause shall be undertaken:

- Transport for NSW will advise the operator of the particulars of its concern, including the location of the advertising panel, the content of the advertising panel, and the way in which it offends either Section 3.6, 3.7 or 3.9 of this Plan of Management or any other way in which the advertising panel has not been maintained or operated.
- The point of contact for the operator is:
 - JCDecaux OWL
 - o Phone: 1800 276 695
 - o Email Address: au.owl@jcdecaux.com and au-digitalfaults@jcdecaux.com
- The operator will respond to Transport for NSW's concerns by COB the following business day, in one of the following ways:
 - Where the JCDecaux agrees with the Transport for NSW's concern, the content of the advertising panel will be removed (in relation to breaches of Section 3.6 or 3.7) or repaired (in relation to maintenance/operation).
 - Where JCDecaux does not agree with the Transport for NSW's concern, JCDecaux will provide its reasons in writing.
 - Where the parties cannot agree, and the nature of the complaint relates to a breach of and Industry or Advertising Code as set out in Section 3.6 and 3.7, then the procedures under either the relevant Code or JCDecaux contractual concession will apply.

3.10. PROPOSED THIRD-PARTY ADVERTISING

Figure 1 Photomontage



Picture 1 South Elevation

DISCLAIMER

This report is dated 10 November 2022 and incorporates information and events up to that date only and excludes any information arising, or event occurring, after that date which may affect the validity of Urbis Pty Ltd (Urbis) opinion in this report. Urbis prepared this report on the instructions, and for the benefit only, of JCDecaux (Instructing Party) for the purpose of a Crown Development Application (Purpose) and not for any other purpose or use. To the extent permitted by applicable law, Urbis expressly disclaims all liability, whether direct or indirect, to the Instructing Party which relies or purports to rely on this report for any purpose other than the Purpose, and to any other person which relies or purports to rely on this report for any purpose whatsoever (including the Purpose).

In preparing this report, Urbis was required to make judgements which may be affected by unforeseen future events, the likelihood and effects of which are not capable of precise assessment.

All surveys, forecasts, projections and recommendations contained in or associated with this report are made in good faith and on the basis of information supplied to Urbis at the date of this report, and upon which Urbis relied. Achievement of the projections and budgets set out in this report will depend, among other things, on the actions of others over which Urbis has no control.

In preparing this report, Urbis may rely on or refer to documents in a language other than English, which Urbis may arrange to be translated. Urbis is not responsible for the accuracy or completeness of such translations and disclaims any liability for any statement or opinion made in this report being inaccurate or incomplete arising from such translations.

Whilst Urbis has made all reasonable inquiries it believes necessary in preparing this report, it is not responsible for determining the completeness or accuracy of information provided to it. Urbis (including its officers and personnel) is not liable for any errors or omissions, including in information provided by the Instructing Party or another person or upon which Urbis relies, provided that such errors or omissions are not made by Urbis recklessly or in bad faith.

This report has been prepared with due care and diligence by Urbis and the statements and opinions given by Urbis in this report are given in good faith and in the reasonable belief that they are correct and not misleading, subject to the limitations above.