


SITE LOCATION

NOTE : - INDIVIDUAL SITE BOUNDARYS ARE APPROX ONLY


<div><div><div>HOUSE OF</div><div>ULLR</div><div>THREDBO</div></div></div> <div>PROPOSED WINDOW REPLACEMENT - HOUSE OF ULLR 89 Mowamba Place Thredbo NSW 2625 Snowy Mountains Australia</div>			
CLIENT:		DRAWN: TLD	
SCALE: 1:1250 AT A3	SHEET: A3	JOB:	DATE: 25/11/2022



existing timber windows are to be replaced with double glazed aluminium windows with matching fenestration (pane size etc.) - Openable portions of window to have fixed metal screens meeting requirements of clause D2.24 of BCA (NCC Vol. 1)



NOTE : - INDIVIDUAL SITE BOUNDARYS ARE APPROX ONLY

	PROPOSED WINDOW REPLACEMENT - HOUSE OF ULLR				
	89 Mowamba Place				
	Thredbo NSW 2625Snowy Mountains Australia				
	CLIENT:		DRAWN:		
			TLD		
SCALE:	SHEET:	JOB:	DATE:		
1:1250 AT A3	A3		25/11/2022		




Provide -/60/- Automatic Closing Fire Shutter where indicated




EAST ELEVATION

existing timber windows are to be replaced with double glazed aluminium windows with matching fenestration (pane size etc.) - Openable portions of window to have fixed metal screens meeting requirements of clause D2.24 of BCA (NCC Vol. 1)



-/60/- Automatic Closing Fire Shutter

NOTE : - INDIVIDUAL SITE BOUNDARYS ARE APPROX ONLY

				PROPOSED WINDOW REPLACEMENT - HOUSE OF ULLR 89 Mowamba Place Thredbo NSW 2625 Snowy Mountains Australia			
CLIENT:				DRAWN: TLD			
SCALE: 1:1250 AT A3		SHEET: A3		JOB:		DATE: 25/11/2022	



SOUTH ELAVATION

existing timber windows are to be replaced with double glazed aluminium windows with matching fenestration (pane size etc.) - Openable portions of window to have fixed metal screens meeting requirements of clause D2.24 of BCA (NCC Vol. 1)



NOTE : - INDIVIDUAL SITE BOUNDARYS ARE APPROX ONLY



PROPOSED WINDOW REPLACEMENT - HOUSE OF ULLR
89 Mowamba Place
Thredbo NSW 2625 Snowy Mountains Australia

CLIENT:		DRAWN: TLD	
SCALE: 1:1250 AT A3	SHEET: A3	JOB:	DATE: 25/11/2022



Provide -/60/-
Automatic Closing Fire
Shutter where indicated



NORTH ELAVATION

existing timber windows are to be replaced with double glazed aluminium windows with matching fenestration (pane size etc.) - Openable portions of window to have fixed metal screens meeting requirements of clause D2.24 of BCA (NCC Vol. 1)



construct masonry spandrel 'above floor'



-/60/- Automatic Closing Fire Shutter



NOTE : - INDIVIDUAL SITE BOUNDARYS ARE APPROX ONLY



PROPOSED WINDOW REPLACEMENT - HOUSE OF ULLR
89 Mowamba Place
Thredbo NSW 2625 Snowy Mountains Australia

CLIENT:

DRAWN:

TLD

SCALE:
1:1250 AT A3

SHEET:
A3

JOB:

DATE:
25/11/2022