

COMPLIANCE NOTES

- THE SMOKE ALARMS WILL BE INSTALLED IN THE SMICKE ALARMS WILL BE INSTALLED IN ALCOVANCE MACCORDANCE WITH THE REQUIREMENTS OF PART WITH THE BUILDING CODE OF AUSTRALIA (BCA) 201 VOLUME 2 AMENDMENT 1—8 BCA REFERENCED EVACUATION LIGHTING) OF THE BUILDING CODE OF AUSTRALIAN STANDARDS (AS) IN SCHEDULE 4. AUSTRALIA VOLUME 2 ÁMENDMENT 1
- THE STAIR LANDINGS, TREADS STAIRWAY AND RAMP CONSTRUCTION WILL BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF PART 3.9.1 (STAIR LANDINGS + TREADS – STAIRWAY AND RAMP CONSTRUCTION) OF THE BUILDING CODE OF AUSTRALIA VOLUME 2 AMENDMENT 1
- A. STAIR TREAD SURFACE TO HAVE A SLIP RESISTANCE RATING IN ACCORDANCE WITH AS 4586-2013
- THE WINDOW OPENINGS WILL BE INSTALLED IN THE WINDOW OPENINGS WILL BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF PART 3.9.2 (WINDOW OPENING – PROTECTION OF OPENABLE WINDOWS – BEDROOMS) OF THE BUILDING CODE OF AUSTRALIA VOLUME 2 AMENDMENT 1
- A ALL OPENABLE PORTIONS OF A BEDROOM ALL OPENABLE PORTIONS OF A BEDROOM WINDOW TO BE FITTED WITH A DEVICE CAPABLE OF RESTRICTING OPENING SASH TO BE NO GREATER THAN 125MM WHERE THE WINDOW IS 2.0M OR MORE ABOVE THE SURFACE BELOW AND WINDOW SILL IS LESS THAN 1.7M ABOVE THE FLOOR
- B PROVIDE BARRIER PROTECTION TO ROOMS OTHER THAN BEDROOMS WHERE SURFACE OTHER THAN BEDROOMS WHERE SURFACE
 BELOW IS 4M OR MORE. OPENABLE PART OF
 WINDOW MUST BE PROTECTED WITH A
 BARRIER HEIGHT NOT LESS THAN 865MM ABOV FINISHED FLOOR. ANY BARRIERS MUST NOT PERMIT A 125MM SPHERE TO PASS THROUGH IT AND ANY HORIZONTAL ELEMENTS BETWEEN
- AND ANY HORIZONI AL ELEMENTS BE I WEEN 150MM AND 760MM ABOVE THE FLOOR TO FACILITATE CLIMBING.
 THE ABLUSTRADES BARRIERS AND HANDRAILS WILL BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF PART 3.9.2 (BALUSTRADES-PART SALUSTRADES-PART SALUSTR BARRIERS AND HANDRAILS) OF THE BUILDING CODE OF AUSTRALIA VOLUME 2 AMENDMENT 1 A. ALL BALUSTRADES TO BE MINIMUM 1000MN
- ABOVE FINISHED FLOOR LEVELS B ALL BALUSTRADES TO BALCONIES WITH A
 HEIGHT OF 4.0M OR GREATER TO SURFACE
 BELOW, MUST BE CONSTRUCTED WITH NO
- HORIZONTAL FOOT HOLDS. C. INTERNAL STAIRS TO HAVE CONTINUOUS HANDRAII
- D ALL GLASS BALLISTRADES TO BE FITTED WITH J. ALL GLASS BALUSTRADES TO BE FITTED WITH TOP RAIL TO AUSTRALIAN STANDARD AS 1288-2006. E. STAIR LANDINGS WHERE IT IS POSSIBLE TO
- FALL 1.0M OR MORE MEASURED FROM SURFACE BELOW TO HAVE BALUSTRADE INSTALLED.
- THE BUILDING WILL BE CONSTRUCTED TO COMPL WITH THE REQUIREMENTS OF PART 3.10.3 (FLOOD PRONE LAND – FLOOD HAZARD AREAS) OF THE BUILDING CODE OF AUSTRALIA VOLUME 2 AMENDMENT 1 AND THE ABCB STANDARD FOR CONSTRUCTION OF BUILDINGS IN FLOOD HAZARD AREAS
- THE DWELLING AND ASSOCIATED STRUCTURES WILL BE CONSTRUCTED TO THE NOMINATED BUSHFIRE ATTACK LEVEL AS NOTED AT THE BOTTOM CORNER OF PLANS AND AS REQUIRED B PART 3.10.5 (BUSHFIRE PRONE LAND — CONSTRUCTION IN BUSHFIRE PRONE AREAS) OF THE BUILDING CODE OF AUSTRALIA 2019, VOLUME 2 AMENDMENT 1 & SECTION 3 & 2 OF AS 3959-2018 NCLUDING NSW VARIATIONS & PLANNING FOR
- INCLUDING NSW VARIATIONS & PLANNING FOR BUSHFIRE PROTECTION 2019.
 THE HEATING APPLIANCES, FIREPLACES, CHIMNEY AND FLUES WILL BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF PART 3.10.7 (HEATING APPLIANCES, FIREPLACES, CHIMNEYS AND FLUES) OF THE BUILDING CODE OF AUSTRALI
- AND H-LUES) OF THE BUILDING COUPE OF AUSTRALI.

 YOLUME 2 AMENDMENT 1 AND ASINZS 2918-2018)

 THE ATTACHMENT OF DECKS AND BALCONIES TO EXTERNAL WALLS OF BUILDINGS WILL BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENTS OF PART 3 1.0.6 (ATTACHMENT OF PART).

 RECOMMENDED TO THE CONTROL OF THE PART AND ACCORDANCE WITH THE REQUIREMENTS OF PART 3 1.0.6 (ATTACHMENT OF PART). DECKS AND BALCONIES TO EXTERNAL WALLS OF BUILDINGS) OF THE BUILDING CODE OF AUSTRALIA VOLUME 2 AMENDMENT 1
- VOLUME 2 AMENDMENT 1.

 MECHANICAL VENTILATION PROVIDED TO
 BATHROOMS, SANITARY COMPARTMENTS OR
 LAUNDRY IS DISCHARGED TO THE EXTERNAL WALL
 OR TO A ROOF SPACE THAT IS VENTILATED IN
 ACCORDANCE WITH PART 3.8.7.4

FLOOD LEVEL -

BAL RATING -

WIND CLASS

SLAB CLASS -

CONSTRUCTION NOTES

- ALL WORKS TO BE CARRIED OUT IN ACCORDANCE
- REFER TO STRUCTURAL ENGINEER'S DRAWINGS AND STRUCTURAL DESIGN CERTIFICATE FOR ALL
- AND STRUCT OF AND COLUMN DETAILS.

 WAFFLE POD SLAB TO ENGINEERS DETAIL, IN
 ACCORDANCE WITH AS2870-2011.
 REFER TO FRAME AND FLOOR JOIST LAYOUT DRAWINGS FOR ADDITIONAL TIMBER BEAMS AND FLOOR JOISTS DETAILS.
- FRAMING SUPPLIERS/DETAILERS TO COMPLY FRAMING SUPPLIERS/DETAILERS TO COMPLY WITH MASTERTON HOMES GENERAL FRAME SPECIFICATION. ANY DISCREPANCIES IN PLANS TO BE REPORTED TO HEAD OFFICE.
 ALL PERMANENT BRACINS IN ACCORDANCE WITH AS 1684-TIMBER FRAMING CODE.
- STRENGTHENING OF ROOF TRUSSES AS REQUIRED FOR ACTINIT/SOLAR COLLECTORS. REQUIRED FOR AC ONITISOLAR CULLECTORS.
 IF APPLICABLE, REFER TO HYDRAULICS
 ENGINEER'S DRAWINGS AND HYDRAULICS DESIGN
 CERTIFICATE FOR STORMWATER REQUIREMENTS
 REFER TO SIGNED COLOURS DOCUMENTATION
- FOR ADDITIONAL CLIENT SELECTIONS. CENTRE OF DOWNPIPES TO BE 350mm FROM CORNER OF FACE BRICKWORK (UNLESS NOTED
- OTHERWISE).

 O. ALL SERVICES POSITIONS TO BE DETERMINED AND COORDINATED ON SITE BY SUPERVISOR.

 1. BULKHEADS TO BE DETERMINED AND
- COORDINATED ON SITE. 2. FLASHING TO DAMP COURSE LEVEL TO BE
- FINISHED FLUSH WITH OUTSIDE FACE OF BRICKWORK

- BRICKWORK.

 3. ALL RETAINING WALLS BY OWNER AFTER
 HANDOVER.

 4. ANY WORKS OR ITEMS BY OWNER, TO BE
 COMPLETED AFTER HANDOVER.

 5. ALL EXTERNAL PATIOS / ALFRESCOS, SURFACE FINISH TO BE SUITABLE FOR TILING BY OWNER AFTER HANDOVER
- AF IER HANDOVER.

 INFILL PANELS OVER WINDOWS OR DOORS NOT SHOWN ON ELEVATIONS. ANY INFILL PANELS REQUIRED ARE SUBJECT TO BRICK GAUGE AND WILL BE COORDINATED ON SITE BY THE SUPERVISOR.
- . FLOOD AFFECTED SITES ALL MATERIALS BELOW NOMINATED FLOOD LEVEL TO BE CONSTRUCTED
- NOMINATED FLOOD LEVEL TO BE CONSTRUCTED OF FLOOD COMPATIBLE MATERIAL.

 18. SURFACE DRAINAGE POINTS 2 x CAPPED OFF POINTS CONNECTED TO RAINWATER TANK OVERFLOW FOR OWNERS FUTURE SURFACE DRAINAGE POINTS TO BE DETERMINED ON SITE DRAINAGE BY SUPERVISOR.
- TERMITE BARRIER TO PERIMETER OF HOUSE TO
- 9. IERMITE BARRIER TO PERIMETER OF HOUSE I COMPLY WITH RELEVANT BCA CODE AND AS3660.1 & 2 2014. OR CONDITIONING DROPPER LOCATION SIBLECTTO STRUCTURAL COORDINATION ON SITE, FINAL AC DROPPER LOCATION TO BE DETERMINED ON SITE BY SUPERVISOR.


POSSIBLE BAS/BOS SEWER LOCATION TO BE CONFIRMED PRIOR



DRAWING SCHEDULE

No.	DRAWING TITLE	REV
00.00	COVER SHEET	4
01.00	SITE PLAN	4
02.00	FLOOR PLAN	4
02.01	SCHEDULES	4
02.04	ELECTRICAL PLAN	4
03.00	ELEVATIONS	4
03.01	ELEVATIONS	4
04.00	SECTIONS	4
05.00	PERSPECTIVE VIEWS	4
06.00	SEDIMENT CONTROL	4
06.01	SITE ANALYSIS	4
06.03	CONCEPT LANDSCAPE	4
06.04	NOTIFICATION PLAN	4

hstar.com.au



4	LIVING, THEATRE, LOUNGE & BED 4 WINDOWS NOW 900mm HIGH AND UNDER EAVE.
3	CHANGE LIMNG, THEATRE, LOUNGE AND BED4 WINDOWS TO 600 HIGH LDRY DOOR NOW SOLID . 75IT TREE TO FRONT YARD AND HEDGE TO SOUTHERN BDRY
2	1. COUNCIL SUBMISSION PCV 1 BASIX INFO.
1	1. MAIN TV. 2. TV. 1

REVISION DESCRIPTION

DESCRIPTION

21.06.22

REV.

LHS

Rev ISSUE STATUS Date Issued by **REVISION SCHEDULE**

COUNCIL SUBMISSION

COUNCIL SUBMISSION

COUNCIL SUBMISSION

CONTRACT PLAN

MASTERTON CNR. SAPPHO ROAD AND HUME HIGHWAY.

WARWICK FARM, NSW 2170
PH-1300 4HOMES(1300 446 637) WWW.MASTERTON.COM.AU

GENERAL NOTE neck & verify dimen-levels prior to the

MR R. R. CHAND 12 I ACCEPT AND UNDERSTAND THE PLANS AND DOCUMENTS THAT HAVE BEEN PROVIDED TO ME BY MASTERTON HOMES.

15 WOLAROI CRESCENT, REVESBY NSW 2212 29262 CANTERBURY-BANKSTOWN

COVER SHEET

N/A

N/A

N1

H1

" ULTIMATE INCLUSIONS

HARMONY ELITE 5 BED - OPTION A de: TRADITIONAL

COUNCIL SUBMISSION

WA

23.01.2023

2017631

00.00


LICENCE No. 35558C / ABN. 52 002 873 047


23.01.2023 JP

07.12.2022 JP

6.9.22 EP

05.08.22 WA






DOOR SCHEDULE							
DOOR No.	COMMENTS	HEIGHT	WIDTH	Level			
01		2340	1200	GRD FLOOR			
02	PANELIFT DOOR	2400	4960	GARAGE			
03		2340	820	GRD FLOOR			
04		2340	820	GRD FLOOR			
05		2340	720	GRD FLOOR			
06		2340	720	GRD FLOOR			
07		2340	2 x 620	GRD FLOOR			
08		2340	820	GRD FLOOR			
09	1665 S/O SMARTROBE	2415	2x820	GRD FLOOR			
10		2340	820	GRD FLOOR			
11	1665 S/O SMARTROBE	2415	2x820	GRD FLOOR			
12		2340	720	GRD FLOOR			
13		2340	820	GRD FLOOR			
14	1665 S/O SMARTROBE	2415	2x820	GRD FLOOR			
15		2340	820	GRD FLOOR			
16		2340	2 x 720	GRD FLOOR			
17		2340	2 x 720	GRD FLOOR			
18		2340	820	GRD FLOOR			
19		2340	820	GRD FLOOR			
20		2340	820	GRD FLOOR			
21	1665 S/O SMARTROBE	2415	2x820	GRD FLOOR			



	WINDOW & SLIDING DOOR SCHEDULE									
TYPE	WINDOW No.	HEIGHT	WIDTH	WINDOW STYLE	GLAZING	Level				
W	01	2400	3010	SLIDING	CLEAR, DOUBLE GLAZING	GRD FLOOR				
W	02	857	3010	SLIDING	CLEAR, DOUBLE GLAZING	GRD FLOOR				
W	03	857	3010	SLIDING	CLEAR, DOUBLE GLAZING	GRD FLOOR				
W	04	857	3010	SLIDING	CLEAR, DOUBLE GLAZING	GRD FLOOR				
W	05	857	2410	SLIDING	CLEAR, DOUBLE GLAZING	GRD FLOOR				
W	06	600	1810	SLIDING	TOUGH. OBS, DOUBLE GLAZING.	GRD FLOOR				
W	07	1200	1810	SLIDING	CLEAR, DOUBLE GLAZING	GRD FLOOR				
W	08	1200	1810	SLIDING	CLEAR, DOUBLE GLAZING	GRD FLOOR				
W	09	1200	1810	SLIDING	CLEAR, DOUBLE GLAZING	GRD FLOOR				
W	10	600	1450	SLIDING	TOUGH. OBS, DOUBLE GLAZING.	GRD FLOOR				
SD	01	2400	4810	SLIDING DOOR	CLEAR, DOUBLE GLAZING	GRD FLOOR				



N/A FLOOD LEVEL -N/A **BAL RATING** -N1 WIND CLASS -H1 SLAB CLASS -



CNR. SAPPHO ROAD AND HUME HIGHWAY, WARWICK FARM, NSW 2170 PH-1300 4HOME \$(1300 446 637) WWW. MASTERTON.COM.AU LICENCE No. 35558C / ABN. 52 002 873 047

COPYRIGHT	GENERAL NOTE
Masterton Homes is the legal and beneficial owner of	Do not scale drawing figured dimensions of
the copyright in this plan and no part of this plan may be reproduced. Unauthorised use.	Check & verify dime & levels prior to the commencement of a work.
copy, amendment or adaption will be	All discrepancies to reported to the draft


NERAL NOTE	CLIENT'S SIGNATURE 1		For:		N
not scale drawings use red dimensions only.			MR R. R. CHAND		
ck & verify dimension vels prior to the mencement of any	CLIENT'S SIGNATURE 2		Address: 15 WOLAROI CRESCENT, REVESBY NSW 2212		
rhencement of any k.			Lot No : 12	^{DP:} 29262	
liscrepancies to be		DATE	12	20202	
orted to the drafting se	AND DOCUMENTS THAT HAVE BEEN PROVIDED TO ME BY MASTERTON HOMES.		CANTERBURY-BANKSTOWI	N	



On: ULTIMATE INCLUSIONS

DWG:		Stage:			-
SCHEDULES	COLL	ACIL S	UBMIS	SION	
Design: HARMONY ELITE 5 BED - OPTION A	0001	TOIL O		OIOII	
Facade: TRADITIONAL		Drawn Date:	Drawn By:	Rev. Date:	Scale @ A3:
Edition: LIL TIMATE INCLUSIONS	LHS	21.06.22	WA	23.01.2023	1:100

2017631





1. ROOM NAMES MAY VARY DEPENDING ON HOUSE DESIGN AND CUSTOMISATION OF STANDARD DESIGN

2. ALL OTHER ROOMS NOT LISTED IN ABOVE SCHEDULE WILL INCLUDE 1 X DPP / 1 LIGHT POINT

3. ALFRESCO GREATER THAN 4M - 2 LIGHT POINTS TO BE ALLOWED

4. TWO WAY SWITCH TO STAIRCASE ONLY (DOUBLE STOREY)

5. DUCTED EXHUAST FANS PROVIDED TO WET AREAS WITH SHOWER OR AS PER BCA REQUIREMENTS

6. FINAL ALLOCATION OF POWER POINTS / SWITCHES TO BE CONFIRMED AT ELECTRICAL CONSULTATION

7. DATA POINT APPLICABLE ONLY WHEN ULITMATE INCLUSIONS OR EVOLVE LUXURY PACKAGE SELECTED



N/A FLOOD LEVEL N/A **BAL RATING -**N1 WIND CLASS -H1 SLAB CLASS -

MASTERTON CNR. SAPPHO ROAD AND HUME HIGHWAY, WARWICK FARM, NSW 2170 PH-1300 4H0ME S(1300 446 637) WWW. MASTERTON.COM.AU LICENCE No. 35558C / ABN. 52 002 873 047

GENERAL NOTE Check & verify dimens & levels prior to the commencement of an

MR R. R. CHAND 15 WOLAROI CRESCENT, REVESBY NSW 2212 29262 I ACCEPT AND UNDERSTAND THE PLANS AND DOCUMENTS THAT HAVE BEEN PROVIDED TO ME BY MASTERTON HOMES. CANTERBURY-BANKSTOWN



						_
DWG:		Stage:				
ELECTRICAL PLAN		COLL	NCIL S	HRMIS	SION	J
Design: HARMONY ELITE 5 BED - OPTION A		0001	TOIL O		OlOl	•
Facade: TRADITIONAL	Garage Location:	Drawn Date:	Drawn By:	Rev. Date:	Scale @ A3:	
E W.	1 1110	21 06 22	۱۸/۸	22 U1 2U22	1 . 100	١

21.06.22

WA

LHS

1:100

23.01.2023

2017631

02.04

Location: L:\2017631 - CHAND\2017631 - CHAND.rvt

FINISHES LEGEND MOROKA FINISH RAKED JOINT 1 CRS BELOW FFL @ FLASHING LEVEL ACRYLIC RENDER RAKED JOINT 1 CRS BELOW FFL @ FLASHING LEVEL FEATURE BRICK WORK FEATURE TILING

FEATURE STACK STONE


FINISH BY

TIMBER CLADDING CAMBIA - ALL STANDARD SITES


MERBAU - BUSHFIRE AFFECTED SITES REFER TO TENDER AND SIGNED COLOURS PLANS FOR EXTERNAL APPLICATION DETAILS

KEYNOTE LEGEND

CJ CONSTRUCTION JOINT
HWS-G HOT WATER SYSTEM-GAS INSTANTANOUS
MB METER BOX
RWT RAIN WATER TANK







N/A FLOOD LEVEL N/A **BAL RATING -**N1 WIND CLASS **H1 SLAB CLASS -**

MASTERTON CNR. SAPPHO ROAD AND HUME HIGHWAY, WARWICK FARM, NSW 2170 PH-1300 4H0ME S(1300 446 637) WWW. MASTERTON.COM.AU LICENCE No. 35558C / ABN. 52 002 873 047

GENERAL NOTE MR R. R. CHAND Check & verify dimens & levels prior to the commencement of an 15 WOLAROI CRESCENT, REVESBY NSW 2212 DP: 29262 I ACCEPT AND UNDERSTAND THE PLANS AND DOCUMENTS THAT HAVE BEEN PROVIDED TO ME BY MASTERTON HOMES. CANTERBURY-BANKSTOWN

03.00 1:100

ELEVATIONS COUNCIL SUBMISSION HARMONY ELITE 5 BED - OPTION A ade: TRADITIONAL

21.06.22

WA

LHS

On: ULTIMATE INCLUSIONS

FINISHES LEGEND

MOROKA FINISH RAKED JOINT 1 CRS BELOW FFL @ FLASHING LEVEL

ACRYLIC RENDER RAKED JOINT 1 CRS BELOW FFL @ FLASHING LEVEL

FEATURE BRICK WORK

TILING

FEATURE

FEATURE STACK STONE

FINISH BY OWNER


TIMBER CLADDING CAMBIA - ALL STANDARD SITES MERBAU - BUSHFIRE AFFECTED SITES

REFER TO TENDER AND SIGNED COLOURS PLANS FOR EXTERNAL APPLICATION DETAILS

KEYNOTE LEGEND


AC UNIT AIR CONDITIONING UNIT
B/O-E EXPOSED BEAM OVER TO ENGINEERS
DETAIL B/O-E

CJ CONSTRUCTION JOINT
GTAP GARDEN TAP
RWT RAIN WATER TANK



0007827868-02 25 Jan 2023 Assessor Ian Fry 7.9 Accreditation No. DMN/12/1441 Address 15 Wolaroi Crescent , Revesby , NSW , 2212 HOUSE 26.9 hstar.com.au





N/A FLOOD LEVEL -N/A **BAL RATING -**N1 WIND CLASS H1 SLAB CLASS -



	COPYRIGHT
MASTERTON	Masterton Home the legal and beneficial owner the copyright in t plan and no part
CNR. SAPPHO ROAD AND HUME HIGHWAY, WARWICK FARM, NSW 2170 PH-1300 4H0MES(1300 446 637) WWW.MASTERTON.COM.AU LICENCE No. 35558C / ABN. 52 002 873 047	this plan may be reproduced. Unauthorised us copy, amendme adaption will be prosecuted

Location: L:\2017631 - CHAND\2017631 - CHAND.rvt

нт	GENERAL NOTE	CLIENT'S SIGNATURE 1		For:		North Po
Homes is	figured dimensions only.		MR R. R. CHAND			
o part of & levels prior to the		CLIENT'S SIGNATURE 2		Address: 15 WOLAROI CRESCENT, REVESBY NSW 2212		
d. sed use,				Lot No: 12	DP: 29262]
indment or vill be d			DATE	CANTERBURY-BANKSTOW	N	

DWG:		Stage:			
ELEVATIONS		COLL	VCII S	UBMIS	SION
Design: HARMONY ELITE 5 BED - OPTION A		TOIL O		OIOII	
Facade: TRADITIONAL	Garage Location:	Drawn Date:	Drawn By:	Rev. Date:	Scale @ A3:
Edition: LIL TIMATE INCLUSIONS	LHS	21.06.22	WA	23.01.2023	1:100

ition: ULTIMATE INCLUSIONS

2017631

ADDITIONAL FRAMING NOTES

. SQUARE SET OPENINGS TO GROUND FLOOR 2340mm HIGH (UNLESS SPECIFIED ON FLOOR PLANS).

INSULATION UPGRADES

- ADDITIONAL INSULATION UPGRADES TO FOLLOWING: ADDITIONAL INSULATION UPGRADES TO FOLLOWING:


 1. R2.5 BRADFORD INSULATION BATTS TO EXTERNAL
 FRAMED WALLS OF LIVING AREAS & INCLUDING
 WALLS BETWEEN GARAGE & LIVING AREAS

 2. R4.1 BRADFOED INSULATION BATTS TO CEILINGS
 OF LIVING AREAS (EXCLUDING GARAGE).


 3. REFER TO BASIX BOX FOR STANDARD INSULATION
 REQUIREMENTS

 4. R2.5 SOUNDSCREEN INSULATION BATTS TO
 INTERNAL WALLS OF GARAGE, MASTER SUITE/BED

 2. BED 3, 4, 5 AND LOUNGE.







N/A FLOOD LEVEL -N/A **BAL RATING -**N1 WIND CLASS H1 SLAB CLASS -



V							
NAR PH-1	WICK FA	ARM, NS MES(130	AND HUME W 2170 0 446 637) / ABN. 52 0	www.	MASTER	RTON.CO	M.AU

IGHT	GENERAL NOTE	CLIENT'S SIGNATURE 1		For:			
al and al owner of yright in this d no part of n may be ced. orised use, mendment or	Do not scale drawings use figured dimensions only.			MR R. R. CHAND			
	Check & verify dimension & levels prior to the commencement of any work. All discrepancies to be reported to the drafting office	CLIENT'S SIGNATURE 2		Address: 15 WOLAROI CRESCENT, REVESBY NSW 2212			
		I ACCEPT AND UNDERSTAND THE PLANS AND DOCUMENTS THAT HAVE BEEN PROVIDED TO ME BY MASTERTON HOMES.	DATE	Lot No: 12	DP: 29262		
				CANTERBURY-BANKSTOWN			

04.00

1:100

DWG:		Stage:				J
SECTIONS	COUNCIL SUBMISSION					
Design: HARMONY ELITE 5 BED - OPTION A		0	TOIL O		OIOII	
Facade: TRADITIONAL	Garage Location:	Drawn Date:	Drawn By:	Rev. Date:	Scale @ A3:	3


21.06.22


WA

23.01.2023

LHS


ion: ULTIMATE INCLUSIONS














3 REAR RIGHT



N/A FLOOD LEVEL -N/A **BAL RATING -**N1 WIND CLASS -H1 SLAB CLASS -

MASTERTON

CNR. SAPPHO ROAD AND HUME HIGHWAY, WARWICK FARM, NSW 2170 PH-1300 4HOME \$(1300 446 637) WWW.MASTERTON.COM.AU LICENCE No. 35558C / ABN. 52 002 873 047

GENERAL NOTE Check & verify dimensi & levels prior to the commencement of any

MR R. R. CHAND 15 WOLAROI CRESCENT, REVESBY NSW 2212 DP: 29262 I ACCEPT AND UNDERSTAND THE PLANS AND DOCUMENTS THAT HAVE BEEN PROVIDED TO ME BY MASTERTON HOMES. CANTERBURY-BANKSTOWN

4 REAR LEFT

DWG:	
PERSPECTIVE VIEWS	
Design: HARMONY ELITE 5 BED - OPTION A	
Facade: TRADITIONAL	Garage Locat
Edition: ULTIMATE INCLUSIONS	LHS

COUNCIL SUBMISSION


WA


21.06.22

23.01.2023

2017631

05.00 Plot Date: 23/01/2023 2:56:05 PM





Location: L:\2017631 - CHAND\2017631 - CHAND.rvt

ot Date: 23/01/2023 2:56:06 PM

