



## **ANACIVIL P/L. (*Civil & Structural Engineers*)**

Office 9, 438 Forest Rd, Hurstville NSW 2220.  
Tel: 9793 1393 Fax: 9708 3113

ABN. 082 975 522  
Email: admin@anacivil.com

### **- Traffic & Parking Impact Assessment -** **for the** **Proposed Childcare Centre at** **No. 28 & 30 Forrest Rd, East Hills.**



**Prepared by: Thai Do B.E.(Hons)**

**Approved by. Moussa Zaioor (M.I.E. Aust), CPENG.**

**Date: November 14, 2022**

**Reference No.: 2022-363**



### **Document Control**

| <i>Date</i> | <i>Revision History</i> | <i>Prepared By:</i> | <i>Reviewed and<br/>Authorised by:</i> |
|-------------|-------------------------|---------------------|--|
| 14/11/2022  | Initial Report          | Thai Do             | Moussa Zaioor                          |
| 14/11/2022  | Final Report            | Thai Do             | Moussa Zaioor                          |



## **Table of Contents**

|  |   |
|--|---|
| Document Control.....  | 2 |
| Table of Contents.....   | 3 |
| 1. INTRODUCTION.....   | 4 |
| 2. SCOPE.....  | 4 |
| 3. SITE LOCATION AND ENVIRONMENT .....                               | 4 |
| 4. EXISTING CONDITIONS .....   | 5 |
| 4.1. Existing Vehicle Access & Egress to Proposed Parking Area ..... | 5 |
| 4.2. Road Network & Nearby Intersections.....                        | 5 |
| 4.3. Existing Traffic Volumes.....                                   | 5 |
| 4.4. Existing Public Parking Conditions.....                         | 5 |
| 4.5. Public Transport.....   | 6 |
| 4.6. Pedestrian Amenity.....   | 6 |
| 5. PROPOSED CONDITIONS .....   | 6 |
| 5.1. Proposed Traffic Conditions.....                                | 6 |
| 5.2. Proposed Parking Conditions.....                                | 8 |
| 5.2.1. Off-Street Parking Provisions .....                           | 8 |
| 5.2.1.1. Off-Street Car Parking.....                                 | 8 |
| 5.2.2. Proposed Off-Street Parking Area Layout .....                 | 8 |
| 5.2.2.1. Geometric Layout of Parking Modules .....                   | 8 |
| 5.2.2.2. The safety and efficiency of movements.....                 | 8 |
| 5.2.2.3. Minimum Line of Sight.....                                  | 9 |
| 5.2.2.4. Proposed Entry/Exit Driveway.....                           | 9 |
| 5.2.2.5. Swept Path Analysis & Vehicle Size.....                     | 9 |
| 6. CONCLUSION .....  | 9 |



## **1. INTRODUCTION**

ANA Civil Pty Ltd has been commissioned to prepare a Traffic & Parking Report to accompany the Development Application to City of Canterbury Bankstown for the proposed Childcare Centre at No. 28 & 30 Forrest Rd, East Hills. The site is located on the eastern side of Forrest Rd see Figures 1 - Site Location. The proposal consists of the Childcare centre with an on-ground parking facility (See Figure 3). Architectural plans are by Dawsonvu.

This study is in accordance with the requirements of Bankstown DCP 2015, Austroads Guide to Traffic Management Part 3: Traffic Studies and Analysis, and the RTA Guide to Traffic Generating Developments Version 2.2 (October 2002).

## **2. SCOPE**

The purpose of this report is to investigate and examine the traffic and parking requirements and implications of the proposed Childcare Centre at No. 28 & 30 Forrest Rd, East Hills on the surrounding residences and traffic network and to recommend any necessary measures to reduce these impacts if required. The proposed development consists of the following:

- A childcare centre with several office & staff rooms
- Site accommodates approximately 17 staff members, and
- Thirty-nine (39) parking spaces including a shared zone and disabled parking car space

## **3. SITE LOCATION AND ENVIRONMENT**

The site is located on Forrest Rd. The local precinct is primarily of residential nature.

Forrest Rd is a north to south running street with vehicles travelling in both directions. It is a two (2) lane street with kerbside parking on each side along the street. The site has approximately 30m wide street frontage on Forrest Rd. The site occupies an area of approximately 2324m<sup>2</sup>. The existing access driveway is located on Forrest Rd.



## **4. EXISTING CONDITIONS**

### **4.1. Existing Vehicle Access & Egress to Proposed Parking Area**

The existing access driveway is located on Forrest Rd. The proposed driveway accommodates two-way traffic flow. The proposed parking is to accommodate 39 parking spaces including a shared zone and disabled parking space.

### **4.2. Road Network & Nearby Intersections**

The site is located on the eastern side of Forrest Rd. The site is on the block bound by Lehn Rd to the North, Harcourt Av to the West, and Forrest Rd to the South as shown in Figures 1.

Forrest Rd provides a two (2) lane carriageway with one traffic lane and parking spaces on each side. Lehn Rd provides a two (2) lane carriageway with one traffic lane and parking spaces on each side

### **4.3. Existing Traffic Volumes**

Forrest Rd is a Local Road. Traffic volume is less than 20,000 Annual Average Daily Traffic (AADT) using the Map 15 of the Traffic Volume Maps for Noise Assessment for Building on Land Adjacent to Busy Roads by the RTA (Refer to Figure 8). The speed limit on Forrest Rd is 50km/hr area. Lehn Rd is also a Local Road. Traffic volume is less than 20,000 Annual Average Daily Traffic (AADT) using the Map 15 of the Traffic Volume Maps for Noise Assessment for Building on Land Adjacent to Busy Roads by the RTA. The speed limit on Lehn Rd is 50km/hr.

### **4.4. Existing Public Parking Conditions**

Kerbside parking exists on Forrest Rd within walking distance of the site.

The existing kerbside parking restrictions which apply to the road network in the vicinity of the site comprise of the following:

- UNRESTRICTED kerbside parking along the northern and southern sides of Lehn Rd
- UNRESTRICTED kerbside parking along the eastern and western sides of Forrest Rd
- UNRESTRICTED kerbside parking along the northern and southern sides of Broe Av



Street parking in the vicinity of the proposed development consists of the following:

- Plenty of parking spaces (>50) along Forrest Rd, Lehn Rd and Broe Av.

#### **4.5. Public Transport**

The site has very good access to public transport including rail and bus services. The site is about 300m or a 10 minute walk from East Hills Station. This station serves the T8-Airport & South Line with frequent train services in the day and evening periods.

There are bus stops only a 2 minute walk (approximately 50m) from the site. The bus stops are located approximately 50m to the West of the site on Broe Av.

Buses travelling to these stops include the following:

**Table 1 – Bus Routes from Stops 2213153 and 221366**

| <b>Bus Number</b> | <b>Bus Travelling To/From</b> |
|-------------------|-------------------------------|
| 294               | East Hills to Bankstown       |
| 295               | East Hills to Lidcombe        |

As can be seen from the above, the site is serviced by public transport and we expect these serviced to be utilized by the employees and customers of the proposed development.

#### **4.6. Pedestrian Amenity**

Pedestrian footpaths are available on Forrest Rd and Lehn Rd.

### **5. PROPOSED CONDITIONS**

#### **5.1. Proposed Traffic Conditions**

The proposed land use is to be used as a childcare centre. The site area is approximately 2324 m<sup>2</sup> with a gross floor area of approximately 928 m<sup>2</sup>

From the RTA Guide to Traffic Generating Developments Version 2.2 (October 2002), we adopt trip generation for childcare development.



Trip generation for childcare development is 0.8 trip per child for peak hours and 0.3 trip per child for operation hours. Traffic generation potential of approximately 96 vehicle trips during peak hours and 36 vehicle trips during operation hours.

The existing residential dwellings has an identical gross floor area of approximately 450m<sup>2</sup>. This results in approximately 18 daily vehicle trips and 1.7 trips during the morning peak hour.

Comparing the results above, it can be seen that the proposed childcare centre will have a minimal and negligent increase to the peak hour traffic volumes on both Forrest Rd and Lehn Rd. Both roadways perform well with a level of service category 'A' with <14s delay per vehicle.

**Urban Peak Hour Flows per Direction**

| Level of Service | One Lane (veh/hr) | Two Lanes (veh/hr) |
|------------------|-------------------|--------------------|
| A                | 200               | 900                |
| B                | 380               | 1400               |
| C                | 600               | 1800               |
| D                | 900               | 2200               |
| E                | 1400              | 2800               |

**Level of Service Criteria for Intersections**

| Level of Service | Average Delay per Vehicle (secs/veh) | Traffic Signals, Roundabout  | Give Way & Stop Signs                     |
|------------------|--------------------------------------|--|---|
| A                | < 14                                 | Good operation   | Good operation                            |
| B                | 15 to 28                             | Good with acceptable delays & spare capacity   | Acceptable delays & spare capacity        |
| C                | 29 to 42                             | Satisfactory   | Satisfactory, but accident study required |
| D                | 43 to 56                             | Operating near capacity  | Near capacity & accident study required   |
| E                | 57 to 70                             | At capacity; at signals, incidents will cause excessive delays<br>Roundabouts require other control mode | At capacity, requires other control mode  |



## **5.2. Proposed Parking Conditions**

### **5.2.1. Off-Street Parking Provisions**

#### **5.2.1.1. Off-Street Car Parking**

Off-street parking provisions for the proposed child care centre generated as per Bankstown DCP 2015. And Bankstown DCP part B5 states the following parking rates are required:

**Bankstown DCP 2015 Part B5 – parking requirement**

| <b>Land Use</b>  | <b>Off-street Parking Requirements</b>   |
|------------------|--|
| Childcare centre | <ul style="list-style-type: none"><li>1 cars space for every 4 children and 2 additional car spaces for the exclusive use of associated dwelling</li><li>1 disable parking space per 100 car spaces provided</li></ul> |

According to the architectural plans by Dasonvu, the number of children in attendances to be 120 so the required car space is thirty-two (32) car spaces.

As can be seen on the architectural plans, the proposal includes **thirty-nine (39) car parking spaces including a shared zone and disabled parking car space** for the proposed childcare centre. With this, the sites adequate access to public transport, amenities, with the abundant on-Street parking availability. As a result, we are satisfied that this proposal meets the requirements of the Bankstown DCP 2015.

### **5.2.2. Proposed Off-Street Parking Area Layout**

#### **5.2.2.1. Geometric Layout of Parking Modules**

The proposed geometric layout of the off-street parking modules have been checked and are in accordance with the requirements of AS2890.1 (Parking Facilities-Off Street Parking).

#### **5.2.2.2. The safety and efficiency of movements**

The safety and efficiency of movements are also proposed to be assisted by the consistent horizontal and vertical alignment of aisle/parking spaces and maximum 10km/h speed limit in the vicinity of the subject site results in a good level of sight distance.





### **5.2.2.3. Minimum Line of Sight**

As per Figure 3.3 ‘Minimum Sight Lines for Pedestrian Safety’ of AS2890.1 (Parking Facilities-Off Street Parking), a triangular area with 2.5m (adjacent to the driveway) by 2.0m (adjacent to the street) will be kept clear of obstructions to visibility. Sight triangles have been accommodated on the primary entry driveway crossing along the Forrest Rd frontage. The driveway crosses a pedestrian footway and therefore satisfy the pedestrian minimum line of sight.

### **5.2.2.4. Proposed Entry/Exit Driveway**

The proposed entrance/exit driveway fronting Forrest Rd have been designed to accommodate for two-way traffic flow with access in both directions at any time. The driveway is to be with a width of 6m and to council specifications and approval. This is compliant with AS2890.1 (Parking Facilities-Off Street Parking).

### **5.2.2.5. Swept Path Analysis & Vehicle Size**

A swept path analysis has been carried out. Swept paths have also been provided to show a B85 vehicle successfully parking in the Off Street Parking facility. The swept path analysis for these vehicles entering and exiting the parking area driveway has also been checked and is deemed to be compliant with AS2890.1 Off Street Parking Facilities.

## **6. CONCLUSION**

This report has examined the existing traffic volume, traffic characteristics and parking requirements with the potential traffic and parking implications of the proposed childcare centre at No. 28 & 30 Forest Rd, East Hills. The proposal will provide thirty-nine (39) on-site parking spaces including a shared zone and disabled parking car space. The site is also serviced by an abundance of On-Street parking facilities and within very close proximity East Hills Station.

We are satisfied that this development meets the intent of City of Canterbury – Bankstown planning controls and satisfies the Bankstown DCP 2015.

In conclusion, the proposed development will not have a negative impact to the existing traffic network nor will it have any unacceptable parking implications.



Should you require any help or further explanations, please do not hesitate to contact us.

Yours faithfully,

A handwritten signature in blue ink, appearing to be 'M. Zaioor'. The signature is fluid and cursive, with a large loop at the end.

M. Zaioor  
B.S Civil Eng'g (A.U.B).  
M.S.Structural Eng'g (UNSW).  
M.I.E.(Aust), CPEng.



APPENDIX

Figure 1 – Site Location (1)..... 12

Figure 2 - Proposed Site Plan ..... 13

Figure 3 – Off-street Parking Layout..... 14

Figure 4 – Site Frontage – Forrest Rd..... 15

Figure 5 – Unrestricted Street Parking on Forrest Rd..... 16

Figure 6 – Unrestricted Street parking on Lehn Rd..... 17

Figure 7 - Unrestricted Street parking on Broe Av ..... 18

Figure 8 – RMS Traffic Volume Map 15 ..... 19




**Figure 1 – Site Location (1)**

*Source: Imagery from Six Maps accessed on November, 2022*









**Figure 4 – Site Frontage – Forrest Rd**





**Figure 5 – Unrestricted Street Parking on Forrest Rd**





**Figure 6 – Unrestricted Street parking on Lehn Rd**



**Figure 7 - Unrestricted Street parking on Broe Av**




Figure 8 – RMS Traffic Volume Map 15