

Ver: X:\7672000_TB_A\H
 Log: Name: Kishini
 Cadd File: T:\7672000\Drawings\AutoCAD\Civil\Design\Civil 2D\0511 Stormwater Pit Schedule.dwg
 Plot Date: 24.05.2024@12:11:51

DO NOT SCALE FROM
 DRAWINGS. CHECK &
 VERIFY ALL DIMENSIONS
 & LEVELS BEFORE
 COMMENCEMENT OF
 ANY WORK.

 THIS DRAWING IS NOT
 TO BE COPIED IN PART
 OR WHOLE WITHOUT
 WRITTEN PERMISSION
 FROM WARREN SMITH
 CONSULTING ENGINEERS.

DRAWING COLOUR CODED - PRINT ALL COPIES IN COLOUR

REVISION	AMENDMENT	DATE	REVISION	AMENDMENT	DATE
1	ISSUE FOR DEVELOPMENT APPLICATION	14/07/23			
2	RE-ISSUED FOR DEVELOPMENT APPLICATION	24/05/24			

CLIENT



PROJECT

RESOURCE RECOVERY
 LEARNING CENTRE -
 WEST NOWRA

PREPARED BY

WScce Pty Ltd
 ACN 668 655 141
 ABN 75 668 655 141
 info@wsce.com.au
 wsce.com.au





Driven by excellence,
 built on experience.

TITLE

STRORMWATER PIT
 SCHEDULE

SCALE	DRAWN	DESIGNED	CHECKED	APPROVED
AS SHOWN	I.K.	R.X.	J.G.	
JOB No.	DRAWING No.		ISSUE	
7672000	C6.11		2	
DATE	STATUS			
JULY 2023	DEVELOPMENT APPLICATION			

PIT SCHEDULE												
Name	Surface Elev. (m)	Pit Depth (m)	Pit Size and Type	From	To	Length (m)	U/S IL (m)	D/S IL (m)	Slope (%)	Pipe Type	Dia (mm)	No. Pipes
Pit 1/1	43.66	0.55	600 SQ PIT WITH CLASS B COVER FITTED WITH GPT	Pit 1/1	Pit 2/1	26.50	43.11	42.60	1.92	uPVC (SN8)	225	1
Pit 2/1	43.12	0.55	600 SQ PIT WITH CLASS B COVER FITTED WITH GPT	Pit 2/1	HEADWALL 1	14.80	42.57	41.96	4.12	uPVC (SN8)	225	1
Pit 1/2	42.26	0.71	900 SQ PIT WITH CLASS B GRATE	Pit 1/2	Pit 2/2	9.16	41.55	41.50	0.55	RCP	375	1
Pit 2/2	43.10	1.63	1200 SQ PIT WITH CLASS B GRATE FITTED WITH GPT & STEP IRONS	Pit 2/2	Pit 3/2	14.46	41.47	41.39	0.55	RCP	450	1
Pit 3/2	43.15	1.79	1200 SQ PIT WITH CLASS B GRATE FITTED WITH GPT & STEP IRONS	Pit 3/2	Pit 4/2	24.17	41.36	41.24	0.50	RCP	450	1
Pit 4/2	44.00	2.79	900 SQ PIT WITH CLASS B COVER FITTED WITH STEP IRONS	Pit 4/2	1/EX	25.88	41.21	40.00	4.68	RCP	900 (Note: existing stormwater pipe details have been assumed based on information available)	1
Pit 1/3	43.15	0.93	900 SQ PIT WITH CLASS B GRATE FITTED WITH GPT	Pit 1/3	Pit 3/2	16.42	42.22	42.05	1.04	uPVC (SN8)	300	1
Pit 1/4	44.94	EXISTING(TBC)	900 SQ PIT WITH CLASS D GRATE	Pit 1/4	EX PIPE	TBC PRIOR TO COMMENCEMENT						
Pit 1/5	42.06	0.96	900 SQ PIT WITH CLASS B GRATE	Pit 1/5	1/EX	58.28	41.10	40.00	1.89	RCP	375 (Note: existing stormwater pipe details have been assumed based on information available)	1

PRELIMINARY - NOT FOR CONSTRUCTION