BASIX Certificate

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 1729536M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Sunday, 10 December 2023 To be valid, this certificate must be lodged within 3 months of the date of issue.







Project summary	
Project name	Lot 642 Googong
Street address	18 GLENROCK DRIVE GOOGONG 2620
Local Government Area	QUEANBEYAN-PALERANG REGIONAL
Plan type and plan number	Deposited Plan 1289740
Lot No.	642
Section no.	-
No. of residential flat buildings	6
Residential flat buildings: no. of dwellings	163
Multi-dwelling housing: no. of dwellings	0
No. of single dwelling houses	0
Project score	
Water	V 48 Target 40
Thermal Performance	Pass Target Pass
Energy	68 Target 52
Materials	✓ -100 Target n/a

Water score comprises

- Googong (proposed) reticulated alternative water: 11.8
- Other water efficiency commitments: 36.2

Certificate Prepared by	
Name / Company Name: Territory Building Consultancy	
ABN (if applicable): 28622875781	

Version: 4.0 / EUCALYPTUS 03 01 0

Description of project

Project address

Project name	Lot 642 Googong
Street address	18 GLENROCK DRIVE GOOGONG 2620
Local Government Area	QUEANBEYAN-PALERANG REGIONAL
Plan type and plan number	Deposited Plan 1289740
Lot No.	642
Section no.	-
Project type	
No. of residential flat buildings	6
Residential flat buildings: no. of dwellings	163
Multi-dwelling housing: no. of dwellings	0
No. of single dwelling houses	0
Site details	
Site area (m ²)	11901
Roof area (m²)	5435
Non-residential floor area (m ²)	0
Residential car spaces	298
Non-residential car spaces	33

2000	
707	
500	
al loads	
101476	
7NAO5P9TT8	
24	
48	Target 40
V Pass	Target Pass
68	Target 52
-100	Target n/a
	707 500 al loads 101476 7NAO5P9TT8 24 48 Pass 68

Water score comprises

• Googong (proposed) reticulated alternative water: 11.8

• Other water efficiency commitments: 36.2

Description of project

The tables below describe the dwellings and common areas within the project

Residential flat buildings - Block A, 45 dwellings, 5 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
1	2	88.7	0	34	0	10	2		0	0	0	11	2	79	0	0	0	12	2	79	0	0	0
13	2	75	5.4	0	0	14	2	75.2	4.7	0	0	15	3	108.3	0	0	0	16	3	108.3	0	0	0
17 20	2	75 79	5.4 0	0	0	18 21	2	79.1 79	5.3 0	0	0 0	19 22	2	88.7 75	0 5.4	0	0	2 23	2	79 75.2	0 4.7	27 0	0
20	3	108.3	0	0	0	25	3	108.3	0	0	0	26	2	75	5.4	0	0	27	2	79.1	5.3	0	0
28	2	88.7	0	0	0	29	2	79	0	0	0	3	2	79	0	17	0	30	2	79	0	0	0
31	2	75	5.4	0	0	32	2	75.2	4.7	0	0	33	3	108.3	0	0	0	34	3	108.3	0	0	0
35	2	75	5.4	0	0	36	2	79.1	5.3	0	0	37	2	88.7	0	0	0	38	2	79	0	0	0
39	2	79	0	0	0	4	2	75	5.4	0	0	40	2	75	5.4	0	0	41	2	75.2	4.7	0	0
42	3	108.3	0	0	0	43	3	108.3	0	0	0	44	2	75	5.4	0	0	45	2	79.1	5.3	0	0
5	2	75.2	4.7	0	0	6	3	108.3	0	30	0	7	3	108.3	0	26	0	8	2	75	5.4	32	0
9	2	79.1	5.3	0	0																		
Resi	der oedrooms	-	ditioned floor	garden & اعتاد میں ا	ous species ea m²)	. B, 30 .ou D	oedrooms	_	s, 4 sto	garden & ۱²)	ous species ea m ²)	groun	p bedrooms	oned floor P ²)	litioned floor P ²)	ˈgarden & า²)	ious species ea m²)	ig no.	oedrooms	oned floor ²)	ditioned floor P ²)	ˈɡarden & า²)	ous species ea m²)

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms		Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of hedrooms		Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	
1	2	79.6	0	0	0	10	2	81.1	0	0	0	11	2	81.1	0	0	0	12	1	59.1	0	0	0	

BASIX

Version: 4.0 / EUCALYPTUS_03_01_0

Certificate No.: 1729536M

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
13	2	76.4	0	0	0	14	2	79.6	0	0	0	15	2	79.6	0	0	0	16	2	76.4	0	0	0
17	1	59.1	0	0	0	18	2	81.1	0	0	0	19	2	81.1	0	0	0	2	2	76.4	0	0	0
20	1	59.1	0	0	0	21	2	76.4	0	0	0	22	2	79.6	0	0	0	23	2	79.6	0	0	0
24	2	76.4	0	0	0	25	1	59.1	0	0	0	26	2	81.1	0	0	0	27	2	81.1	0	0	0
28	1	59.1	0	0	0	29	2	76.4	0	0	0	3	3	118.1	0	0	0	30	2	79.6	0	0	0
4	3	118.1	0	0	0	5	2	76.4	0	0	0	6	2	79.6	0	0	0	7	2	79.6	0	0	0
8	2	76.4	0	0	0	9	1	59.1	0	0	0												

Residential flat buildings - Block C, 30 dwellings, 4 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)
1	2	79.6	0	0	0	10	2	81.1	0	0	0	11	2	81.1	0	0	0	12	1	59.1	0	0	0
13	2	76.4	0	0	0	14	2	79.6	0	0	0	15	2	79.6	0	0	0	16	2	76.4	0	0	0
17	1	59.1	0	0	0	18	2	81.1	0	0	0	19	2	81.1	0	0	0	2	2	76.4	0	0	0
20	1	59.1	0	0	0	21	2	76.4	0	0	0	22	2	79.6	0	0	0	23	2	79.6	0	0	0
24	2	76.4	0	0	0	25	1	59.1	0	0	0	26	2	81.1	0	0	0	27	2	81.1	0	0	0
28	1	59.1	0	0	0	29	2	76.4	0	0	0	3	3	118.1	0	0	0	30	2	79.6	0	0	0
4	3	118.1	0	0	0	5	2	76.4	0	0	0	6	2	79.6	0	0	0	7	2	79.6	0	0	0
8	2	76.4	0	0	0	9	1	59.1	0	0	0												

Residential flat buildings - Block D, 22 dwellings, 3 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
1	2	79.6	0	18	0	10	2	81.1	0	0	0
13	2	76.4	0	0	0	14	2	79.6	0	0	0
17	1	59.1	0	0	0	18	2	81.1	0	0	0
20	1	59.1	0	0	0	21	2	76.4	0	0	0
4	3	118.1	0	21	0	5	2	76.4	0	9	0
8	2	76.4	0	0	0	9	1	59.1	0	0	0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
11	2	81.1	0	0	0	12	1	59.1	0	0	0
15	2	79.6	0	0	0	16	2	76.4	0	0	0
19	2	81.1	0	0	0	2	2	76.4	0	9	0
22	2	79.6	0	0	0	3	3	118.1	0	21	0
6	2	79.6	0	25	0	7	2	79.6	0	0	0

Residential flat buildings - Block E, 18 dwellings, 3 storeys above ground

Dwelling no.	No. of bedrooms	nditione a (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No of hedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	iditioned a (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms		Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
1	3	104.2	0	0	0	10	1	61.7	0	0	0	11	2	83.2	0	0	0	12	3	104.2	0	0	0
13	3	104.2	0	0	0	14	2	83.2	0	0	0	15	1	61.7	0	0	0	16	1	61.7	0	0	0
17	2	83.2	0	0	0	18	3	104.2	0	0	0	2	2	83.2	0	20	0	3	1	61.7	0	24	0
4	1	61.7	0	24	0	5	2	83.2	0	20	0	6	3	104.2	0	0	0	7	3	104.2	0	0	0
8	2	83.2	0	0	0	9	1	61.7	0	0	0												

Residential flat buildings - Block F, 18 dwellings, 3 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	
1	3	104.2	0	0	0	10	1	61.7	0	0	0	1
13	3	104.2	0	0	0	14	2	83.2	0	0	0	1
17	2	83.2	0	0	0	18	3	104.2	0	0	0	2
4	1	61.7	0	24	0	5	2	83.2	0	20	0	6
8	2	83.2	0	0	0	9	1	61.7	0	0	0	

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
11	2	83.2	0	0	0	12	3	104.2	0	0	0
15	1	61.7	0	0	0	16	1	61.7	0	0	0
2	2	83.2	0	20	0	3	1	61.7	0	24	0
6	3	104.2	0	0	0	7	3	104.2	0	0	0

Description of project

The tables below describe the dwellings and common areas within the project

Common areas of unit building - Block A

Common area	Floor area (m²)	Co
Lift bank (No. 1)	-	Lift
Lift bank (No. 4)	-	Gro

Common area	Floor area (m²)	Common area	Floor area (m²)
Lift bank (No. 2)	-	Lift bank (No. 3)	-
Ground floor lobby type (No. 1)	63	Hallway/lobby type (No. 1)	252

Floor area (m²)

Floor area (m²)

Floor area (m²)

102

102

68

64

Common areas of unit building - Block B

Common area	Floor area (m²)	Common area
Ground floor lobby type (No. 2)	64	Hallway/lobby type (No. 2)

Common areas of unit building - Block C

Common area	Floor area (m²)
Ground floor lobby type (No. 3)	64

Common areas of unit building - Block D

Common area	Floor area (m²)	Common area
Ground floor lobby type (No. 4)	64	Hallway/lobby type (No. 4)

Common areas of unit building - Block E

Common area	Floor area (m²)	Common area
Ground floor lobby type (No. 5)	32	Hallway/lobby type (No. 5)

Floor area (m²) Common area

Common areas of unit building - Block F	

Common area	Floor area (m²)	Common area	Floor area (m²)
Ground floor lobby type (No. 6)	32	Hallway/lobby type (No. 6)	64

Common areas of the development (non-building specific)

Common area	Floor area (m²)	Common area	Floor area (m²)	Common area	Floor area (m²)
Undercover car park area (No. 1)	3850	Undercover car park area (No. 2)	4760	Garbage room (No. 1)	42

Common area

Hallway/lobby type (No. 3)

page 7/71

Common area	Floor area (m²)	Common area	Floor area (m²)	Common area	Floor area (m²)
Garbage room (No. 2)	53	Garbage room (No. 3)	114	Garbage room (No. 4)	106
Community room (No. 1)	157	Plant or service room (No. 1)	100		

Schedule of BASIX commitments

1. Commitments for Residential flat buildings - Block A

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for Residential flat buildings - Block B

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

3. Commitments for Residential flat buildings - Block C

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

4. Commitments for Residential flat buildings - Block D

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

5. Commitments for Residential flat buildings - Block E

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

6. Commitments for Residential flat buildings - Block F

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

7. Commitments for common areas and central systems/facilities for the development (non-building specific)

(a) Buildings 'Other'

(i) Materials

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for Residential flat buildings - Block A

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			>
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		>	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	>	>	>
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			>

Floor types								
Floor type	Area (m2)	Insulation	Low emissions option					
suspended floor above garage, frame: suspended concrete slab	975	foil-foam composite board	none					
floors above habitable rooms, frame: suspended concrete slab	3900	-	none					

	External wall types								
External wall type	Construction type	Area (m2)	Low emissions option	Insulation					
External wall type 1	concrete panel/ plasterboard,frame:light steel frame	1125	none	fibreglass batts or roll					
External wall type 2	framed (fibre cement sheet or boards),frame:light steel frame	1225	none	fibreglass batts or roll					

	Internal wall types							
Internal wall type	Construction type	Area (m2)	Insulation					
Internal wall type 1	plasterboard, frame:light steel frame	4924	fibreglass batts or roll					

Reinforcement concrete frames/columns							
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option					
no	-	-					

Ceiling and roof types							
Ceiling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation				
framed - metal roof, frame: light steel frame	1110	foil backed blanket	fibreglass batts or roll				

	Glazing types		Frame types					
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m ²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m ²)	Steel frames (m ²)	Composite frames (m²)	
-	812.3	-	812.3	-	-	-	-	

(b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		<	>
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		~	 Image: A set of the set of the
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		~	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	~	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

	Fixtures			Appliances Ir			Indivi	Individual pool		Individual spa		a		
Dwelling no.	All shower- heads	All toilet flushing systems	kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	-	not specified	not specified	-	-	-	-	-	-	-

Dwelling no.	Alternative water supply systems			Toilet connec (s)		ndry nection	Pool top- up	Spa top-up		
II dwellings	Reticulated alternative water supply	-	-		yes	yes	no		no	
II dwellings	No alternative water supply	-	-		-	-	-	-		
(ii) Energy							Show on DA plans		w on CC/CDC s & specs	Certifier check
(a) The applica	ant must comply with the co	mmitments lis	ted below in carrying out the developm	ent of a dwelling	listed in a table	below.				
supplied by	b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.									×
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.									~	~
headings o cooling or h such areas	of the "Cooling" and "Heating heating system is specified	g" columns in i	stem/s specified for the dwelling under the table below, in/for at least 1 living/b "Living areas" or "Bedroom areas", the n air conditioning system, then the syst	edroom area of the	he dwelling. If n ay be installed i	o n any			~	~
the table be lighting" for specified for	elow (but only to the extent r each such room in the dwe	specified for the specified for the specified for the specified of the spe	e dwelling which is referred to in a head nat room or area). The applicant must e scent lighting or light emitting diode (LE fittings in that room or area must only l	ensure that the "p D) lighting. If the	rimary type of a term "dedicated	artificial d" is			~	~
the table be			dwelling which is referred to in a head nat room or area). The applicant must e				>		~	~
(g) This comm	itment applies if the applica	nt installs a wa	ater heating system for the dwelling's p	ool or spa. The a	applicant must:					
(aa) ins			e "Individual Pool" column of the table oplicant must install a timer, to control t			nstall			 Image: A second s	
			e "Individual Spa" column of the table b							

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		 Image: A second s	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		✓	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ventilation system		Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	electric instantaneous	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

	Coc	bling	Hea	ting	Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen
All dwellings	1-phase airconditioning - non ducted / 3 star (old label)	1-phase airconditioning - non ducted / 3 star (old label)	l l	1-phase airconditioning - non ducted / 3.5 star (old label)	0	yes

	Inc	dividual pool		Individual sp	ba		Appliances ot	her efficiency	/ measures	
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-		electric cooktop & electric oven	3.5 star	-	no	no

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	v	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

	Thermal loads					
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)			
1	69.6	36.4	106.000			
10	17.1	24.8	41.900			
11	21	1.8	22.800			
12	24.6	2	26.600			

		Thermal loads	
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)
13	43.3	6.1	49.400
14	104.3	24.9	129.200
15	71.1	13.9	85.000
16	73	12.2	85.200
17	86.3	5.2	91.500
18	56.3	7.1	63.400
19	18.6	23.7	42.300
2	92	0.9	92.900
20	22.7	1.7	24.400
21	26.4	1.9	28.300
22	45.5	5.9	51.400
23	105.8	26.4	132.200
24	73.5	13.5	87.000
25	75.4	11.9	87.300
26	88.7	5.6	94.300
27	54.7	7	61.700
28	24.4	20.3	44.700
29	28.9	1.2	30.100
3	92.6	0.7	93.300
60	33	1.4	34.400
31	53.6	4.7	58.300
32	115.5	23.4	138.900
33	76	11.9	87.900
34	84.4	10.3	94.700
35	97.2	4.8	102.000
36	60.1	7	67.100
37	48	37.5	85.500
38	55.6	7	62.600
9	57	6.5	63.500
1	113	4.6	117.600
40	76.7	12.1	88.800

		Thermal loads						
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)					
41	142.3	36.5	178.800					
42	100.4	20.4	120.800					
43	112.4	18.2	130.600					
44	120.7	10.9	131.600					
45	84.7	17.1	101.800					
5	187.4	31.7	219.100					
6	144.7	11.1	155.800					
7	150.9	11.3	162.200					
8	139.8	3.7	143.500					
All other dwellings	112.6	3.9	116.500					

(c) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	>	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	•

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	4 star	4 star	no common laundry facility
areas				

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	>

	Common area v	entilation system	Common area lighting			
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS	
Lift bank (No. 1)	-	-	fluorescent	none	no	
Lift bank (No. 2)	-	-	fluorescent	none	no	
Lift bank (No. 3)	-	-	fluorescent	none	no	
Lift bank (No. 4)	-	-	fluorescent	none	no	
Ground floor lobby type (No. 1)	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Hallway/lobby type (No. 1)	no mechanical ventilation	-	light-emitting diode	motion sensors	no	

Central energy systems	Туре	Specification
,	motor	Number of levels (including basement): 5 number of levels from the bottom of the lift shaft to the top of the lift shaft: 5 number of lifts: 2 lift load capacity: >= 1001 kg but <= 1500kg

2. Commitments for Residential flat buildings - Block B

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			~
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		<	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	~
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			•

Floor types						
Floor type	Area (m2)	Insulation	Low emissions option			
suspended floor above garage, frame: suspended concrete slab	730	foil-foam composite board	none			
floors above habitable rooms, frame: suspended concrete slab	2190	-	none			

	External wall types										
External wall type	Construction type	Area (m2)	Low emissions option	Insulation							
External wall type 1	concrete panel/ plasterboard,frame:light steel frame	910	none	fibreglass batts or roll							
External wall type 2	framed (fibre cement sheet or boards),frame:light steel frame	610	none	fibreglass batts or roll							

Internal wall types									
Internal wall type	Construction type	Area (m2)	Insulation						
Internal wall type 1	plasterboard, frame:light steel frame	4210	fibreglass batts or roll						

	Reinforcement concrete frames/columns	
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option
no	-	-

	Ceiling and roof types									
Ceiling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation							
framed - metal roof, frame: light steel frame	895	foil backed blanket	fibreglass batts or roll							

	Glazing types		Frame types						
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m²)	Steel frames (m ²)	Composite frames (m²)		
-	648	-	648	-	-	-	-		

(b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	•	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		>	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	~	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

		Fixtures			Appli	Appliances Individual pool				Individual spa				
Dwelling no.	All shower- heads	All toilet flushing systems	taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star		not specified	not specified	-	-	-	-	-	-	-

			Alter	native water sou	irce								
Dwelling no.	Alternative water supply systems	Size	Configuration		Landscape connection	Toilet connec (s)		ndry nection	Pool top- up	Spa top-up			
II dwellings	Reticulated alternative water supply	-	-		yes	yes	no	no					
II dwellings	No alternative water supply	-	-		-	-							
(ii) Energy							Show on DA plans		w on CC/CDC s & specs	Certifier check			
(a) The applica	ant must comply with the co	mmitments lis	ted below in carrying out the developm	ent of a dwelling	listed in a table	below.							
supplied by) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.									×			
	ant must install, in each bath elow. Each such ventilation	om in			~	~							
headings o cooling or h such areas	of the "Cooling" and "Heating heating system is specified	g" columns in i	stem/s specified for the dwelling under the table below, in/for at least 1 living/b "Living areas" or "Bedroom areas", the n air conditioning system, then the syst	edroom area of the	he dwelling. If n ay be installed i	o n any			~	~			
the table be lighting" for specified for	elow (but only to the extent r each such room in the dwe	specified for the specified for the specified for the specified of the spe	e dwelling which is referred to in a head nat room or area). The applicant must e scent lighting or light emitting diode (LE fittings in that room or area must only l	ensure that the "p D) lighting. If the	rimary type of a term "dedicated	artificial d" is			~	~			
the table be			dwelling which is referred to in a head nat room or area). The applicant must e				>		~	~			
(g) This comm	itment applies if the applica	nt installs a wa	ater heating system for the dwelling's p	ool or spa. The a	applicant must:								
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and									 Image: A set of the set of the				
			e "Individual Spa" column of the table b										

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		 Image: A set of the set of the	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		 Image: A second s	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ven	tilation system	Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.			Each kitchen	Operation control	Each laundry Operation control			
All dwellings	electric instantaneous	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

	Coc	bling	Hea	ting	Natural lighting		
Dwelling no.	living areas bedroom areas		living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
All dwellings	1-phase airconditioning - non ducted / 3 star (old label)	1-phase airconditioning - non ducted / 3 star (old label)	l l	1-phase airconditioning - non ducted / 3.5 star (old label)	0	yes	

	Inc	dividual pool		Individual sp	ba					
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-		electric cooktop & electric oven	3.5 star	-	no	no

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	v	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

	Thermal loads			
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)	
1	120.7	4.5	125.200	
10	54.2	1.9	56.100	
11	54	2	56.000	
12	24.3	3.0	27.300	

		Thermal loads				
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)			
13	42.1	4.2	46.300			
14	109.3	5.3	114.600			
15	87.3	7	94.300			
16	27.9	8.1	36.000			
17	25	3.3	28.300			
18	53.6	2.1	55.700			
19	54.9	2.2	57.100			
2	90.4	4.1	94.500			
20	25.4	3.3	28.700			
21	43.6	4.7	48.300			
22	109.5	6.9	116.400			
23	104.1	15.3	119.400			
24	54.8	15.4	70.200			
25	50.8	9.3	60.100			
26	81.8	6.3	88.100			
27	82.7	6.4	89.100			
28	51.1	9.3	60.400			
29	72.9	13.1	86.000			
3	118.1	0.9	119.000			
30	130	19.4	149.400			
4	113.4	0.9	114.300			
5	92.3	2.3	94.600			
6	163.5	2.5	166.000			
7	89.3	6.9	96.200			
8	30.8	7.5	38.300			
All other dwellings	26.4	3.1	29.500			

(c) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	v
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	•

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	4 star	4 star	no common laundry facility
areas				

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	>

	Common area ventilation system		Common area ventilation system Common area lighting			
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS	
Ground floor lobby type (No. 2)	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Hallway/lobby type (No. 2)	no mechanical ventilation	-	light-emitting diode	motion sensors	no	

Central energy systems	Туре	Specification
Lift bank (No. 2)	motor	Number of levels (including basement): 4 number of levels from the bottom of the lift shaft to the top of the lift shaft: 5 number of lifts: 2 lift load capacity: >= 1001 kg but <= 1500kg

3. Commitments for Residential flat buildings - Block C

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			~
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		<	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	~
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			•

Floor types					
Floor type	Low emissions option				
suspended floor above garage, frame: suspended concrete slab	730	foil-foam composite board	none		
floors above habitable rooms, frame: suspended concrete slab	2190	-	none		

External wall types				
External wall type	Construction type	Area (m2)	Low emissions option	Insulation
External wall type 1	concrete panel/ plasterboard,frame:light steel frame	910	none	fibreglass batts or roll
External wall type 2	framed (fibre cement sheet or boards),frame:light steel frame	610	none	fibreglass batts or roll

	Internal wall types					
Internal wall type Construction type Area (m2) Insulation						
	Internal wall type 1	plasterboard, frame:light steel frame	4210	fibreglass batts or roll		

Reinforcement concrete frames/columns								
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option						
no	-	-						

Ceiling and roof types									
Ceiling and roof type Area (m ²) Roof Insulation Ceiling Insulation									
framed - metal roof, frame: light steel frame 895 foil backed blanket fibreglass batts or roll									

Glazing types			Frame types					
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m²)	Steel frames (m ²)	Composite frames (m²)	
-	648	-	648	-	-	-	-	

(b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	•	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		>	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	~	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

			Fixture	es		Appli	ances		Indivi	idual pool		I	ndividual spa	a
Dwelling no.	All shower- heads	All toilet flushing systems	taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	-	not specified	not specified	-	-	-	-	-	-	-

			Alterr	ative water sou	rce					
Dwelling no.	Alternative water supply systems	Size	Configuration		Landscape connection	Toilet connec (s)		aundry onnection	Pool top- up	Spa top-up
All dwellings	Reticulated alternative water supply	-	-		yes	yes	no		no	no
All dwellings	No alternative water supply	-	-		-	-	-	-		
(ii) Energy							Show o DA plar		w on CC/CDC s & specs	Certifier check
(a) The applica	ant must comply with the co	mmitments lis	ed below in carrying out the development	ent of a dwelling	listed in a table	below.				
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.									~	•
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.									~	~
headings of cooling or such areas	f the "Cooling" and "Heating neating system is specified i	" columns in n the table for	stem/s specified for the dwelling under he table below, in/for at least 1 living/b "Living areas" or "Bedroom areas", the n air conditioning system, then the syst	edroom area of tl en no systems ma	he dwelling. If n ay be installed i	o n any			~	~
the table b lighting" fo specified fo	elow (but only to the extent each such room in the dwe	specified for the specified for the specified for the specified for the specified specified of the specified specifi	e dwelling which is referred to in a head nat room or area). The applicant must e cent lighting or light emitting diode (LE fittings in that room or area must only b	nsure that the "p D) lighting. If the	rimary type of a term "dedicated	artificial d" is			~	~
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.							>		~	~
(g) This comm	itment applies if the applica	nt installs a wa	ater heating system for the dwelling's p	ool or spa. The a	applicant must:					
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and									 Image: A second s	
			"Individual Spa" column of the table be plicant must install a timer to control the		vely must not in	stall			v	
	ant must install in the dwellir	•		1						+

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		 Image: A second s	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		 Image: A second s	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ven	tilation system	Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	electric instantaneous	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

	Coc	bling	Hea	ting	Natural lighting		
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
All dwellings	1-phase airconditioning - non ducted / 3 star (old label)	1-phase airconditioning - non ducted / 3 star (old label)	l l	1-phase airconditioning - non ducted / 3.5 star (old label)	0	yes	

	Individual pool			Individual sp	ba	Appliances other efficiency measures				
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-		electric cooktop & electric oven	3.5 star	-	no	no

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	v	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

	Thermal loads								
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)						
1	161.2	3.3	164.500						
10	51.6	2.1	53.700						
11	53	2	55.000						
12	23.9	3.1	27.000						

		Thermal loads	
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)
13	42.9	6.8	49.700
14	105.2	10	115.200
15	88.4	6.5	94.900
16	27.2	8.4	35.600
17	24.1	3.3	27.400
18	52.9	2.2	55.100
19	54.2	2.2	56.400
2	76.5	4	80.500
20	24.5	3.3	27.800
21	42.6	9	51.600
22	100.5	15.7	116.200
23	99.9	15.3	115.200
24	54.6	15.5	70.100
25	50.8	9.3	60.100
26	81.8	6.3	88.100
27	82.7	6.4	89.100
28	51.1	9.3	60.400
29	72.1	15.1	87.200
3	108.7	0.8	109.500
30	120.5	28	148.500
4	108.8	0.8	109.600
5	96.5	2.4	98.900
6	163.4	4.1	167.500
7	100.5	6.1	106.600
8	28.1	7.8	35.900
All other dwellings	23.4	3.4	26.800

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	>	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	•

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	4 star	4 star	no common laundry facility
areas				

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	>

	Common area ve	entilation system		Common area lighting	
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS
Ground floor lobby type (No. 3)	no mechanical ventilation	-	light-emitting diode	motion sensors	no
Hallway/lobby type (No. 3)	no mechanical ventilation	-	light-emitting diode	motion sensors	-

Central energy systems	Туре	Specification
Lift bank (No. 3)	motor	Number of levels (including basement): 4 number of levels from the bottom of the lift shaft to the top of the lift shaft: 5 number of lifts: 2 lift load capacity: >= 1001 kg but <= 1500kg

4. Commitments for Residential flat buildings - Block D

(a) Buildings

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			~
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		<	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	~
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			•

Floor types					
Floor type	Area (m2)	Insulation	Low emissions option		
suspended floor above garage, frame: suspended concrete slab	730	foil-foam composite board	none		
floors above habitable rooms, frame: suspended concrete slab	1460	-	none		

External wall types					
External wall type	Construction type	Area (m2)	Low emissions option	Insulation	
External wall type 1	concrete panel/ plasterboard,frame:light steel frame	706.6	none	fibreglass batts or roll	
External wall type 2	framed (fibre cement sheet or boards),frame:light steel frame	363	none	fibreglass batts or roll	

Internal wall types						
Internal wall type	Construction type	Area (m2)	Insulation			
Internal wall type 1 plasterboard, frame:light steel frame 2710 fibreglass batts or roll						

Reinforcement concrete frames/columns					
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option			
no	-	-			

Ceiling and roof types						
Ceiling and roof type	Ceiling and roof type Area (m ²) Roof Insulation Ceiling Insulation					
framed - metal roof, frame: light steel frame	ramed - metal roof, frame: light steel frame 895 foil backed blanket fibreglass batts or roll					

	Glazing types		Frame types						
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m²)	Steel frames (m ²)	Composite frames (m²)		
-	445	-	445	-	-	-	-		

(b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	•	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		>	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		✓	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		~	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	~	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

	Fixtures			Appliances		Individual pool			Individual spa					
Dwelling no.	All shower- heads	All toilet flushing systems	taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	-	not specified	not specified	-	-	-	-	-	-	-

			Alter	native water sou	irce					
Dwelling no.	Alternative water supply systems	Size	Configuration		Landscape connection	Toilet connec (s)		ndry nection	Spa top-up	
II dwellings	Reticulated alternative water supply	-	-		yes	yes	no	no		
II dwellings	No alternative water supply	-	-		-	-	-	-		
(ii) Energy							Show on DA plans		w on CC/CDC s & specs	Certifier check
(a) The applica	ant must comply with the co	mmitments lis	ted below in carrying out the developm	ent of a dwelling	listed in a table	below.				
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.							>		~	×
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.									~	~
headings o cooling or h such areas	of the "Cooling" and "Heating heating system is specified	g" columns in i	stem/s specified for the dwelling under the table below, in/for at least 1 living/b "Living areas" or "Bedroom areas", the n air conditioning system, then the syst	edroom area of the	he dwelling. If n ay be installed i	o n any			~	~
the table be lighting" for specified for	elow (but only to the extent r each such room in the dwe	specified for the specified for the specified for the specified of the spe	e dwelling which is referred to in a head nat room or area). The applicant must e scent lighting or light emitting diode (LE fittings in that room or area must only l	ensure that the "p D) lighting. If the	rimary type of a term "dedicated	artificial d" is			~	~
the table be			dwelling which is referred to in a head nat room or area). The applicant must e				>		~	~
(g) This comm	itment applies if the applica	nt installs a wa	ater heating system for the dwelling's p	ool or spa. The a	applicant must:					
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and								 Image: A second s		
			e "Individual Spa" column of the table b							

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		 Image: A second s	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		 Image: A second s	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ven	tilation system	Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system Each bathroom Operation control		Each kitchen	Operation control	Each laundry Operation control			
All dwellings	electric instantaneous	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

	Coc	bling	Hea	ting	Natural lighting		
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
All dwellings	1-phase airconditioning - non ducted / 3 star (old label)	1-phase airconditioning - non ducted / 3 star (old label)	l l	1-phase airconditioning - non ducted / 3.5 star (old label)	0	yes	

	Individual pool			Individual spa		Appliances other efficiency measures				
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-		electric cooktop & electric oven	3.5 star	-	no	no

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	v	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

	Thermal loads						
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)				
1	167.7	4.2	171.900				
10	44.6	8.3	52.900				
11	45.7	12.3	58.000				
12	56.4	13.5	69.900				

		Thermal loads							
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)						
13	45.8	12.2	58.000						
14	57.1	8.5	65.600						
15	133.6	15.4	149.000						
16	99.9	19.6	119.500						
17	82.6	27	109.600						
18	71.4	17.9	89.300						
19	70.4	20.3	90.700						
2	133.1	6.7	139.800						
20	82.5	26.6	109.100						
21	75.4	23.6	99.000						
22	82.2	17.1	99.300						
}	109.7	6.3	116.000						
ł	110.4	7.9	118.300						
5	99	8.4	107.400						
3	97.7	5.7	103.400						
7	113.2	7.2	120.400						
3	74.1	10.1	84.200						
All other dwellings	56.4	13.7	70.100						

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	v
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	•

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	4 star	4 star	no common laundry facility
areas				

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	>

	Common area ve	entilation system	Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS
Ground floor lobby type (No. 4)	no mechanical ventilation	-	fluorescent	motion sensors	no
Hallway/lobby type (No. 4)	no mechanical ventilation	-	light-emitting diode	motion sensors	-

Central energy systems	Туре	Specification
Lift bank (No. 4)	motor	Number of levels (including basement): 3 number of levels from the bottom of the lift shaft to the top of the lift shaft: 4 number of lifts: 2 lift load capacity: >= 1001 kg but <= 1500kg

5. Commitments for Residential flat buildings - Block E

(a) Buildings

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			~
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		×	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	~
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			•

	Floor types				
Floor type	Area (m2)	Insulation	Low emissions option		
suspended floor above garage, frame: suspended concrete slab	600	foil-foam composite board	none		
floors above habitable rooms, frame: suspended concrete slab	1200	-	none		

External wall types					
External wall type	Construction type	Area (m2)	Low emissions option	Insulation	
External wall type 1	concrete panel/ plasterboard,frame:light steel frame	545	none	fibreglass batts or roll	
External wall type 2	framed (fibre cement sheet or boards),frame:light steel frame	324	none	fibreglass batts or roll	

Internal wall types					
Internal wall type	Construction type	Area (m2)	Insulation		
Internal wall type 1 plasterboard, frame:light steel frame 2663 fibreglass batts or roll					

Reinforcement concrete frames/columns				
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option		
no	-	-		

	Ceiling and roof types				
Ceiling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation		
framed - metal roof, frame: light steel frame	720	foil backed blanket	fibreglass batts or roll		

	Glazing types				Frame types		
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m²)	Steel frames (m ²)	Composite frames (m²)
-	345	-	345	-	-	-	-

(b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		<	>
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		~	 Image: A set of the set of the
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		~	 Image: A set of the set of the
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	~	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

	Fixtures				Appliances		Individual pool			Individual spa				
Dwelling no.	All shower- heads	All toilet flushing systems	taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	-	not specified	not specified	-	-	-	-	-	-	-

			Alter	native water sou	irce					
Dwelling no.	Alternative water supply systems	Size	Configuration		Landscape connection	Toilet connec (s)		Indry Inection	Pool top- up	Spa top-up
All dwellings	Reticulated alternative water supply	-	-		yes	yes	no		no	no
All dwellings	No alternative water supply	-	-		-	-				-
(ii) Energy							Show on DA plans		w on CC/CDC s & specs	Certifier check
(a) The applic	ant must comply with the co	mmitments lis	ted below in carrying out the developm	ent of a dwelling	listed in a table	below.				
b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.									~	~
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.									~	~
headings of cooling or such areas	of the "Cooling" and "Heating heating system is specified	g" columns in in the table fo	stem/s specified for the dwelling under the table below, in/for at least 1 living/k "Living areas" or "Bedroom areas", th n air conditioning system, then the sys	edroom area of the en no systems ma	he dwelling. If n ay be installed i	io in any			~	~
the table b lighting" fo specified for	elow (but only to the extent r each such room in the dwe	specified for t elling is fluores then the light	e dwelling which is referred to in a heat nat room or area). The applicant must scent lighting or light emitting diode (LE fittings in that room or area must only	ensure that the "p D) lighting. If the	rimary type of a term "dedicated	artificial d" is			~	~
the table b			dwelling which is referred to in a head nat room or area). The applicant must				>		~	~
(g) This comm	nitment applies if the applica	nt installs a w	ater heating system for the dwelling's p	ool or spa. The a	applicant must:					
			e "Individual Pool" column of the table oplicant must install a timer, to control			install			 Image: A set of the set of the	
			e "Individual Spa" column of the table b plicant must install a timer to control th		vely must not in	stall			~	
a										

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		 Image: A second s	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		✓	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ventilation system		Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	electric instantaneous	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

	Cooling		Hea	ting	Natural lighting		
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
All dwellings	1-phase airconditioning - non ducted / 3 star (old label)	1-phase airconditioning - non ducted / 3 star (old label)	l l	1-phase airconditioning - non ducted / 3.5 star (old label)	0	yes	

	Inc	Individual pool			Individual spa		Appliances other efficiency measures				
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line	
All dwellings	-	-	-	-		electric cooktop & electric oven	3.5 star	-	no	no	

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	v	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

		Thermal loads	
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)
1	170.1	4.7	174.800
10	41.9	1.8	43.700
11	19	4.8	23.800
12	101.1	4.8	105.900

		Thermal loads								
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)							
13	146.1	22.6	168.700							
14	66.2	11.3	77.500							
15	71.1	7.7	78.800							
16	72.4	7.7	80.100							
17	46.5	10.6	57.100							
18	120.1	12	132.100							
2	66.2	1.3	67.500							
3	85.2	0.6	85.800							
4	81	0.6	81.600							
5	47	3.3	50.300							
6	112.7	5.6	118.300							
7	125.5	7.9	133.400							
8	32.2	3.3	35.500							
All other dwellings	41.2	1.8	43.000							

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	>	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	•

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	4 star	4 star	no common laundry facility
areas				

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	>

	Common area ve	entilation system	Common area lighting				
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS		
Ground floor lobby type (No. 5)	no mechanical ventilation	-	light-emitting diode	-	no		
Hallway/lobby type (No. 5)	no mechanical ventilation	-	light-emitting diode	motion sensors	-		

6. Commitments for Residential flat buildings - Block F

(a) Buildings

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			~
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		×	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	~
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			•

	Floor types										
Floor type	Area (m2)	Insulation	Low emissions option								
suspended floor above garage, frame: suspended concrete slab	600	foil-foam composite board	none								
floors above habitable rooms, frame: suspended concrete slab	1200	-	none								

External wall types											
External wall type	Construction type	Area (m2)	Low emissions option	Insulation							
External wall type 1	concrete panel/ plasterboard,frame:light steel frame	545	none	fibreglass batts or roll							
External wall type 2	framed (fibre cement sheet or boards),frame:light steel frame	324	none	fibreglass batts or roll							

Internal wall types										
Internal wall type	Construction type	Area (m2)	Insulation							
Internal wall type 1	plasterboard, frame:light steel frame	2663	fibreglass batts or roll							

	Reinforcement concrete frames/columns	
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option
no	-	-

	Ceiling and roof types									
Ceiling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation							
framed - metal roof, frame: light steel frame	720	foil backed blanket	fibreglass batts or roll							

	Glazing types				Frame types		
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m²)	Steel frames (m ²)	Composite frames (m²)
-	345	-	345	-	-	-	-

(b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		<	>
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		~	 Image: A set of the set of the
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		~	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	~	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	~	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

	Fixtures				Appli	Appliances Individual pool			Individual spa					
Dwelling no.	All shower- heads	All toilet flushing systems	taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	-	not specified	not specified	-	-	-	-	-	-	-

			ative water sou	rce						
Dwelling no.	Alternative water supply systems	Size	Configuration		Landscape connection	Toilet connec (s)		aundry onnection	Pool top- up	Spa top-up
All dwellings	Reticulated alternative water supply	-	-		yes	yes	no		no	no
All dwellings	No alternative water supply	-	-		-	-	-		-	-
(ii) Energy							Show o DA plar		w on CC/CDC s & specs	Certifier check
(a) The applica	ant must comply with the co	mmitments lis	ed below in carrying out the development	ent of a dwelling	listed in a table	below.				
supplied by	/ that system. If the table sp	ecifies a centi	ecified for the dwelling in the table below al hot water system for the dwelling, th hot water is supplied by that central sy	en the applicant i			>		~	•
			and laundry of the dwelling, the ventila nave the operation control specified for		cified for that ro	om in			~	~
headings of cooling or such areas	f the "Cooling" and "Heating neating system is specified i	" columns in n the table for	stem/s specified for the dwelling under he table below, in/for at least 1 living/b "Living areas" or "Bedroom areas", the n air conditioning system, then the syst	edroom area of tl en no systems ma	he dwelling. If n ay be installed i	o n any			~	~
the table b lighting" fo specified fo	elow (but only to the extent each such room in the dwe	specified for the specified for the specified for the specified for the specified specified of the specified specifi	e dwelling which is referred to in a head nat room or area). The applicant must e cent lighting or light emitting diode (LE fittings in that room or area must only b	nsure that the "p D) lighting. If the	rimary type of a term "dedicated	artificial d" is			~	~
(f) This commi the table b	tment applies to each room	or area of the	dwelling which is referred to in a headi nat room or area). The applicant must e				>		~	~
(g) This comm	itment applies if the applica	nt installs a wa	ater heating system for the dwelling's p	ool or spa. The a	applicant must:					
			e "Individual Pool" column of the table to plicant must install a timer, to control t			nstall			 Image: A second s	
			"Individual Spa" column of the table be plicant must install a timer to control the		vely must not in	stall			v	
	ant must install in the dwellir	•		1						+

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		~	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		 Image: A set of the set of the	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		 Image: A second s	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~	

	Hot water	Bathroom ventilation system		Kitchen venti	lation system	Laundry ventilation system	
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control
All dwellings	electric instantaneous	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off

	Cooling		Hea	ting	Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen
All dwellings	1-phase airconditioning - non ducted / 3 star (old label)	1-phase airconditioning - non ducted / 3 star (old label)	l l	1-phase airconditioning - non ducted / 3.5 star (old label)	0	yes

	Individual pool			Individual spa			Appliances other efficiency measures			
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-		electric cooktop & electric oven	3.5 star	-	no	no

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	v	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

	Thermal loads					
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)			
1	154.4	11	165.400			
10	41.9	1.8	43.700			
11	19.2	4.6	23.800			
12	101.1	5.6	106.700			

		Thermal loads						
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)					
13	140.1	26.4	166.500					
14	61.5	12.1	73.600					
15	71.7	7.7	79.400					
16	72.4	7.7	80.100					
17	46.8	10.5	57.300					
18	118.6	13.9	132.500					
2	64.1	4.6	68.700					
3	85.2	0.6	85.800					
4	81	0.6	81.600					
5	47.4	3.2	50.600					
6	119.4	5.4	124.800					
7	114.4	15.7	130.100					
8	31.3	6.5	37.800					
All other dwellings	41.2	1.8	43.000					

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	>	~
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	v	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	•

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	4 star	4 star	no common laundry facility
areas				

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	>

	Common area ve	entilation system	Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS
Ground floor lobby type (No. 6)	no mechanical ventilation	-	light-emitting diode	motion sensors	no
Hallway/lobby type (No. 6)	no mechanical ventilation	-	light-emitting diode	motion sensors	-

7. Commitments for common areas and central systems/facilities for the development (non-building specific)

(a) Buildings 'Other'

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			~
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		×	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	~	~	~
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			~

Floor types						
Floor type	Area (m2)	Insulation	Low emissions option			
garage floor, frame: concrete slab on ground	6675.8	-	none			
garage floor, frame: suspended concrete slab	2284.2	-	none			

External wall types					
External wall type	Construction type	Area (m2)	Low emissions option	Insulation	
External wall type 1	off form concrete,frame:no frame	2640	none	-	

Internal wall types					
Internal wall type	Construction type	Area (m2)	Insulation		
Internal wall type 1	200 mm AAC block, frame:no frame	1	-		

Reinforcement concrete frames/columns				
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option		
no	-	-		

Ceiling and roof types					
Ceiling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation		
framed - metal roof, frame: light steel frame	200	foil backed blanket	fibreglass batts or roll		

Glazing types			Frame types				
Single glazing (m ²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m ²)	uPVC frames (m²)	Steel frames (m²)	Composite frames (m²)
-	100	-	100	-	-	-	-

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	~	~	>
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	>	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	v
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	~

Common area Sho	owerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common no co areas	common facility	4 star	4 star	no common laundry facility

Central systems	Size	Configuration	Connection (to allow for)
Swimming pool (No. 1)	Volume: 120 kLs	Location: Other Pool shaded: no	-

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	•
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	>	~	~

	Common area ve	entilation system	Common area lighting			
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS	
Undercover car park area (No. 1)	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	fluorescent	motion sensors	no	
Undercover car park area (No. 2)	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	fluorescent	motion sensors	no	
Garbage room (No. 1)	no mechanical ventilation	-	fluorescent	motion sensors	no	
Garbage room (No. 2)	no mechanical ventilation	-	fluorescent	motion sensors	no	
Garbage room (No. 3)	no mechanical ventilation	-	fluorescent	motion sensors	no	
Garbage room (No. 4)	no mechanical ventilation	-	fluorescent	motion sensors	no	
Community room (No. 1)	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Plant or service room (No. 1)	no mechanical ventilation	-	fluorescent	motion sensors	no	

Central energy systems	Туре	Specification
Swimming pool (No. 1)	Heating source: electric heat pump	Pump controlled by timer: yes
Alternative energy supply	Photovoltaic system	Rated electrical output (min): 250 peak kW
Other	-	-

Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

- 1. Commitments identified with a "V" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a " " in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a "" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).