

DEVELOPMENT APPLICATION

PHILLIP ST. GOONELLABAH

GOONELLABAH, NSW, 2480



RAUNIK
design group
ARCHITECTS

architects | master planners | interior designers

61 7 5531 6430 P
61 7 5531 6424 F
architects@raunikdesign.com.au E
www.raunikdesign.com.au W

44 Ashmore Road Bundall Qld 4217
PO Box 7404 GCMC QLD 9726
ABN 12 887 885 845



CONTENTS

1.0	E	COVERPAGE	4.0	E	ARCHITECTURE
1.1	E	DRAWING LIST	4.1	E	SITE PLAN
1.2	E	DEVELOPMENT SUMMARY	4.2	E	LEVEL 1 GROUND
2.0	E	SITE	4.3	E	LEVEL 2
2.1	E	AERIAL IMAGES	4.4	E	LEVEL 3
2.2	E	SITE INFORMATION	4.5	E	ROOF
2.3	E	SITE SURVEY	4.6	E	MODULE TYPES
2.4	E	LOCALITY	4.7	E	UNIT TYPES
2.5	E	LOCAL CHARACTER	4.8	E	ELEVATIONS N+E
2.6	E	SUBJECT SITE	4.9	E	ELEVATIONS S+W
2.7	E	SITE ANALYSIS	4.10	E	SECTION A
2.8	E	AREA ZONING	4.11	E	SECTION A1
2.9	E	BUILDING HEIGHTS	4.12	E	SECTION B
2.10	E	HAZARDS	5.0	E	MISCELLANEOUS
2.11	E	EXTERNAL SITE VIEWS	5.1	E	SHADOW DIAGRAMS - MARCH/SEPTEMBER [EQUINOX]
3.0	E	DESIGN	5.2	E	SHADOW DIAGRAMS - JUNE [WINTER SOLSTICE]
3.1	E	COUNCIL CONTROLS	5.3	E	SHADOW DIAGRAMS - DECEMBER [SUMMER SOLSTICE]
3.2	E	DESIGN INTENT	5.4	E	SEPP CONTROLS [GROUND - L1]
3.3	E	MATERIALITY / FINISHES	5.5	E	SEPP CONTROLS [L2]
3.4	E	PERSPECTIVE 1	5.6	E	SEPP CONTROLS [L3]
3.5	E	PERSPECTIVE 2	5.7	E	SEPP CONTROLS [CIRCULATION CORE]
3.6	E	PERSPECTIVE 3	5.8	E	LANDSCAPE PLAN
			6.0	E	END

PRE-LODGEMENT MEETING ITEMS ADDRESSED

- [APARTMENT DESIGN]

 - REMOVAL OF SEPARATE LAUNDRY
 - REMOVAL OF EXTRA BATHROOM
 - VENTILATION DIAGRAMS INCLUDED
 - SEPP ITEMS INCLUDED AND DIAGRAMMED
- [CRIME AND SAFETY]

 - STORE FACILITIES RELOCATED
 - SEE-THROUGH MATERIALS INCORPORATED
- [SOLAR ACCESS AND OPEN SAPACE]

 - BALCONY SIZES INCREASED WHERE POSSIBLE
 - NORTHERN LANDSCAPE IS A COS WITH LAWNS FOR THE RESIDENT'S AND PUBLIC ENJOYMENT
- [ADJOINING PROPERTIES]

 - SCREENING PLANTING ALONG THE BOUNDARY FENCING TH NEIGHBOURS IS PROPOSED
 - SEVERAL PRIVACY SCREENS HAVE BEEN PROVIDED IN LINE WITH THE FACADE DESIGN
 - SHADOW DIAGRAMS ARE INCLUDED

NOTE. RELEVANT CONSULTANTS HAVE BEEN ENGAGED AND REPORTS PRODUCED FOR DA



Proposal

TOTAL UNITS	18	
COMMUNAL SPACE	163.1m ²	8.95%
DEEP SOIL ZONES / COS	276.1m ²	15.15%
LANDSCAPE / COS	81.2m ²	4.45%
PRIVATE YARDS LANDSCAPE	245.4m ²	13.45%
TOTAL LANDSCAPED AREA	765.8m ²	42.00%

Development Summary

Site Area m ²	1,821
Site Cover (Roof)	1,095.6 60.1%
Floor Space Ratio	0.62:1

RESIDENTIAL YIELD

LEVEL	1 BED	2 BED		TOTAL
Level 1 Ground	CAR PARK			
level 2	3	6		9
Level 3	3	6		9
Totals	6	12		18

Cars Parking Required	15
Visitors Parking Required	3.6
Bicycle Parking Required	10
[RES. 0.5 per 1Bed and 1 per 2Bed VIS. 1 per 5 Units as per Lismore DCP]	

PARKING - Ground Level

TYPE	REQUIRED	PROVIDED
CAR	18.6	19
BIKE	10	10

AREAS	GFAm ²	POSm ²
LEVEL 1 Ground		
LOBBY, CARPARK, STORAGE	0	0

LEVEL 2		
UNIT 1 (2 BEDROOM)	70	10.2
UNIT 2 (2 BEDROOM)	70	79.6
UNIT 3 (1 BEDROOM)	50.7	33.4
UNIT 4 (1 BEDROOM)	50.7	33
UNIT 5 (1 BEDROOM)	50.7	33.4
UNIT 6 (2 BEDROOM)	70	66.1
UNIT 7 (2 BEDROOM)	70	30.4
UNIT 8 (2 BEDROOM)	70	20.6
UNIT 9 (2 BEDROOM)	70	10.2
OTHER		
LEVEL 2 TOTAL	572.1	316.9

LEVEL 3		
UNIT 10 (2 BEDROOM)	70	10.2
UNIT 11 (2 BEDROOM)	70	10.2
UNIT 12 (1 BEDROOM)	50.7	8
UNIT 13 (1 BEDROOM)	50.7	8
UNIT 14 (1 BEDROOM)	50.7	8
UNIT 15 (2 BEDROOM)	70	10.2
UNIT 16 (2 BEDROOM)	70	10.2
UNIT 17 (2 BEDROOM)	70	10.2
UNIT 18 (2 BEDROOM)	70	10.2
OTHER		
LEVEL 3 TOTAL	572.1	85.2

TOTAL	1144.2	402.1
-------	--------	-------

GBAm ²
771.5

80.2
149.6
84.1
83.7
84.1
136.1
100.4
90.6
80.2
481.6
1370.6

80.2
80.2
58.7
58.7
58.7
80.2
80.2
80.2
80.2
238.5
895.8

3037.9

GFA (Gross Floor Area)

Means the sum of the floor area of each floor of a building measured from the **internal face of external walls**, or from the internal face of walls separating the building from any other building, measured at a height of 1.4 metres above the floor, and includes—

- (a) the area of a mezzanine, and
- (b) habitable rooms in a basement or an attic, and
- (c) any shop, auditorium, cinema, and the like, in a basement or attic, but excludes—
- (d) any area for common vertical circulation, such as lifts and stairs, and
- (e) any basement—
- (i) storage, and
- (ii) vehicular access, loading areas, garbage and services, and
- (f) plant rooms, lift towers and other areas used exclusively for mechanical services or ducting, and
- (g) car parking to meet any requirements of the consent authority (including access to that car parking), and
- (h) any space used for the loading or unloading of goods (including access to it), and
- (i) terraces and balconies with outer walls less than 1.4 metres high, and
- (j) voids above a floor at the level of a storey or storey above.

POS (private open space)

Means an area external to a building (including an area of land, terrace, balcony or deck) that is used for private outdoor purposes ancillary to the use of the building.

GBA (Gross Building Area)

The total enclosed and unenclosed area of the building at all building floor levels measured between the normal **outside face** of any enclosing walls, balustrades and supports

GBA measurement also includes external verandahs, balconies, porches & structural columns.


Upper portions of rooms/voids/shafts etc are also included in GBA measurement.




SITE




NORTH VIEW



EAST VIEW



SOUTH VIEW



WEST VIEW



**Certificate No. 0009176220**

Scan QR code or follow website link for rating details.

Assessor name David Howard

Accreditation No. 20039

Property Address 1 Phillip St, Goonellabah
NSW, 2480

star.com.au/QR/Generate?m=X0rBU0Cps






Lot: 69
 5 McDermott Ave
 DP230448
 Parcel: 6526
 R1 General Residential
 Area 582m²

 Lot: 70
 7 McDermott Ave
 DP230448
 Parcel: 6527
 R1 General Residential
 Area 651m²

 Lot: 71
 1 Phillip St
 DP230448
 Parcel: 6526
 R1 General Residential
 Area 588m²

 Total Area: 1,821m²




A1.2 For a corner allotment in zones R1, R2, R3 and RU5, the setback is **6m from the primary street and 3m from the secondary road.**
 Lismore Local Environmental Plans & Development Control Plans
 LEP2012 - RESIDENTIAL DEVELOPMENT

- STORMWATER
- STORMWATER PITS
- SEWERAGE
- MANHOLES
- - - WATER



1:500 @A3

SITE INFORMATION



Boundaries:
The boundaries shown herein have been compiled from the title diagram. This survey has not investigated the validity of these dimensions. This plan should not be used for building to boundary, or to prescribed set-backs, without further boundary survey.

Contours:
The contour intervals shown on this plan are suitable in respect to the field survey methodology and should not be interpolated.


Services:
Only visible services and above ground indicators have been located, Underground services have not been located. If services were not able to be located at time of field survey their position has been derived and plotted from the records of the relevant authority or service provider. Prior to any demolition, excavation or construction, the relevant authority or service provider should be contacted for verification of the location of services and for the possible location of new services on or adjacent to the site. It is the responsibility of the design consultant to undertake their own services investigation.

LINETYPES	
	Subject Boundary
	Adjoining Boundary
	Easement
	Top of bank
	Bottom of bank
	Fence
	Drainage Pipe
	Power - Overhead
	Reduced Level
	Major Contour
	Minor Contour

SYMBOLS & ABBREVIATIONS	
	BM - Bench Mark
	LP - Light Pole
	PP - Power Pole
	Hyd - Hydrant
	SMH - Sewer Manhole
	SIP - Surface Inlet Pit
	Tel/NBN - Comms Pit
	Tree

Plot Date: 15 Jun, 2023 CAD File Name: K:\Jobs\230180 - Social Futures\Surveying\AutoCAD\230180-01-SU-DS-01.dwg

REV	DESCRIPTION	BY	APP.	DATE
A	FIRST ISSUE			
REVISIONS				
1				
2				
3				




HORIZ. DATUM	GROUND	DRAWN	MC
PROJECTION	GDA2020	CHECKED	NDC
MERIDIAN	MGA	DESIGN	
VERT. DATUM	AHD	CHECKED	
VERT. ORIGIN	SCIMS	APPROVED	
SURVEYED BY	MC	CERTIFICATION	
SURVEYED DATE	14/06/2023	DATE	
SURVEY DATA		APPROVALS	


NDC
Newton Denny Chapelle
Surveyors Planners Engineers
Lismore and Kingscliff
Phone | 02 6622 1011
Email | office@ndc.com.au

Client SOCIAL FUTURES
Site LOTS 69, 70, 71 DP230448 1 PHILLIP STREET GOONELLABAH

DETAIL SURVEY 1 PHILLIP STREET GOONELLABAH		1:200
Reference No. 230180	DRAWING No. 230180-01-SU-DS-01	REVISION A



0 50 100 200 400



RAUNIK
design group
ARCHITECTS



@A3

LOCAL CHARACTER

Certificate No. 0009176220






Scan QR code or follow website link for rating details.


Assessor name David Howard

Accreditation No. 20039

Property Address 1 Phillip St, Goonellabah NSW, 2480

hstar.com.au/QR/Generate?pr=XOrBUCps







Zone R1 General Residential


- 1 Objectives of zone**
- To provide for the housing needs of the community.
 - To provide for a variety of housing types and densities.
 - To enable other land uses that provide facilities or services to meet the day to day needs of residents.
 - To ensure that new development is compatible with the character, and preserves the amenity, of each residential area.
- 2 Permitted without consent**
Environmental protection works; Home occupations
- 3 Permitted with consent**
Attached dwellings; Boarding houses; Building identification signs; Business identification signs; Centre-based child care facilities; Community facilities; Dwelling houses; Group homes; Home industries; Hostels; Kiosks; Multi dwelling housing; Neighbourhood shops; Oyster aquaculture; Places of public worship; Pond-based aquaculture; Residential flat buildings; Respite day care centres; Restaurants or cafes; Semi-detached dwellings; Seniors housing; Shop top housing; Roads; Tank-based aquaculture; Any other development not specified in item 2 or 4
- 4 Prohibited**
Agriculture; Air transport facilities; Airstrips; Amusement centres; Animal boarding or training establishments; Biosolids treatment facilities; Boat building and repair facilities; Car parks; Cemeteries; Charter boating and tourism facilities; Commercial premises; Correctional centres; Crematoria; Depots; Eco-tourist facilities; Entertainment facilities; Farm buildings; Farm stay accommodation; Forestry; Freight transport facilities; Function centres; Heavy industrial storage establishments; Helipads; Highway service centres; Home occupations (sex services); Industrial retail outlets; Industrial training facilities; Industries; Jetties; Local distribution premises; Marinas; Mooring pens; Moorings; Mortuaries; Passenger transport facilities; Public administration buildings; Recreation facilities (major); Registered clubs; Research stations; Restricted premises; Rural industries; Rural workers' dwellings; Service stations; Sewage treatment plants; Sex services premises; Signage; Storage premises; Transport depots; Truck depots; Vehicle body repair workshops; Vehicle repair stations; Veterinary hospitals; Warehouse or distribution centres; Waste or resource management facilities; Water recycling facilities; Water storage facilities; Water treatment facilities; Wholesale supplies





Certificate No. 0009176220
 Scan QR code or follow website link for rating details.
Assessor name David Howard
Accreditation No. 20039
Property Address 1 Phillip St, Goonellabah NSW, 2480
hstar.com.au/QR/Generate?pr=X0rBUCpes





- VEGETATION CATEGORY 1
- VEGETATION CATEGORY 2
- VEGETATION BUFFER



Phillip St



Quilty Pl



McDermott Ave



McDermott Ave & Phillip St



DESIGN

 **Certificate No. 0009176220**
Scan QR code or follow website link for rating details.

Assessor name David Howard
Accreditation No. 20039
Property Address 1 Phillip St, Goonellabah
NSW, 2480



hstar.com.au/QR/Generate/?p=X0rBUCpcs



Summary of planning controls

Planning controls held within the Planning Database are summarised below. The property may be affected by additional planning controls not outlined in this report. Please contact your council for more information.

Local Environmental Plans Lismore Local Environmental Plan 2012 (pub. 17-12-2021)

Land Zoning R1 - General Residential: (pub. 10-11-2023)

Height Of Building 8.5 m

Floor Space Ratio NA

Minimum Lot Size 400 m²

Heritage NA

Land Reservation Acquisition NA

Foreshore Building Line NA

Detailed planning information

State Environmental Planning Policies which apply to this property.

State Environmental Planning Policies can specify planning controls for certain areas and/or types of development. They can also identify the development assessment system that applies and the type of environmental assessment that is required.

- State Environmental Planning Policy (Biodiversity and Conservation) 2021: Allowable Clearing Area (pub. 21-10-2022)
- State Environmental Planning Policy (Biodiversity and Conservation) 2021: Land Application (pub. 2-12-2021)
- State Environmental Planning Policy (Biodiversity and Conservation) 2021: Subject Land (pub. 2-12-2021)
- State Environmental Planning Policy (Exempt and Complying Development Codes) 2008: Land Application (pub. 12-12-2008)
- State Environmental Planning Policy (Housing) 2021: Land Application (pub. 26-11-2021)
- State Environmental Planning Policy (Industry and Employment) 2021: Land Application (pub. 2-12-2021)
- State Environmental Planning Policy (Planning Systems) 2021: Land Application (pub. 2-12-2021)
- State Environmental Planning Policy (Primary Production) 2021: Land Application (pub. 2-12-2021)
- State Environmental Planning Policy (Resilience and Hazards) 2021: Land Application (pub. 2-12-2021)
- State Environmental Planning Policy (Resources and Energy) 2021: Land Application (pub. 2-12-2021)
- State Environmental Planning Policy (Sustainable Buildings) 2022: Land Application (pub. 29-8-2022)
- State Environmental Planning Policy (Transport and Infrastructure) 2021: Land Application (pub. 2-12-2021)
- State Environmental Planning Policy No 65—Design Quality of Residential Apartment Development: Land Application (pub. 26-7-2002)

Other matters affecting the property

Information held in the Planning Database about other matters affecting the property appears below. The property may also be affected by additional planning controls not outlined in this report. Please speak to your council for more information

Bushfire Prone Land Vegetation Buffer

Land near Electrical Infrastructure This property may be located near electrical infrastructure and could be subject to requirements listed under ISEPP Clause 45.

Local Aboriginal Land Council NGULINGAH

Regional Plan Boundary North Coast







WALL CLADDING

- A. LYSAGHT ENSEAM POWDERCOATED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
 B. WEATHERTEX SELFLOK ECOGROOVE SMOOTH 150mm PAINTED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
 C. WEATHERTEX WEATHERGROOVE SMOOTH 300mm PAINTED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
 D. WEATHERTEX WEATHERGROOVE SMOOTH 1200mm PAINTED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
 E. WEATHERTEX SELFLOK ECOGROOVE NATURAL 150mm [OR SIM. TO COMPLY WITH AS1530.1]

BLOCKWORK

- F. AUSTRAL ARCHITECT SMOOTH ALABASTER BLOCK 200 SERIES 20-01 FULL AND 300 SERIES 20-71 HALF HEIGHT

FACADE SCREENS

- G. LOCKER WOVEN WIRE CARPARK FACADE PROFILE BOSTON 311 POWDERCOATED MONUMENT
 H. KNOTWOOD ALUMINIUM BATTENED PRIVACY SCREEN 50x50
 J. KNOTWOOD ALUMINIUM SLATS ANGLED PRIVACY SCREEN 100x16

SUN HOODS

- K. ALUMINIUM SUN HOODS POWDERCOATED MONUMENT

COLOUR

1. KNOTWOOD WOODGRAIN NORWEGIAN BEECH. STAIN WEATHERTEX NATURAL TO MATCH.
 2. COLORBOND SURFMIST OR DULUX LEXICON QUARTER
 3. COLORBOND WINDSPRAY OR DULUX TIMELESS GRAY
 4. COLORBOND MONUMENT OR DULUX WALHALLA



NOTE.
ARTIST'S IMPRESSION.
LANDSCAPE PLANTING SPECIES IS INDICATIVE.
FOR EXACT PLANTING REFER LANDSCAPE ARCHITECT'S DRAWINGS.



Certificate No. 0009176220
Scan QR code or follow website link for rating details.
Assessor name David Howard
Accreditation No. 20039
Property Address 1 Phillip St, Goonellabah NSW, 2480
20240009176220
hstar.com.au/QR/Generate?pr=X0rBUCpes

ABSA
Australian Building Sustainability Association
Assessments completed within the accreditation period are part of the ABSA quality seal system.
Accreditation Period 31/03/2023-31/03/2024
Assessor Name David Howard
Assessment Number 20039
Assessor Signature [Signature]
This Accredited Assessment is required to use HighRISC Accredited Software and has agreed to follow the ABSA Code of Practice

NOTE.
ARTIST'S IMPRESSION.
LANDSCAPE PLANTING SPECIES IS INDICATIVE.
FOR EXACT PLANTING REFER LANDSCAPE ARCHITECT'S DRAWINGS.



NOTE.
ARTIST'S IMPRESSION.
LANDSCAPE PLANTING SPECIES IS INDICATIVE.
FOR EXACT PLANTING REFER LANDSCAPE ARCHITECT'S DRAWINGS.



Certificate No. 0009176220
Scan QR code or follow website link for rating details.
Assessor name David Howard
Accreditation No. 20039
Property Address 1 Phillip St, Goonellabah
NSW, 2480
hstar.com.au/QR/Generate?ip=X0rBUcps


ABSA
Australian Building Sustainability Association
Assessments completed within the accreditation period are part of the ABSA quality audit system.
Accreditation Period 31/03/2023-31/03/2024
Assessor Name David Howard
Assessor Number 20039
Assessor Signature

ARCHITECTURE




SITE AREA.	1,821m ²
FSR.	0.62:1

- 1 VEHICULAR ENTRY
- 2 PEDESTRIAN ENTRY
- 3 MAILBOXES
- 4 BIKE PARKING
- 5 FIRE EGRESS
- 6 WATER METER
- 7 BOOSTER
- 8 TEMP. BIN STORE



Certificate No. 0009176220
Scan QR code or follow website link for rating details.
Assessor name David Howard
Accreditation No. 20039
Property Address 1 Phillip St, Goonellabah NSW, 2480
20240009176220
1star.com.au/QR/Generate?m=XDhUCpes

ABSA
Australian Building Sustainability Association
Assessments completed within the accreditation period are part of the ABSA quality seal system.
Accreditation Period 31/03/2023-31/03/2024
Assessor Name David Howard
Assessor Number 20039
Assessor Signature




SIGHT TRIANGLE NOTE:
PEDESTRIAN SIGHT TRIANGLES TO BE KEPT CLEAR OF OBSTRUCTIONS TO VISIBILITY. LOW LEVEL LANDSCAPING PERMITTED TO A MAXIMUM MATURE HEIGHT OF 500mm ABOVE DRIVEWAY LEVEL.




Certificate No. 0009176220
Scan QR code or follow website link for rating details.
Assessor name David Howard
Accreditation No. 20039
Property Address 1 Phillip St, Goonellabah
NSW, 2480
hstar.com.au/QR/Generate?p=X0rBUCps





ABSA
Australian Building Sustainability Association
Assessments completed within the accreditation period are part of the ABSA quality seal system.
Accreditation Period 31/03/2023-31/03/2024
Assessor Name David Howard
Assessor Number 20039
Assessor Signature 
This Accredited Assessor is qualified to use HERS2022 Accredited Software and has agreed to follow the ABSA Code of Practice.







Certificate No. 0009176220
 Scan QR code or follow website link for rating details.
 Assessor name David Howard
 Accreditation No. 20039
 Property Address 1 Phillip St, Goonellabah NSW, 2480
 hstar.com.au/QR/Generate?px=0rBUcpcx



UNIT TYPE 1

MODULE TYPES C1 + A





TYPE 1 - 1 BED UNIT GFA	
UNIT	50.7m ²
BALCONY	8m ²
TOTAL	58.7m ²




UNIT TYPE 2

MODULE TYPES C2 + B + D



TYPE 2 - 2 BED UNIT GFA	
UNIT	70.0m ²
BALCONY	10.2m ²
TOTAL	80.2m ²



E-01 NORTH ELEVATION
1:200



E-02 EAST ELEVATION
1:200

WALL CLADDING

- A. LYSAGHT ENSEAM POWDERCOATED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
- B. WEATHERTEX SELFLOK ECOGROOVE SMOOTH 150mm PAINTED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
- C. WEATHERTEX WEATHERGROOVE SMOOTH 300mm PAINTED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
- D. WEATHERTEX WEATHERGROOVE SMOOTH 1200mm PAINTED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
- E. WEATHERTEX SELFLOK ECOGROOVE NATURAL 150mm [OR SIM. TO COMPLY WITH AS1530.1]

BLOCKWORK

- F. AUSTRAL ARCHITECT SMOOTH ALABASTER BLOCK 200 SERIES 20-01 FULL AND 300 SERIES 20-71 HALF HEIGHT

FACADE SCREENS


- G. LOCKER WOVEN WIRE CARPARK FACADE PROFILE BOSTON 311 POWDERCOATED MONUMENT
- H. KNOTWOOD ALUMINIUM BATTENED PRIVACY SCREEN 50x50
- J. KNOTWOOD ALUMINIUM SLATS ANGLED PRIVACY SCREEN 100x16

SUN HOODS

- K. ALUMINIUM SUN HOODS POWDERCOATED MONUMENT

COLOUR

- 1. KNOTWOOD WOODGRAIN NORWEGIAN BEECH. STAIN WEATHERTEX NATURAL TO MATCH.
- 2. COLORBOND SURFMIST OR DULUX LEXICON QUARTER
- 3. COLORBOND WINDSPRAY OR DULUX TIMELESS GRAY
- 4. COLORBOND MONUMENT OR DULUX WALHALLA



E-03 SOUTH ELEVATION
1:200



E-04 WEST ELEVATION
1:200

WALL CLADDING

- A. LYSAGHT ENSEAM POWDERCOATED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
B. WEATHERTEX SELFLOK ECOGROOVE SMOOTH 150mm PAINTED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
C. WEATHERTEX WEATHERGROOVE SMOOTH 300mm PAINTED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
D. WEATHERTEX WEATHERGROOVE SMOOTH 1200mm PAINTED AS PER ELEVATIONS [OR SIM. TO COMPLY WITH AS1530.1]
E. WEATHERTEX SELFLOK ECOGROOVE NATURAL 150mm [OR SIM. TO COMPLY WITH AS1530.1]

BLOCKWORK

- F. AUSTRAL ARCHITECT SMOOTH ALABASTER BLOCK 200 SERIES 20-01 FULL AND 300 SERIES 20-71 HALF HEIGHT

FACADE SCREENS

- G. LOCKER WOVEN WIRE CARPARK FACADE PROFILE BOSTON 311 POWDERCOATED MONUMENT
H. KNOTWOOD ALUMINIUM BATTENED PRIVACY SCREEN 50x50
J. KNOTWOOD ALUMINIUM SLATS ANGLED PRIVACY SCREEN 100x16


SUN HOODS

- K. ALUMINIUM SUN HOODS POWDERCOATED MONUMENT

COLOUR

1. KNOTWOOD WOODGRAIN NORWEGIAN BEECH. STAIN WEATHERTEX NATURAL TO MATCH.
2. COLORBOND SURFMIST OR DULUX LEXICON QUARTER
3. COLORBOND WINDSPRAY OR DULUX TIMELESS GRAY
4. COLORBOND MONUMENT OR DULUX WALHALLA





Certificate No. 0009176220


Scan QR code or follow website link for rating details.

Assessor name David Howard

Accreditation No. 20039

Property Address 1 Phillip St, Goonellabah NSW, 2480

hstar.com.au/QR/Generate?ip=X0rBUCpss





Certificate No. 0009176220
Scan QR code or follow website link for rating details.

Assessor name David Howard
Accreditation No. 20039
Property Address 1 Phillip St, Goonellabah NSW, 2480




hstar.com.au/QR/Generate/?p=X0r6UCps




MISCELLANEOUS

McDERMOTT AVE




MARCH / SEPTEMBER 21ST AT 9:00

McDERMOTT AVE



MARCH / SEPTEMBER 21ST AT 12:00


McDERMOTT AVE



MARCH / SEPTEMBER 21ST AT 15:00




McDERMOTT AVE




JUNE 21ST AT 9:00

McDERMOTT AVE



JUNE 21ST AT 12:00


McDERMOTT AVE



JUNE 21ST AT 15:00




McDERMOTT AVE




DECEMBER 21ST AT 9:00

McDERMOTT AVE



DECEMBER 21ST AT 12:00

McDERMOTT AVE



DECEMBER 21ST AT 15:00










	SOLAR ACCESS	83%	[100% COMPLIANT]
	CROSS VENTILATION		[100% COMPLIANT]
	POS (AREA & DEPTH)		[100% COMPLIANT]
	LIVING WIDTH		[100% COMPLIANT]
	BEDROOMS		[100% COMPLIANT]
	STORAGE		[100% COMPLIANT]
	APARTMENT SIZE		[100% COMPLIANT]




	SOLAR ACCESS 83%	[100% COMPLIANT]
	CROSS VENTILATION	[100% COMPLIANT]
	POS (AREA & DEPTH)	[100% COMPLIANT]
	LIVING WIDTH	[100% COMPLIANT]
	BEDROOMS	[100% COMPLIANT]
	STORAGE	[100% COMPLIANT]
	APARTMENT SIZE	[100% COMPLIANT]



SEPP LEGEND

	SOLAR ACCESS 83%	[100% COMPLIANT]
	CROSS VENTILATION	[100% COMPLIANT]
	POS (AREA & DEPTH)	[100% COMPLIANT]
	LIVING WIDTH	[100% COMPLIANT]
	BEDROOMS	[100% COMPLIANT]
	STORAGE	[100% COMPLIANT]
	APARTMENT SIZE	[100% COMPLIANT]



Objective 4F-1

Common circulation spaces achieve good amenity and properly service the number of apartments

Design criteria

1. The maximum number of apartments off a circulation core on a single level is eight

2. For buildings of 10 storeys and over, the maximum number of apartments sharing a single lift is 40

Design guidance

Greater than minimum requirements for corridor widths and/or ceiling heights allow comfortable movement and access particularly in entry lobbies, outside lifts and at apartment entry doors

Daylight and natural ventilation should be provided to all common circulation spaces that are above ground

Windows should be provided in common circulation spaces and should be adjacent to the stair or lift core or at the ends of corridors

Longer corridors greater than 12m in length from the lift core should be articulated. Design solutions may include:

- a series of foyer areas with windows and spaces for seating
- wider areas at apartment entry doors and varied ceiling heights


Design common circulation spaces to maximise opportunities for dual aspect apartments, including multiple core apartment buildings and cross over apartments

Achieving the design criteria for the number of apartments off a circulation core may not be possible. Where a development is unable to achieve the design criteria, a high level of amenity for common lobbies, corridors and apartments should be demonstrated, including:

- sunlight and natural cross ventilation in apartments
- access to ample daylight and natural ventilation in common circulation spaces
- common areas for seating and gathering
- generous corridors with greater than minimum ceiling heights
- other innovative design solutions that provide high levels of amenity

Where design criteria 1 is not achieved, no more than 12 apartments should be provided off a circulation core on a single level

Primary living room or bedroom windows should not open directly onto common circulation spaces, whether open or enclosed. Visual and acoustic privacy from common circulation spaces to any other rooms should be carefully controlled



Certificate No. 0009176220

Scan QR code or follow website link for rating details.

Assessor name David Howard

Accreditation No. 20039

Property Address 1 Phillip St. Goonellabah NSW, 2480

hstar.com.au/QR/Generate/?p=X0rBUcPcs

ABSA

Assessors completed within the accreditation period are part of the ABSA quality seal system

Accreditation Period 31/03/2023-31/03/2024


Assessor Name David Howard

Assessment Number 20039


Assessor Signature

This Accredited Assessor is qualified to use the ABSA quality seal system. Software and tool support is provided by ABSA. Code of Practice

- COS, LANDSCAPE + DEEP PLANTING [GROUND/L1] | TOTAL 357.3m²
 - PRIVATE YARDS LANDSCAPING AND DEEP PLANTING [L2] | TOTAL 245.4m²
 - COMMUNAL SPACE LANDSCAPING [L2] | TOTAL 163.1m²
- TOTAL LANDSCAPED AREA 765.8m² | 42.0%



GROUND [L1] LANDSCAPE PLAN



LEVEL 2 LANDSCAPE PLAN



Certificate No. 0009176220
 Scan QR code or follow website link for rating details.
 Assessor name David Howard
 Accreditation No. 20039
 Property Address 1 Phillip St, Goonellabah NSW, 2480
 2024009176220
 hstar.com.au/QR/Generate?p=XDrBUCps



ABSA
 Australian Building Sustainability Assessor
 Assessments completed within the accreditation period are part of the ABSA quality seal system.
 Accreditation Period 31/03/2023-31/03/2024
 Assessor Name David Howard
 Assessor Number 20039
 Assessor Signature 
 This Accredited Assessor is qualified to use the ABSA Accredited Software and has agreed to follow the ABSA Code of Practice

**Certificate No. 0009176220**
Scan QR code or follow website link for rating details.

Assessor name David Howard

Accreditation No. 20039

Property Address 1 Phillip St, Goonellabah
NSW, 2480



hstar.com.au/QR/Generate/?p=X0rBUcpcs



RAUNIK
design group
ARCHITECTS
architects master planners interior designers

61 7 5531 6430 **P**
61 7 5531 6424 **F**
architects@raunikdesign.com.au **E**
www.raunikdesign.com.au **W**
44 Ashmore Road Bundall Qld 4217
PO Box 7404 GCMC QLD 9726
ABN 12 887 885 845

