

Development Consent

Section 4.16 of the Environmental Planning and Assessment Act 1979

As delegate of the Minister for Planning and Public Spaces under delegation executed on 5 July 2024, I approve the Development Application referred to in Schedule 1, subject to the conditions specified in Schedule 2.

These conditions are required to:

- prevent, minimise, or offset adverse environmental impacts;
- set standards and performance measures for acceptable environmental performance;
- require regular monitoring and reporting; and
- provide for the ongoing environmental management of the development



Stuart McIntosh

A/Director Precinct Planning and Assessment

Wagga Wagga

5 July 2024

File: EF24/5405

SCHEDULE 1

Application Number:	DA24/5405
Applicant:	Allana Duncan
Consent Authority:	Minister for Planning and Public Spaces
Site:	Lot 111 DP 788677 90 Bomen Road, Cartwrights Hill
Development:	Alterations and additions to an existing dwelling house

CONTENTS

DEFINITIONS	III
PART A ADMINISTRATIVE CONDITIONS	4
Obligation to Minimise Harm to the Environment.....	4
Terms of Consent	4
Structural Adequacy	4
Operation of Plant and Equipment.....	5
Applicability of Guidelines	5
Incident Notification, Reporting and Response.....	5
Non-Compliance Notification	5
PART B PRIOR TO ISSUE OF CONSTRUCTION CERTIFICATE	6
External Walls and Cladding.....	6
Development Contributions	6
Bushfire Construction Standard.....	6
PART C PRIOR TO COMMENCEMENT OF WORKS	7
Notification of Commencement.....	7
Access To Information	7
Compliance.....	7
Toilet Facilities	7
Construction Certificate	7
Rubbish And Debris (Bin)	8
Geotechnical Report.....	8
Erosion And Sediment Control	8
On Site Sewage System 40m Away From Drainage Channels	8
Septic Tank.....	9
Plumbing And Drainage Works (S68).....	9
PART D DURING CONSTRUCTION.....	10
Demolition.....	10
Construction Hours	10
Development Application record to be kept onsite.....	10
Excavation and backfilling	10
Earthworks.....	10
PART E PRIOR TO OCCUPATION OR COMMENCEMENT OF USE	11
Protection of Public Infrastructure.....	11
Building Number	11
Retaining walls.....	11
Plumbing certificate	11
Occupation Certificate	11
Final plumbing inspection	11
PART F PRESCRIBED CONDITIONS.....	12
PART G WRITTEN INCIDENT NOTIFICATION AND REPORTING REQUIREMENTS	14

DEFINITIONS

Applicant	Allana Duncan, or any person carrying out any development to which this consent applies
BCA	Building Code of Australia
BC Act	<i>Biodiversity Conservation Act 2016</i>
Certifying Authority	A person who is authorised by or under section 6.17 of the EP&A Act to issue Part 6 certificates
Conditions of this consent	Conditions contained in Schedule 2 of this document
Council	Wagga Wagga City Council
Day	The period from 7 am to 6 pm on Monday to Saturday, and 8 am to 6 pm on Sundays and Public Holidays
Demolition	The deconstruction and removal of buildings, sheds and other structures on the site
Department	NSW Department of Planning, Housing and Infrastructure
Development	means the development approved pursuant to this consent, as defined in Condition A.2 and as modified by the conditions of this consent.
Environment	Includes all aspects of the surroundings of humans, whether affecting any human as an individual or in his or her social groupings
EPA	NSW Environment Protection Authority
EP&A Act	<i>Environmental Planning and Assessment Act 1979</i>
EP&A Regulation	<i>Environmental Planning and Assessment Regulation 2021</i>
Feasible	Means what is possible and practical in the circumstances
Incident	An occurrence or set of circumstances that causes, or threatens to cause material harm and which may or may not be or cause a non-compliance Note: "material harm" is defined in this consent
Land	Has the same meaning as the definition of the term in section 1.4 of the EP&A Act
Material harm	Is harm that: <div style="margin-left: 40px;">a) involves actual or potential harm to the health or safety of human beings or to the environment that is not trivial, or</div> <div style="margin-left: 40px;">results in actual or potential loss or property damage of an amount, or amounts in aggregate, exceeding \$10,000, (such loss includes the reasonable costs and expenses that would be incurred in taking all reasonable and practicable measures to prevent, mitigate or make good harm to the environment)</div>
Minister	NSW Minister for Planning and Public Spaces (or delegate)
Non-compliance	An occurrence, set of circumstances or development that is a breach of this consent
Operation	The carrying out of the approved purpose of the development upon completion of construction.
PA	Means a planning agreement within the meaning of the term in section 7.4 of the EP&A Act.
Planning Secretary	Planning Secretary under the EP&A Act, or nominee
POEO Act	<i>Protection of the Environment Operations Act 1997</i>
Reasonable	Means applying judgement in arriving at a decision, taking into account: mitigation benefits, costs of mitigation versus benefits provided, community views, and the nature and extent of potential improvements.

SCHEDULE 2

PART A ADMINISTRATIVE CONDITIONS

OBLIGATION TO MINIMISE HARM TO THE ENVIRONMENT

- A1. In addition to meeting the specific performance measures and criteria in this consent, all reasonable and feasible measures must be implemented to prevent, and if prevention is not reasonable and feasible, minimise, any material harm to the environment that may result from the construction and operation of the development.

TERMS OF CONSENT

- A2. The development may only be carried out:
- (a) in compliance with the conditions of this consent;
 - (b) in accordance with all written directions of the Planning Secretary;
 - (c) in accordance with the Response to Submissions;
 - (d) in accordance with the approved plans in the table(s) below:

Dwg No.	Title	Revision	Project Id	Author	Dated
A01	Site Plan	B	58FED22	Fine Eye Designs	3/04/2024
A02	Existing // Demolition Floor Plan	B	58FED22	Fine Eye Designs	3/04/2024
A03	Floor Plan	B	58FED22	Fine Eye Designs	3/04/2024
A04	Dimensions	B	58FED22	Fine Eye Designs	3/04/2024
A05	Section Aa	B	58FED22	Fine Eye Designs	3/04/2024
A06	Section Bb	B	58FED22	Fine Eye Designs	3/04/2024
A07	Elevations	B	58FED22	Fine Eye Designs	3/04/2024
A08	Elevations	B	58FED22	Fine Eye Designs	3/04/2024
A09	Glazing Schedule	B	58FED22	Fine Eye Designs	3/04/2024
A10	Drainage Plan	B	58FED22	Fine Eye Designs	3/04/2024

Title	Reference	Author	Dated
BASIX Certificate	Certificate number: A1732233	Mrs Allana Duncan	12 January 2024

- A3. Consistent with the requirements in this consent, the Planning Secretary may make written directions to the Applicant in relation to:
- (a) the content of any strategy, study, system, plan, program, review, audit, notification, report or correspondence submitted under or otherwise made in relation to this consent, including those that are required to be, and have been, approved by the Planning Secretary; and
 - (b) the implementation of any actions or measures contained in any such document referred to in condition A3(a) above.
- A4. The conditions of this consent and directions of the Planning Secretary prevail to the extent of any inconsistency, ambiguity or conflict between them and a document listed in condition A2(c) or A2(d). In the event of an inconsistency, ambiguity or conflict between any of the documents listed in condition A2(c) and A2(d), the most recent document prevails to the extent of the inconsistency, ambiguity or conflict.

STRUCTURAL ADEQUACY

- A5. All new buildings and structures, and any alterations or additions to existing buildings and structures, that are part of the development, must be constructed in accordance with the relevant requirements of the BCA.

Notes:

- Under Part 4A of the EP&A Act, the Applicant is required to obtain construction and occupation certificates for the proposed building works.
- Part 7 of the EP&A Regulation sets out the requirements for the certification of the development.

OPERATION OF PLANT AND EQUIPMENT

- A6. All plant and equipment used on site, or to monitor the performance of the development must be:
- (a) maintained in a proper and efficient condition; and
 - (b) operated in a proper and efficient manner.

APPLICABILITY OF GUIDELINES

- A7. References in the conditions of this consent to any guideline, protocol, Australian Standard or policy are to such guidelines, protocols, Standards or policies in the form they are in as at the date of this consent.
- A8. However, consistent with the conditions of this consent and without altering any limits or criteria in this consent, the Planning Secretary may, when issuing directions under this consent in respect of ongoing monitoring and management obligations, require compliance with an updated or revised version of such a guideline, protocol, Standard or policy, or a replacement of them.

INCIDENT NOTIFICATION, REPORTING AND RESPONSE

- A9. The Department must be notified via the Major projects website immediately after the Applicant becomes aware of an incident. The notification must identify the development (including the development application number and the name of the development if it has one), and set out the location and nature of the incident.
- A10. Subsequent notification must be given and reports submitted in accordance with the requirements set out in Appendix 1.

NON-COMPLIANCE NOTIFICATION

- A11. The Department must be notified via the Major Projects website within seven days after the Applicant becomes aware of any non-compliance. The PCA must also notify the Department in writing to compliance@planning.nsw.gov.au within seven days after they identify any non-compliance.
- A12. The notification must identify the development and the application number for it, set out the condition of consent that the development is non-compliant with, the way in which it does not comply and the reasons for the non-compliance (if known) and what actions have been, or will be, undertaken to address the non-compliance.
- A13. A non-compliance which has been notified as an incident does not need to also be notified as a non-compliance.

PART B PRIOR TO ISSUE OF CONSTRUCTION CERTIFICATE

EXTERNAL WALLS AND CLADDING

- B1. The external walls of all buildings including additions to existing buildings must comply with the relevant requirements of the BCA.
- B2. Before the issue of a Construction Certificate and an Occupation Certificate, the Applicant must provide the Certifying Authority with documented evidence that the products and systems proposed for use or used in the construction of external walls including finishes and claddings such as synthetic or aluminium composite panels comply with the requirements of the BCA.
- B3. The Applicant must provide a copy of the documentation given to the Certifying Authority to the Planning Secretary within seven days after the Certifying Authority accepts it.

DEVELOPMENT CONTRIBUTIONS

- B4. Pursuant to s7.12 of the Environmental Planning and Assessment Act 1979 and the Wagga Wagga Local Infrastructure Contributions Plan 2019-2034, a monetary contribution of \$3,399 must be paid to Council, prior to the issuing of the Construction Certificate. The monetary contribution payable under this condition will be indexed in accordance with Clause 3.2 of the Wagga Wagga Local Infrastructure Contributions Plan 2019-2034 from the endorsed date of this Development Consent until the date of payment.

NOTE 1: Clause 3.2 of the Wagga Wagga Local Infrastructure Contributions Plan 2019-2034 provides for Section 7.12 contributions to be indexed in accordance with annual movements in the March quarter Consumer Price Index (CPI) (All Groups Index) for Sydney as published by the Australian Bureau of Statistics.

NOTE 2: The monetary contribution identified above remains applicable if paid within the same financial year as the date of determination. If payment is to be made outside this period, you are advised to contact Council prior to payment being made to determine if CPI increases/decreases have occurred since the date of this consent. The applicable rate of CPI at the time of consent is 132.7.

NOTE 3: A copy of the Wagga Wagga Local Infrastructure Contributions Plan 2019-2034, is available for inspection at Council Chambers, corner Baylis and Morrow Streets, Wagga Wagga, or on Council's website.

BUSHFIRE CONSTRUCTION STANDARD

- B5. Prior to occupation or use, all development shall be constructed in accordance with Australian Standard AS3959 - Construction of Buildings in Bushfire Prone Areas to Bush Fire Attack Level BAL 12.5 construction in accordance with the provisions of Planning for Bushfire Protection, 2019.

PART C PRIOR TO COMMENCEMENT OF WORKS

NOTIFICATION OF COMMENCEMENT

- C1. The Department must be notified in writing of the dates of commencement of physical work and operation at least 48 hours before those dates.
- C2. If the construction or operation of the development is to be staged, the Department must be notified in writing at least 48 hours before the commencement of each stage, of the date of commencement and the development to be carried out in that stage.

ACCESS TO INFORMATION

- C3. At least 48 hours before the commencement of construction until the completion of all works under this consent, or such other time as agreed by the Planning Secretary, the Applicant must:
- (a) make the following information and documents (as they are obtained or approved) publicly available on its website:
 - (i) the documents referred to in condition A2 of this consent;
 - (ii) all current statutory approvals for the development;
 - (iii) all approved strategies, plans and programs required under the conditions of this consent;
 - (iv) regular reporting on the environmental performance of the development in accordance with the reporting arrangements in any plans or programs approved under the conditions of this consent;
 - (v) a comprehensive summary of the monitoring results of the development, reported in accordance with the specifications in any conditions of this consent, or any approved plans and programs;
 - (vi) a summary of the current stage and progress of the development;
 - (vii) contact details to enquire about the development or to make a complaint;
 - (viii) a complaints register, updated monthly;
 - (ix) audit reports prepared as part of any Independent Audit of the development and the Applicant's response to the recommendations in any audit report;
 - (x) any other matter required by the Planning Secretary; and
 - (b) keep such information up to date, to the satisfaction of the Planning Secretary.

COMPLIANCE

- C4. The Applicant must ensure that all of its employees, contractors (and their sub-contractors) are made aware of, and are instructed to comply with, the conditions of this consent relevant to activities they carry out in respect of the development.

TOILET FACILITIES

- C5. Prior to works commencing on site, toilet facilities must be provided, at or in the vicinity of the work site on which work involved in the erection or demolition of a building is being carried out, at the rate of one toilet for every 20 persons or part of 20 persons employed at the site. Each toilet provided must be:
- (a) a standard flushing toilet connected to a public sewer, or
 - (b) if that is not practicable, an accredited sewage management facility approved by Council, or
 - (c) if that is not practicable, any other sewage management facility approved by Council.

NOTE 1: The provision of toilet facilities in accordance with this condition must be completed before any other work is commenced and the toilet facility must not be removed without the prior written approval of Council.

NOTE 2: "Vicinity" in this condition is defined to mean within 50 metres of the subject building site.

NOTE 3: The toilet facilities are to comply with all WORK COVER NSW requirements.

CONSTRUCTION CERTIFICATE

- C6. A CONSTRUCTION CERTIFICATE must be obtained pursuant to Section 6.7 of the Environmental Planning and Assessment Act 1979, as amended from either Council or an accredited certifying authority certifying that the proposed works are in accordance with the Building Code of Australia PRIOR to any works commencing.

NOTE 1: No building, engineering, excavation work or food premises fitout must be carried out in relation to this development until the necessary Construction Certificate has been obtained.

NOTE 2: YOU MUST NOT COMMENCE WORK UNTIL YOU HAVE RECEIVED THE CONSTRUCTION CERTIFICATE, even if you made an application for a Construction Certificate at the same time as you lodged this Development Application.

NOTE 3: It is the responsibility of the applicant to ensure that the development complies with the provision of the Building Code of Australia in the case of building work and the applicable Council Engineering Standards in the case of subdivision works. This may entail alterations to the proposal so that it complies with these standards.

RUBBISH AND DEBRIS (BIN)

- C7. Prior to works commencing a container must be erected on site for the enclosure of all building rubbish and debris, including that which can be wind blown. The enclosure shall be approved by Council and be retained on site at all times prior to the disposal of rubbish at a licenced Waste Management Centre.

Materials and sheds or machinery to be used in association with the construction of the building must not be stored or stacked on Council's footpath, nature strip, reserve or roadway.

NOTE 1: No building rubbish or debris must be placed, or be permitted to be placed on any adjoining public reserve, footway, road or private land.

NOTE 2: Weighbridge certificates, receipts or dockets that clearly identify where waste has been deposited must be retained.

Documentation must include quantities and nature of the waste. This documentation must be provided to Council prior to application for an Occupation Certificate for the development.

NOTE 3: The suitable container for the storage of rubbish must be retained on site until an Occupation Certificate is issued for the development.

GEOTECHNICAL REPORT

- C8. Prior to the issue of a Construction Certificate, a geotechnical study must be submitted with the "Application to Install an On-Site Sewage Management System" to determine the suitability of the site with respect to the on-site disposal of waste water. An On-Site Sewage Management System Application together with the geotechnical report shall be assessed and approved by Council prior to carrying out any works on the site.

This study must be carried out by an appropriately qualified geotechnical Soil Consultant, with associated testing being conducted by a NATA registered laboratory. Matters such as geology, stratigraphy (in particular, soil profile and permeability) must be addressed.

The study must also state whether or not the proposed dwelling and the proposed waste water disposal area are located in a position and are of a design and capacity to ensure that all waste water generated from the activities carried out on site can be disposed of on the site without causing nuisance and/or pollution, both in the short and the long term.

NOTE 1: Alterations/modifications to the premise or replacement of disposal areas and or the On-site Sewage Management Systems require a geotechnical soil report to determine if the current system can manage additional loads and/or if the current disposal areas are adequately sized to effectively treat waste water generated by the activities on the premise.

NOTE 2: As a site investigation will need to be undertaken in order to determine the design of the floor slab and/or footings, it is suggested that the required geo-technical study with respect to on-site disposal of effluent be carried out at the same time. This should minimise investigation time and costs.

NOTE 3: The final location of the dwelling on the land may be determined by the findings and recommendations of the required geo-technical study. The location of the dwelling should therefore not be finalised until the results of the geo-technical study are known.

EROSION AND SEDIMENT CONTROL

- C9. Prior to the commencement of works erosion and sediment control measures are to be established and maintained to prevent silt and sediment escaping the site or producing erosion. This work must be carried out and maintained in accordance with Council's:-

- (a) Development Control Plan 2010 (Section 2.8 and Appendix 2)
- (b) Erosion and Sediment Control Guidelines for Building Sites; and
- (c) Soils and Construction Volume 1, Managing Urban Stormwater

Prior to commencement of works, a plan illustrating these measures shall be submitted to, and approved by, Council.

NOTE: All erosion and sediment control measures must be in place prior to earthworks commencing.

ON SITE SEWAGE SYSTEM 40M AWAY FROM DRAINAGE CHANNELS

- C10. Prior to the issue of a Construction Certificate, it must be demonstrated that the On-Site Sewage Management System and its associated disposal area situated more than 40m away from drainage channels, 100m away from rivers, lakes, water body, etc and 250m away from domestic ground water wells.

SEPTIC TANK

- C11. Prior to release of the Construction Certificate, an application to install an On-Site Sewage Management System must be submitted to and approved by Council. The On-site Sewage Management System tank must be installed on the land and the premises connected thereto, in accordance with the provisions of the Local Government Act 1993 Part 1 Approvals and the Local Government (General) Regulation 2005.

NOTE: A Section 68 approval for sanitary plumbing and drainage works must be obtained in conjunction with the On-site Sewage Management System application.

PLUMBING AND DRAINAGE WORKS (S68)

- C12. A Section 68 Approval must be obtained from Council prior to any sewer or stormwater work being carried out on the site.

The licensed plumber must submit to Council, at least two (2) days prior to the commencement of any plumbing and drainage works on site a "Notice of Works".

NOTE: A copy of the Notice of Works form can be found on Council's website.

PART D DURING CONSTRUCTION

DEMOLITION

- D1. Demolition work must comply with *Australian Standard AS 2601-2001 The demolition of structures* (Standards Australia, 2001). The work plans required by AS 2601-2001 must be accompanied by a written statement from a suitably qualified person that the proposals contained in the work plan comply with the safety requirements of the Standard. The work plans and the statement of compliance must be submitted to the PCA before the commencement of works.
- D2. Within fourteen (14) days of completion of demolition, the following information shall be submitted to Council for assessment and approval:
- (a) an asbestos clearance certificate prepared by a competent person; and
 - (b) a signed statement verifying that demolition work and the recycling of materials was undertaken in accordance with any Waste Management Plan approved with this consent. In reviewing such documentation Council will require the provision of actual weighbridge receipts for the recycling/disposal of all materials.

NOTE 1: Developers are reminded that WorkCover requires that all plant and equipment used in demolition work must comply with the relevant Australian Standards and manufacturer specifications.

NOTE 2: Demolition works involving the removal and disposal of asbestos cement must only be undertaken by contractors who hold a current WorkCover "Demolition Licence" and a current WorkCover "Class 2 (Restricted) Asbestos Licence".

NOTE 3: Competent Person (as defined under Safe Removal of asbestos 2nd Edition [NOHSC: 2002 (2005)]) means a person possessing adequate qualifications, such as suitable training and sufficient knowledge, experience and skill, for the safe performance of the specific work.

NOTE 4: A licence may be required for some of the tasks described in the document entitled Safe Removal of Asbestos 2nd Edition as requiring a competent person.

CONSTRUCTION HOURS

- D3. Construction, including the delivery of materials to and from the site, may only be carried out between the following hours:
- (a) between 7.00 am and 6.00 pm, Mondays to Fridays inclusive; and
 - (b) between 7.00 am and 5.00 pm, Saturdays.
- D4. No work may be carried out on Sundays or public holidays.
- D5. Activities may be undertaken outside of these hours if required:
- (a) by the Police or a public authority for the delivery of vehicles, plant or materials; or
 - (b) in an emergency to avoid the loss of life, damage to property or to prevent environmental harm.
- D6. Notification of such activities must be given to affected residents before undertaking the activities or as soon as is practical afterwards.

DEVELOPMENT APPLICATION RECORD TO BE KEPT ONSITE

- D7. The Builder must at all times maintain, on the job, a legible copy of the plan and specification approved with the Construction Certificate.

EXCAVATION AND BACKFILLING

- D8. All excavation and backfilling associated with the erection/demolition of the building must be properly guarded and protected to prevent them from being dangerous to life or property.

EARTHWORKS

- D9. Any earthworks (including any structural support or other related structure for the purposes of the development):
- (a) must not cause a danger to life or property or damage to any adjoining building or structure on the lot or to any building or structure on any adjoining lot, and
 - (b) must not redirect the flow of any surface or ground water or cause sediment to be transported onto an adjoining property, and
 - (c) retained material must have a gradient of at least 5%, and
 - (d) must be constructed in accordance with the approved plans for such work(s).
 - (e) must be wholly located within the subject site (including footings of any retaining structures)

PART E PRIOR TO OCCUPATION OR COMMENCEMENT OF USE

PROTECTION OF PUBLIC INFRASTRUCTURE

- E1. Unless the Applicant and the applicable authority agree otherwise, the Applicant must:
- (a) repair, or pay the full costs associated with repairing, any public infrastructure that is damaged by carrying out the development; and
 - (b) relocate, or pay the full costs associated with relocating any infrastructure that needs to be relocated as a result of the development.

BUILDING NUMBER

- E2. Prior to issue of an occupation certificate the building number must be displayed in a position clearly visible from the street in letters having a height of not less than 75 mm. The number must be visible against the background on which it is placed.

RETAINING WALLS

- E3. All retaining walls shown on the approved plans shall be completed prior to the issue of a Final Occupation Certificate.

PLUMBING CERTIFICATE

- E4. Prior to the issue of an Occupation Certificate a Water Plumbing Certificate from Riverina Water County Council shall be submitted to Council.

NOTE 1: The applicant is to obtain a Plumbing Permit from Riverina Water County Council before any water supply/plumbing works commence and a Compliance Certificate upon completion of the works. Contact Riverina Water County Council's Plumbing Inspector on 6922 0618. Please be prepared to quote your Construction Certificate number.

OCCUPATION CERTIFICATE

- E5. An Occupation Certificate, must be obtained pursuant to Section 6.9 of the Environmental Planning and Assessment Act 1979, from either Council or an accredited certifying authority, prior to occupation of the building.

In order to obtain this, the "Final Occupation Certificate" form must be completed and submitted to Council with all required attachments – failure to submit the completed Occupation Certificate Application form will result in an inability for Council to book and subsequently undertake Occupation Certificate inspection.

NOTE: The issuing of an Occupation Certificate does not necessarily indicate that all conditions of development consent have been complied with. The applicant is responsible for ensuring that all conditions of development consent are complied with.

FINAL PLUMBING INSPECTION

- E6. A final inspection must be carried out upon completion of plumbing and drainage work and prior to occupation of the development, prior to the issuing of a final plumbing certificate Council must be in possession of Notice of Works, Certificate of Compliance and Works as Executed Diagrams for the works. The works as Executed Diagram must be submitted in electronic format in either AutoCAD or PDF file in accordance with Council requirements.

All plumbing and drainage work must be carried out by a licensed plumber and drainer and to the requirements of the Plumbing and Drainage Act 2011.

NOTE: Additional fees for inspections at the Plumbing Interim Occupancy / Plumbing Occupation stage may apply. This will depend on the number of inspections completed at this stage of the work/s.

- E7. Prior to the issue of an Occupation Certificate a Water Plumbing Certificate from Riverina Water County Council shall be submitted to Council.

NOTE 1: The applicant is to obtain a Plumbing Permit from Riverina Water County Council before any water supply/plumbing works commence and a Compliance Certificate upon completion of the works. Contact Riverina Water County Council's Plumbing Inspector on 6922 0618. Please be prepared to quote your Construction Certificate number.

PART F PRESCRIBED CONDITIONS

Conditions under this schedule are prescribed conditions for the purposes of section 4.17 (11) of the Environmental Planning and assessment Act 1979.

- F1. Fulfilment of BASIX commitments (clause 97A EP&A Reg 2000) The commitments listed in any relevant BASIX Certificate for this development must be fulfilled in accordance with the BASIX Certificate Report, Development Consent and the approved plans and specifications.
- F2. Compliance with Building Code of Australia and insurance requirements under the Home Building Act 1989 (clause 98 EP&A Reg 2000)
- (a) For development that involves any building work, the work must be carried out in accordance with the requirements of the Building Code of Australia.
 - (b) In the case of residential building work for which the Home Building Act 1989 requires there to be a contract of insurance in force in accordance with Part 6 of that Act, such a contract of insurance shall be in force before any building work authorised to be carried out by the consent commences.
 - (c) For a temporary structure that is used as an entertainment venue, the temporary structure must comply with Part B1 and NSW Part H102 of Volume One of the Building Code of Australia.

NOTE 1: This condition does not apply: (a) to the extent to which an exemption is in force under clause 187 or 188 of the Environmental Planning and Assessment Regulation 2000 (the Regulation), subject to the terms of any condition or requirement referred to in clause 187(6) or 188(4) of the Regulation, or (b) to the erection of a temporary building, other than a temporary structure to which part (3) of this condition applies.

NOTE 2: In this condition, a reference to the Building Code of Australia is a reference to that Code as in force on the date the application is made for the relevant:

- (a) development consent, in the case of a temporary structure that is an entertainment venue, or
- (b) construction certificate, in every other case.

NOTE 3: There are no relevant provisions in the Building Code of Australia in respect of temporary structures that are not entertainment venues.

- F3. Erection of signs (clause 98A EP&A Reg 2000) For development that involves any building work, subdivision work or demolition work, a sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:
- (a) showing the name, address and telephone number of the principal certifying authority for the work, and
 - (b) showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and
 - (c) stating that unauthorised entry to the work site is prohibited. Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

NOTE 1: This condition does not apply in relation to building work, subdivision work or demolition work that is carried out inside an existing building that does not affect the external walls of the building.

NOTE 2: This condition does not apply in relation to Crown building work that is certified, in accordance with section 6.28 of the Environmental Planning and Assessment Act 1979, to comply with the technical provisions of the State's building laws.

NOTE 3: Principal certifying authorities and principal contractors must also ensure that signs required by this clause are erected and maintained.

- F4. E.4 Notification of Home Building Act 1989 requirements (clause 98B EP&A Reg 2000) Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the principal certifying authority for the development to which the work relates (not being the council) has given the council written notice of the following information:
- (a) in the case of work for which a principal contractor is required to be appointed:
 - i) the name and licence number of the principal contractor, and
 - ii) the name of the insurer by which the work is insured under Part 6 of that Act,
 - (b) in the case of work to be done by an owner-builder:
 - i) the name of the owner-builder, and
 - ii) if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit. If arrangements for doing the residential building work are changed while the

work is in progress so that the information notified under this condition becomes out of date, further work must not be carried out unless the principal certifying authority for the development to which the work relates (not being the council) has given the council written notice of the updated information.

NOTE: This condition does not apply in relation to Crown building work that is certified, in accordance with section 6.28 of the Environmental Planning and Assessment Act 1979, to comply with the technical provisions of the State's building laws.

- F5. Entertainment venues (clause 98C EP&A Reg 2000) If the development involves the use of a building as an entertainment venue, the development shall comply with the requirements set out in Schedule 3A of the Environmental Planning and Assessment regulation 2000.
- F6. Maximum capacity signage (clause 98D EP&A Reg 2000) For the following uses of a building: a sign must be displayed in a prominent position in the building stating the maximum number of persons permitted in the building if the development consent for the use contains a condition specifying the maximum number of persons permitted in the building:
- (a) entertainment venue,
 - (b) function centre,
 - (c) pub,
 - (d) registered club,
 - (e) restaurant.

NOTE: Words and expressions used in this condition have the same meanings as they have in the Standard Instrument.

- F7. Shoring and adequacy of adjoining property (clause 98E EP&A Reg 2000) If the development involves an excavation that extends below the level of the base of the footings of a building, structure, or work (including any structure or work within a road or rail corridor) on adjoining land, the person having the benefit of the development consent must, at the person's own expense:
- (a) protect and support the building, structure or work from possible damage from the excavation, and
 - (b) where necessary, underpin the building, structure or work to prevent any such damage.
- F8. NOTE: This condition does not apply if the person having the benefit of the development consent owns the adjoining land or the owner of the adjoining land has given consent in writing to that condition not applying.

PART G WRITTEN INCIDENT NOTIFICATION AND REPORTING REQUIREMENTS

A written incident notification addressing the requirements set out below must be notified to the Department via the Major Projects website within seven days after the Applicant becomes aware of an incident. Notification is required to be given under this condition even if the Applicant fails to give the notification required under condition A17 or, having given such notification, subsequently forms the view that an incident has not occurred.

WRITTEN INCIDENT NOTIFICATION REQUIREMENTS

Written notification of an incident must:

- a. identify the development and application number;
- b. provide details of the incident (date, time, location, a brief description of what occurred and why it is classified as an incident);
- c. identify how the incident was detected;
- d. identify when the Applicant became aware of the incident;
- e. identify any actual or potential non-compliance with conditions of consent;
- f. describe what immediate steps were taken in relation to the incident;
- g. identify further action(s) that will be taken in relation to the incident; and
- h. identify a project contact for further communication regarding the incident.

INCIDENT REPORT REQUIREMENTS

Within 30 days of the date on which the incident occurred or as otherwise agreed to by the Planning Secretary, the Applicant must provide the Planning Secretary and any relevant public authorities (as determined by the Planning Secretary) with a detailed report on the incident addressing all requirements below, and such further reports as may be requested.

The Incident Report must include:

- a. a summary of the incident;
- b. outcomes of an incident investigation, including identification of the cause of the incident;
- c. details of the corrective and preventative actions that have been, or will be, implemented to address the incident and prevent recurrence; and
- d. details of any communication with other stakeholders regarding the incident.