

3. ALL WORKS ARE TO BE CARRIED OUT IN ACCORDANCE WITH THE PLANS AND SPECIFICATIONS AND TO THE SATISFACTION OF THE SUPERVISING ENGINEER.
2. ALL RELEVANT AUTHORITIES ARE TO BE NOTIFIED TWO (2) DAYS PRIOR TO THE COMMENCEMENT OF WORKS ON SITE.
3. THE CONTRACTOR MUST ADHERE TO THE CODE OF PRACTICE FOR "SAFETY PRECAUTIONS IN TRENCHING OPERATIONS" UNDER THE "OCCUPATIONAL HEALTH AND SAFETY ACT 2004".
4. ALL DRAINAGE LINES INSTALLED BEHIND KERBS AND UNDER ROADS ARE TO BE BACKFILLED WITH CLASS 3 FINE CRUSHED ROCK AND HAVE A SUBSOIL DRAIN FROM THE GRAVEL CONSTRUCTED INTO EVERY DRAINAGE PIT ON THE DOWNSTREAM END OF EACH DRAINAGE LINE (1.5m LONG).
5. ALL CONCRETE MUST HAVE A MINIMUM COMPRESSIVE STRENGTH OF 25MPa AT 28 DAYS. KERB & CHANNEL CONCRETE MUST HAVE AN EQUIVALENT STRENGTH USING NOT LESS THAN 280Kg OF CEMENT PER m³ CONCRETE.
6. TOPSOIL TO A DEPTH OF APPROXIMATELY 100mm USING THE MATERIAL STOCKPILED FROM STRIPPING, OR APPROVED IMPORTED FILL.
7. ALL LEVELS TO AUSTRALIAN HEIGHT DATUM. DATUM FOR LEVELS
8. CHAINAGES ARE TO PAVEMENT CENTERLINE UNLESS OTHERWISE SHOWN AND LEVELS ARE TO THE LIP OF KERB.
9. CONTRACTOR TO VERIFY T.B.M. LEVELS BEFORE COMMENCING WORK ON SITE.

	Permanent Survey Mark		Sewerage Pit
	Instrument Station		Power Pole
	Top of Bank		Light Pole
	Toe of Bank		Electricity Pit
	Drain		Sign
	Underground drain		Fire Plug
	Edge of Bitumen		Stop Valve
	Centre of Bitumen		Telstra Pit
	Edge of Formation		Telstra Pillar
	Edge of Concrete		Telstra Marker Post
	Fence		Junction Pit
	Kerb & Gutter		Drainage Pit
	Side Entry Pit		Guide Post
	Overhead Electricity		Title Peg
	Underground Electricity		Vegetation
	Water Main		Shrub
	Sewerage Main		Tree
	Comms		
	Gas Main		

[illegible]



DISABLED ACCOMMODATION RAMP & CARPARK
SCALE 1:200

ACCESSIBLE ACCOMMODATION RAMP & CARPARK

SCALE 1:100

ACCESSIBLE ACCOMMODATION RAMP & CARPARK
SCALE 1:100

3.	APPROVAL ISSUE	JM	31JUL24						
2.	UPDATED 1% AEP FLOOD LEVEL	JM	17JUL24						
1.	PRELIMINARY ISSUE	JM	24APR24						
Issue	Amendments	Int	Date	Issue	Amendments	Int	Date		
REVISIONS				REVISIONS					



Designed	JM
Checked	RTR
Drawn	JM
Survey	EDM
Date	20/03/2017
Datum	AHD

EDM Group
PLANNERS SURVEYORS
& ENGINEERS
OFFICES 99 HUME ST
PO Box 317 WODONGA 3689
Ph (02) 6057 8578
Fax (02) 6056 2392

EDM Group ABN 12 532 366 914
www.edmgroup.com.au

MOAMA RIVERSIDE HOLIDAY PARK UPGRADE
ACCESSIBLE CABIN & CAR PARKING
SHAW STREET, MOAMA, NSW, 2731
GENERAL ARRANGEMENT PLAN

Drawing No. 24050 Model		Original Sheet A
Scale 1:200	SHEET 1 OF 1	