New Site Cut & Retaining Walls Lot 855 DP1287614 1 Airlie Close Red Head NSW 2430 For Naomi Pitfield

Layout Index

DA-00	Cover Sheet
DA-01	Site Plan
DA-02	Elevations 1
DA-03	Elevations 2
DA-04	Section A



Drawing Title:	Print Date:
Cover Sheet	3/06/2024 4:49 PM
	Rev: DR1
	Drawing No:
	DR-00

## **GENERAL NOTES**

1. DO NOT SCALE OF PLAN, FIGURED DIMENSIONS TAKE PREFERENCE 2. ALL DIMENSIONS AND LEVELS TO BE CHECKED ON PLAN BEFORE WORK IS COMMENCED.

ALL SITE CONTOURS AND FINISHED LEVELS TO BE VERIFIED BY BUILDER ON SITE

ALL CUT & FILL BATTERS WHERE NOT RETAINED TO BE OF NO GREATER GRADIENT WHERE PRACTICAL OF 1:4 BATTERED EMBANKMENT.

BOUNDARY DIMENSIONS BORDERING ON MINIMUM LOCAL AUTHORITY SETBACKS TO BE VERIFIED BY SURVEYOR AT INITIAL SETOUT STAGE.

WHERE RETAINING IS REQUIRED ANY WALLS EXCEEDING 1.0M IN HEIGHT ARE TO BE DESIGNED BY A CERTIFIED ENGINEER.

STORMWATER GRATES ARE TO BE PLACED ON SITE SO AS TO ALLOW ANY EXCESS SURFACE WATER TO CUT AREAS ON SITE TO ESCAPE TO STREET SYSTEM.


NOTE :SITE EXCAVATION SHALL BE SUCH THAT A 900mm MIN WIDE BY 1:20 GRADE EXISTS AROUND PERIMETER OF BUILDING

## SEDIMENT CONTROLS

- 1. ALL EROSION & SEDIMENT CONTROL MEASURES .INCLUDING REVEGETATION & STORAGE OF SOIL & TOPSOIL , SHALL BE IMPLEMENTED TO THE STANDARDS OF THE SOIL CONSERVATION OF NSW
- 2. ALL DRAINAGE WORKS SHALL BE CONSTRUCTED & STABILIZED AS EARLY AS POSSIBLE DURING DEVELOPMENT.
- 3. SEDIMENT TRAPS SHALL BE CONSTRUCTED AROUND ALL INLET PITS
- CONSISTING OF 300 WIDE X 300mm DEEP TRENCH. 4. ALL SEDIMENT BASINS & TRAPS SHALL BE CLEARED WHEN THE STRUCTURES ARE A MAX OF 60 % FULL OF SOIL MATERIALS INCLUDING THE MAINTENANCE PERIOD.
- 5. ALL DESTURBED AREAS SHALL BE REVEGITATED AS SOON AS THE RELEVANT WORKS ARE COMPLETED.
- 6. SOIL & TOPSOIL STOCK PILES SHALL BE LOCATED AWAY FROM DRAINAGE LINES & AREAS WHERE WATER MAY CONCENTRATE.
- 7. FILTER FENCE SHALL BE CONSTRUCTED BY STRETCHING A FILTER FABRIC BETWEEN POSTS 3m CENTERS & BURIED A MIN OF 150mm DEEP ALONG ITS LOWER EDGE.


PROPOSED **RETAINING WALL** 13,000 35.245 39 40 ידורודורודרוז היוחו אוריו איריו א Battered Fill Battered Cut 6,000 FILL CUTLINE mmmm CUT 40.306 Battered Fill LOT 855 RETAINING WALL Ramp Cut **DP1287614** CUTLINE 23.385 FILL 720m<sup>2</sup> CUT 41.678 43 22,400 16,600 ~315 PROPOSED RETAINING WALLS .-17.265







taining Walls	Drawing Title: Site & Roof Plan	Print Date: 3/06/2024 4:49 PM	
14		Scale: 1:200 @ A3	Rev: DR1
2430		Drawing No: DR-01	




North Western Elevation



Natural Ground Level 40.684


aining Walls 4 2430	Drawing Title: Elevations	Print Date: 3/06/2024	4:49 PM
		Scale: 1:100 @ A3	Rev: DR1
		Drawing No:	R-02



North Eastern Elevation



taining Walls I4	Drawing Title: Elevations	Print Date: 3/06/2024 4:49 PM	
		Scale: 1:100 @ A3	Rev: DR1
2430		Drawing No:	-03





Project: New Site Cut & Reta Lot 855 DP1287614 1 Airlie Close Red Head NSW 24 For Naomi Pitfield

## \_Natural Ground Level 40.684



aining Walls	Drawing Title: Sections A	Print Date: 3/06/2024	4:49 PM
4		Scale: 1:100 @ A3	Rev: DR1
2430		Drawing No:	R-04