New Site Cut & Retaining Walls Lot 855 DP1287614 1 Airlie Close Red Head NSW 2430 For Naomi Pitfield

Layout Index

DA-00	Cover Sheet
DA-01	Site Plan
DA-02	Elevations i
DA-03	Elevations 2
DA-04	Section A



DA Documentation 9/09/2024

Drawing Title:	Print Date:
Cover Sheet	9/09/2024 8:14 PM
	Rev: DR1
	Drawing No: DR-00

GENERAL NOTES

1. DO NOT SCALE OF PLAN, FIGURED DIMENSIONS TAKE PREFERENCE 2. ALL DIMENSIONS AND LEVELS TO BE CHECKED ON PLAN BEFORE WORK IS COMMENCED. ALL SITE CONTOURS AND FINISHED LEVELS TO BE VERIFIED BY BUILDER ON SITE

ALL CUT & FILL BATTERS WHERE NOT RETAINED TO BE OF NO GREATER GRADIENT WHERE PRACTICAL OF 1:4 BATTERED EMBANKMENT.

BOUNDARY DIMENSIONS BORDERING ON MINIMUM LOCAL AUTHORITY SETBACKS TO BE VERIFIED BY SURVEYOR AT INITIAL SETOUT STAGE.

WHERE RETAINING IS REQUIRED ANY WALLS EXCEEDING 1.0M IN HEIGHT ARE TO BE DESIGNED BY A CERTIFIED ENGINEER.

STORMWATER GRATES ARE TO BE PLACED ON SITE SO AS TO ALLOW ANY EXCESS SURFACE WATER TO CUT AREAS ON SITE TO ESCAPE TO STREET SYSTEM.

23.385

NOTE :SITE EXCAVATION SHALL BE SUCH THAT A 900mm MIN WIDE BY 1:20 GRADE EXISTS AROUND PERIMETER OF BUILDING.

SEDIMENT CONTROLS

- 1. ALL EROSION & SEDIMENT CONTROL MEASURES .INCLUDING REVEGETATION & STORAGE OF SOIL &TOPSOIL ,SHALL BE IMPLEMENTED TO THE STANDARDS OF THE SOIL CONSERVATION OF NSW
- 2. ALL DRAINAGE WORKS SHALL BE CONSTRUCTED & STABILIZED AS EARLY AS POSSIBLE DURING DEVELOPMENT.
- 3. SEDIMENT TRAPS SHALL BE CONSTRUCTED AROUND ALL INLET PITS CONSISTING OF 300 WIDE X 300mm DEEP TRENCH.
- CONSISTING OF 300 WIDE X 300mm DEEP TRENCH. 4. ALL SEDIMENT BASINS & TRAPS SHALL BE CLEARED WHEN THE STRUCTURES ARE A MAX OF 60 % FULL OF SOIL MATERIALS INCLUDING THE MAINTENANCE PERIOD
- 5. ALL DESTURBED AREAS SHALL BE REVEGITATED AS SOON AS THE RELEVANT WORKS ARE COMPLETED.
- 6. SOIL & TOPSOIL STOCK PILES SHALL BE LOCATED AWAY FROM DRAINAGE LINES & AREAS WHERE WATER MAY CONCENTRATE.
- 7. FILTER FENCE SHALL BE CONSTRUCTED BY STRETCHING A FILTER FABRIC BETWEEN POSTS 3m CENTERS & BURIED A MIN OF 150mm DEEP ALONG ITS LOWER EDGE.

PROPOSED

RETAINING WALL 13,000 35.245 40 ,100 100 minim \$11111 1400 Battered Fill 7160 Rattored Cut 6,000 FILL 3430 CUTLINE mmm CUT 40.306 Battered Fill RETAINING WALL Cut CUTLINE FILL Ramp (CUT 41.678 43 22,400 16,600 6780 Aprox 1211111 PROPOSED 1270 RETAINING WALLS .-----Aprox

17.265





LOT 855 DP1287614 720m²






New Site Cut & Ret Lot 855 DP128761 1 Airlie Close Red Head NSW 2 For Naomi Pitfield





taining Walls	Drawing Title: Site & Roof Plan	Print Date: 9/09/2024 8:15 PM	
14		Scale: 1:200 @ A3	Rev: DR1
2430		Drawing No: DR-01	




North Western Elevation



Natural Ground Level 40.684


aining Walls 4 2430	Drawing Title: Elevations	Print Date: 9/09/2024 8:15 PM	
		Scale: 1:100 @ A3	Rev: DR1
		Drawing No:	R-02



North Eastern Elevation



taining Walls I4	Drawing Title: Elevations	Print Date: 9/09/2024 8:15 PM	3:15 PM
		Scale: 1:100 @ A3	Rev: DR1
2430		Drawing No:	-03





Project: New Site Cut & Reta Lot 855 DP1287614 1 Airlie Close Red Head NSW 24 For Naomi Pitfield

_Natural Ground Level 40.684

/	7		7	C
/	2	<		
<	. 7	<		
`		5	>	
\rangle	λ	',	/	
	/	',	/	
			<	
2	<	5	2	

aining Walls 4 2430	Drawing Title: Sections A	Print Date: 9/09/2024	
		Scale: 1:100 @ A3	Rev: DR1
		Drawing No: D	R-04