SECTION 4.55 (1A) MODIFICATION TO DA NO. 10626 35 WHEATLEY ROAD, PERISHER VALLEY NSW 2624

ALTERATIONS AND ADDITIONS TO EXISTING TOURIST ACCOMODATION BUILDING. MODIFICATION ENTAILS ADDITIONAL REMEDIATION WORKS TO THE NORTH-WEST FACADE.

FOR PERISHER HUETTE LIMITED.





Revision:Revision Description:AISSUE FOR \$4.55

Date:

31/10/24

Notes: Do not scale from this drawing, contractor to check all dimensions on site prior to work commencing. Any discrepancies to be reported to designer. Subcontractors to verify all dimensions on site before making shop drawings or commencing manufacture


FOR SECTION 4.55



Scale: NTS

Project:	Alterations & Addition
Address:	35 Wheatley Road, F NSW 2624
Client:	Perisher Huette Limit

ns	Title:	COVER PAGE
Perisher Valley	Drawing No:	DA0-01
ted	Issue:	Α
	Date:	31/10/24



ns	Title:	LOCALITY PLAN
Perisher Valley	Drawing No:	DA0-02
ited	Issue:	Α
	Date:	31/10/24

DRAWING LIST

SUBSET	ID	DRAWING TITLE	SCALE	- DO NOT SCALE OFF DRAWINGS. - CONFIRM ALL DIMENSIONS ON SITE AT SETOUT AND PRIOR TO ORDERING MATERIA
DA0 PROJECT IN	FO			OR PREPARING SHOP DRAWINGS
	DA0-01	COVER PAGE	NTS	- FIGURED DIMENSIONS TO TAKE PRECEDENCE. - REFER ALL DISCREPANCIES TO ARCHITECT IMMEDIATELY.
	DA0-02	LOCALITY PLAN	1:200	- DRAWINGS AT A LARGER SCALE ARE TO TAKE PRECEDENCE OVER DRAWINGS AT A
	DA0-03	PROJECT NOTES	NTS	SCALE. - DRAWINGS ARE TO BE READ IN CONJUNCTION WITH ENGINEERING DRAWINGS. DO PROCEED WHERE DISCREPANCIES EXIST BETWEEN ENGINEERING AND ARCHITECTU
1 PLANS				DRAWINGS.
	DA1-01	BASEMENT PLAN	1:100	- ALL LEVELS IN ACCORDANCE WITH AHD. - ALL WORK TO BE IN ACCORDANCE WITH DEVELOPMENT APPROVAL, CC AND ANY
	DA1-02	GROUND FLOOR PLAN	1:100	SUBSEQUENT AMENDMENTS.
	DA1-03	FIRST FLOOR PLAN	1:100	- A COPY OF APPROVALS IS TO BE KEPT ON SITE DURING CONSTRUCTION - ALL BUILDING WORK IN ACCORDANCE WITH NCC 2019, COUNCIL CODES AND ALL RE
2 ELEVATIONS	;			AUSTRALIAN STANDARDS - INCLUDING, BUT NOT LIMITED TO : - AS 1288 - GLASS INSTALLATIONS
	DA2-01	NORTH ELEVATION	1:100	- AS 1428 - DESIGN FOR ACCESS AND MOBILITY
		SOUTH ELEVATION	1:100	- AS 1684 - LIGHT TIMBER FRAMING CODE - AS 1742 - MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES
		EAST & WEST ELEVATION	1:100	- AS 2870 - RESIDENTIAL SLABS AND FOOTINGS
			1.100	- AS2601 - DEMOLITION OF STRUCTURES - AS/NZS 2890 - OFF STREET CAR PARKING
A3 SUPPORTIN				- AS/NZS 3000 - WIRING RULES - AS/NZS 3500 - PLUMBING AND DRAINAGE
	DA3-01	SITE ENVIRONMENTAL MANAGEMENT PLAN	1:200	- AS 3610 - FORMWORK FOR CONCRETE
	DA3-02	MATERIALS AND FINISHES	NTS	- AS 3660 - TERMITE MANAGEMENT - AS 3700 - MASONRY STRUCTURES
	DA3-03	NOTIFICATION PLANS	1:200	- AS 3740 - WATERPROOFING OF WET AREAS
				- AS 4858 - WET AREA MEMBRANES - AS 4859 - THERMAL INSULATION
				- AS 3786 - SMOKE ALARMS
				- AS 4100 - STEEL STRUCTURES
				- AS 4361 - GUIDE TO LEAD PAINT MANAGEMENT - AS 4282 - CONTROL OF THE OBTRUSIVE EFFECTS OF OUTDOOR LIGHTING
				- AS 4970 - PROTECTION OF TREES ON DEVELOPMENT SITES
				- AS/NZS ISO 717 - ACOUSTICS - RATING OF SOUND INSULATION IN BUILDINGS AND O
				BUILDING ELEMENTS - AS 1657 - FIXED PLATFORMS, WALKWAYS, STAIRWAYS AND LA - AS 1735 - LIFT. ESCALATORS AND MOVING WALKWAYS
				- AS 1735 - LIFT, ESCALATORS AND MOVING WALKWAYS - AS 1905 - COMPONENTS FOR THE PROTECTION OF OPENINGS IN FIRE-RESISTANT V
				- AS 2311 - GUIDE TO PAINTING OF BUILDINGS
				- AS 2312 - GUIDE TO THE PROTECTION OF STRUCTURAL STEEL
				- AS 2589 - GYPSUM LININGS - AS 2904 - DAMP-PROOF COARSES AND FLASHINGS
				- AS 3500 - PLUMBING AND DRAINAGE - STORMWATER
				- AS 3958 - CERAMIC TILES
				- AS 4072 - COMPONENTS FOR THE PROTECTION OF OPENINGS IN FIRE-RESISTENT SEPARATING ELEMENTS
				- AS 4200 - PLIABLE BUILDING MEMBRANES
				- AS 5604 - TIMBER DURABILTY RAITING
				- NASH-1 - STANDARD RESIDENTIAL AND LOW-RISE STEEL FRAMING - DESIGN CRITEF - NASH-2 - STANDARD RESIDENTIAL AND LOW-RISE STEEL FRAMING - DESIGN SOLUT
				- ENSURE ALL TIMBER TO BE FREE OF SAPWOOD. ALL EXTERIOR TIMBER TO BE H3 T AS A MINIMUM.
				- ENSURE ALL EXTERIOR FIXINGS TO BE STAINLESS STEEL 316 GRADE OR AS NOTED
				OTHERWISE. - ENSURE ALL EXTERIOR METALS TO BE STAINLESS STEEL 316 GRADE OR AS NOTED OTHERWISE
				OTHERWISE. - ALL ELECTRICAL WIRING AND EQUIPMENT IS TO BE LOCATED 1M ABOVE GROUND F
				LEVEL OR UNLESS NOTED OTHERWISE.
				- ALL EXPOSED ELECTRICALS TO RUN IN STAINLESS STEEL CONDUIT UNLESS NOTED OTHERWISE ON DRAWINGS.
				1

Revision: Revision Description: Date: Project: Alterations & Addition 31/10/24 **ISSUE FOR S4.55** Do not scale from this drawing, contractor to check all dimensions on site prior to work commencing. Any discrepancies to be reported to designer. Subcontractors to verify all dimensions on site before making shop drawings or FOR SECTION 4.55 Address: 35 Wheatley Road, P 12 9261 3062 12 9261 3062 12 9261 3175 NSW 2624 NOT FOR CONSTRUCTION commencing manufacture ARCHITECTURE FOR LIFE WWW.designking.c Scale: NTS Client: Perisher Huette Limit


PROJECT NOTES


RIALS AND/ A SMALLER NO NOT CTURAL	- THE BUSHFIRE CONSIDERATIONS SERVICE SHOULD NOT CHANGE. - THE EXISTING BUILDING CANNOT REQUIREMENTS. THE APPLICANT WILL BE GUIDED BY DEVELOPMENT REFERRALS TO RUI MANAGED GIVEN THE EXISTING CO - ASSET PROTECTION ZONE (APZ) F PLAN TO BE MAINTAINED IN ACCOR AUTHORITY.
	THERMAL COMFC
RELEVANT	- ALL WORKS SHALL COMPLY WITH - IF REQUIRED, DETAILS INDICATING BE SUBMITTED THE CERTIFIER PRIC CERTIFICATE.
	TYPICAL RE-CLAD
	· · · · · · · · · · · · · · · · · · ·
	I LATER OF
	FIERCUERU
	EXIGNNA UNINA Nepiklep As
OF	KEAVINED FOR =
ADDERS	appin ·
T WALLS	
	NEW
	BULK INSWCATUN!
	RV5.
т	EXIGNMA MADD!
	WOOD AND PINE FRAME
	MERINE TO
ERIA JTIONS	ENVILVEROS
TREATED	NOTIVE LINE LINE
	AND THED
ED	DOWN BS CERVICED AUDIN
ED	TO ENL' & DEDAIL
FLOOR	
ED	

BUSHFIRE NOTES

AS ASSESSED UNDER DA NO 10626 BY THE RURAL FIRE BE FULLY UPGRADED TO MEET CURRENT BUSHFIRE BY THE DEPARTMENT OF PLANNING AND INTEGRATED JRAL FIRE SERVICE AND WITH RESPECT TO HOW THIS IS ONDITION AND THE BUILDINGS HISTORIC VALUE. PLAN AND VEGETATION MANAGEMENT RDANCE WITH THE TERMS OF THE BUSHFIRE SAFETY **ORT NOTES** SECTION J NCC 2019. G COMPLIANCE WITH THESE REQUIREMENTS CAN IOR TO THE ISSUE OF A CONSTRUCTION DDING DETAIL ENGERM 465 CLADDING FIXED WITH MOVEMENT. SCOTS. ADCELL SIGLATIONI FOLGACKED EEMOVE EX. BULLDONG PAPE EXPHX410N. REMOVE XX16DNG ROTTEN PM BRACING MATERIAL. normove EXIGANG TIMBER CLADANG + loven BATTEN 5 NEW KFAO. BROXCING MATERIAN GLOBIN FIXED TO ENGLY DETDIL RENOMMENDADAN OF MANY FOOTUNED


ons	Title:	PROJECT NOTES
Doriobor Vallov		
Perisher Valley	Drawing No:	DA0-03
ited	Issue:	Α
100	Date:	31/10/24





	KEY:	
	EXISTING (NOT IN SCOPE)	
	ADDITIONAL REMEDIAL WORKS PROPOSED IN THIS MOD.	
Title:	BASEMENT PLAN	


015	l itle:	BASEMENT PLAN
Perisher Valley	Drawing No:	DA1-01
ited	Issue:	Α
	Date:	31/10/24





KEY:
EXISTING (NOT IN SCOPE)
ADDITIONAL REMEDIAL WORKS PROPOSED IN THIS MOD.

ons	Title:	GROUND FLOOR PLAN
Perisher Valley		
r ensiter valley	Drawing No:	DA1-02
nited	Issue:	Α
intou	Date:	31/10/24



(**BEDROOM 6** 16 BEDROOM 7 13 12 -8 (WF67 (ex.)) 6


Issue:

Date:

Α


31/10/24

		KEY:	
		EXISTING (NOT IN SCOPE)	
		ADDITIONAL REMEDIAL WORKS PROPOSED IN THIS MOD.	
	Title:	FIRST FLOOR PLAN	
У	Drawing No:	DA1-03	




<u>КЕҮ:</u>
EXISTING (NOT IN SCOPE)
ADDITIONAL REMEDIAL WORKS PROPOSED IN THIS MOD.
RE-CLADDING WORKS PROPOSED IN DA10626


ons	Title:	NORTH ELEVATION
Perisher Valley	Drawing No:	DA2-01
nited	Issue:	Α
	Date:	31/10/24



ons	Title:	SOUTH ELEVATION
Doriohor Vallov		
Perisher Valley	Drawing No:	DA2-02
nited	Issue:	A
	Date:	31/10/24



3	Title:	EAST & WEST ELEVATION
erisher Valley	Drawing No:	DA2-03
d	Issue:	Α
	Date:	31/10/24



ns Perisher Valley	Title:	SITE ENVIRONMENTAL MANAGEMENT PLAN
	Drawing No:	DA3-01
ted	Issue:	Α
	Date:	31/10/24

RECLAD TO MATCH EXISTING

LYSAGHT ENSEAM IN COLORBOND MONUMENT.

/	\frown
(2
	2

1

REPLACE EXISTING ALUMINIUM-FRAMED WINDOWS

WITH VIEWCO THERMALLY BROKEN ALUMINIUM-FRAMED WINDOWS. PEARL WHITE FRAME



Revision:Revision Description:AISSUE FOR \$4.55

Notes: Do not scale from this drawing, contractor to check all dimensions on site prior to work commencing. Any discrepancies to be reported to designer. Subcontractors to verify all dimensions on site before making shop drawings or commencing manufacture

FOR SECTION 4.55




Scale: @ A3

 Project:
 Alterations & Additions

 Address:
 35 Wheatley Road, Per NSW 2624

 Client:
 Perisher Huette Limite

Perisher Valley	The.	
	Drawing No:	DA3-02
ted	Issue:	A
	Date:	31/10/24



<u>KEY:</u>	
EXISTING (NOT IN SCOPE)	
ADDITIONAL REMEDIAL WORKS PROPOSED IN THIS MOD.	
RE-CLADDING WORKS PROPOSED IN DA10626	

ons	Title:	NOTIFICATION PLANS
Perisher Valley		
rensher valley	Drawing No:	DA3-03
nited	Issue:	A
	Date:	31/10/24