

Development Consent

Section 4.16 of the *Environmental Planning & Assessment Act 1979*

As delegate of the Minister for Planning, under delegation executed on 9 March 2022, I approved the Development Application referred to in Schedule 1, subject to the conditions in Schedule 2.

These conditions are required to:

- prevent, minimise, or offset adverse environmental impacts;
- set standards and performance measures for acceptable environmental performance;
- require regular monitoring and reporting; and
- provide for the ongoing environmental management of the development.



Erin Murphy
Team Leader
Alpine Resorts Team
Department of Planning, Housing and Infrastructure

Jindabyne

26 August 2025

SCHEDULE 1

Application No.:	DA No 24/19221
Applicant:	Kosciuszko Thredbo Pty Ltd
Consent Authority:	Minister for Planning
Land:	Crackenback Ridge Water Supply, Thredbo Alpine Resort, Kosciuszko National Park (Lot 876 DP 1243112)
Type of Development:	Nominated Integrated Development
Integrated Bodies:	DCCEEW – Water Group
Approved Development:	Construction and operation of a new 150 kilolitre water supply storage tank and ancillary works, as outlined in Condition A.2.

DEFINITIONS

Act	means the <i>Environmental Planning and Assessment Act, 1979</i> (as amended).
Applicant	means Kosciuszko Thredbo Pty Ltd, or any person carrying out any development to which this consent applies.
Approval Body	has the same meaning as within Division 4.8 of Part 4 of the Act.
BCA	means the edition of the Building Code of Australia in force at the time of lodgement of an application for a Construction Certificate.
Certifier	has the same meaning as in Part 6 of the Act.
DA 24/19221	means the development application lodged by the Applicant on 14 January 2025
Department	means the Department of Planning, Housing and Infrastructure, or its successors.
Development	means the development approved pursuant to this consent, as defined in Condition A.2 and as modified by the conditions of this consent.
Director	means the Director of Regional Assessments or a delegate of the Director of within the Department.
EEC	means endangered ecological communities, as listed for the purposes of the <i>Biodiversity Conservation Act 2016</i> .
Environmental Officer	means the person appointed by the Applicant in accordance with Condition C.3.
EP&A Regulation	means the <i>Environmental Planning and Assessment Regulation, 2021</i> (as amended).
Geotechnical Policy	means the Department's Geotechnical Policy – Kosciuszko Alpine Resorts a copy of which is available at: Geotechnical Policy – Kosciuszko Alpine Resorts
Minister	means the Minister for Planning, or nominee.
NPWS	means the National Parks and Wildlife Service, or its successors.
Non-compliance	means an occurrence, set of circumstances or development that is a breach of this consent.
Park	means the Kosciuszko National Park reserved under the <i>National Parks and Wildlife Act 1974</i> .
Precincts - Regional SEPP	means the <i>State Environmental Planning Policy (Precincts – Regional) 2021</i> (as amended), that includes Chapter 4 – Kosciuszko National Park and Alpine Resorts.
Principal Certifier	means the principal certifier and has the same meaning as Part 6 of the Act.
Rehabilitation Guide	means the NPWS document entitled: <i>Rehabilitation Guidelines for the Resorts Areas of Kosciuszko National Park</i> (2007) a copy of which is available at: Rehabilitation guidelines for the resort areas of Kosciuszko National Park NSW Environment and Heritage
Secretary	means the Secretary of the Department, or nominee/delegate.
Secretary's approval, agreement or satisfaction	means a written approval from the Secretary or nominee/delegate.
Site Environmental Management Plan (SEMP)	means a site environmental management plan for the Subject site, prepared by the Applicant as part of Condition A.2.
Stockpile Guide	means the NPWS document entitled: ' <i>Soil Stockpile Guidelines for the Resort Areas of Kosciuszko National Park, October 2017</i> ', a copy of which can be obtained from the NPWS Resorts Environmental Services Team.
Subject site	means that area of the Thredbo Alpine Resort within the Park described in the documentation listed in Condition A.2 (specifically the Statement of Environmental Effects at Reference 1) showing the location of the

installation of the water and sewer infrastructure and the construction corridor within Thredbo Alpine Village.

Team Leader

means a Team Leader within the Alpine Resorts Team within the Regional Assessments division (or its successors) or a delegate of the Team Leader of the Alpine Resorts Team within the Department.

SCHEDULE 2

PART A – ADMINISTRATIVE CONDITIONS

A.1. Obligation to minimise harm to environment

In addition to meeting the specific performance measures and criteria established in this consent, all reasonable and feasible measures to prevent, and if prevention is not reasonable and feasible, minimise, any material harm to the environment that may result from the construction and operation of the Development.

A.2. Development in accordance with approved documentation and plans

The Development must be in accordance with the:

- (a) Development Application No. 24/19221 and supporting documentation lodged by the Applicant on 14 January 2025;
- (b) conditions of this consent; and
- (c) approved documents in the table below (except where modified by conditions of this consent):

Ref No.	Document	Title/Description	Author/Prepared by	Dated / Received	Document Reference
1	Statement of Environmental Effects (SEE)	Crackenback Ridge Water Supply Storage Upgrade Thredbo Alpine Resort Kosciuszko National Park, NSW	Kosciuszko Thredbo Pty Ltd	12 December 2024	S4007ES Rev. 0
2	Site Environmental Management Plan (SEMP)	Crackenback Ridge Water Supply Storage Upgrade Thredbo Alpine Resort Kosciuszko National Park, NSW	Kosciuszko Thredbo Pty Ltd	12 December 2024	S4007ES Rev. 0
3	Report	Geotechnical Assessment for Crackenback Ridge Water Supply Upgrade Thredbo NSW	Asset Geotechnical Engineering Pty Ltd	20 December 2024	7480-2-R1 Rev. 1
4	Form 4	Geotechnical Policy – Kosciuszko Alpine Resorts Form 4 – Minimal Impact Certification	Asset Geotechnical Engineering Pty Ltd	20 December 2024	-

5	Report	Ecological Assessment Additional Water Tank – Crackenback Ridge Water Supply Upgrade – Thredbo	Ecological Australia Pty Ltd	09 December 2024	8566
6	Report	Aboriginal Cultural Heritage Due Diligence Assessment Crackenback Ridge Water Supply Upgrade	Past Traces Pty Ltd	18 November 2024	Version 10
7	General Terms of Approval (GTA)	IDAS-2025-10067 – Integrated Development Referral – General Terms of Approval	Department of Planning and Environment – Water	11 February 2025	IDAS-2025-10067
8	Plan	Site Plan Project: GIS2415 Crackenback Ridge Water Supply Upgrade	Kosciuszko Thredbo Pty Ltd	27 November 2024	Rev. A
9	Plan	Crackenback Ridge Tank Site Proposed Water Storage Tank – Cover Sheet	Gordon Gibson Nominees Civil Engineers & Project Managers	December 2024	3251 Rev. 3
10	Plan	Crackenback Ridge Tank Site Proposed Water Storage Tank – Layout Plan	Gordon Gibson Nominees Civil Engineers & Project Managers	December 2024	3252 Rev. 3
11	Plan	Crackenback Ridge Tank Site Proposed Water Storage Tank – Stage 2 Tank 2 – Layout Plan	Gordon Gibson Nominees Civil Engineers & Project Managers	December 2024	3253 Rev. 3
12	Plan	Trench Cross Section	Kosciuszko Thredbo Pty Ltd	02 December 2024	Rev. 0

Note: In accordance with section 24(3)(a) of the EP&A Regulation, a Development Application is lodged on the day on which the fees payable for the Development Application under the EP&A Regulation are paid, including the integrated development fees.

A.3. Inconsistency between documents

The conditions of this consent prevail to the extent of any inconsistency, ambiguity or conflict between them and a document listed in Condition A.2. In the event of an inconsistency, ambiguity or conflict between any of the documents listed in Condition A.2, the most recent document prevails to the extent of the inconsistency, ambiguity or conflict.

A.4. Lapsing of consent

This consent lapses five years after the date of consent unless work for the purposes of the Development is physically commenced.

A.5. Prescribed conditions

In undertaking the Development, the Applicant must comply with all relevant prescribed conditions of development consent under Part 4, Division 2 of the EP&A Regulation.

A.6. Australian standards

All works which are part of the Development must be carried out in accordance with relevant current Australian Standards.

A.7. Legal notices

Any advice or notice to the consent authority must be served on the Secretary.

A.8. Non-Compliance Notification

The Department must be notified in writing to compliance@planning.nsw.gov.au and alpineresorts@planning.nsw.gov.au within seven days after the Applicant becomes aware of any Non-compliance.

The notification must identify the Development and the application number for it, set out the condition of consent that the Development is Non-compliant with, the way in which it does not comply and the reasons for the Non-compliance (if known), and what actions have been, or will be, undertaken to address the Non-compliance.

A Non-compliance which has been notified as an incident does not need to also be notified as a Non-compliance.

PART B – PRIOR TO THE ISSUE OF A CONSTRUCTION CERTIFICATE

B.1. Construction certificate

Work must not commence until a relevant construction certificate has been issued. Prior to the issue of the construction certificate, the Certifier must be satisfied that the documentation for the construction certificate demonstrates compliance with the conditions in Part B of this consent.

If the Department is not appointed as the Certifier, the Applicant must provide a copy of the construction certificate to the Department within 2 days of it being issued by the Certifier.

B.2. Documentation for the construction certificate

The proposed works must comply with the applicable performance requirements of the National Construction Code (BCA and Plumbing Code) to achieve and maintain acceptable standards of structural sufficiency, safety (including fire safety), health and amenity for the ongoing benefit of the community. Compliance with the performance requirements can only be achieved by:

- (a) complying with the deemed to satisfy provisions; or
- (b) formulating a performance solution that:
 - (i) complies with the performance requirements; or
 - (ii) is shown to be at least equivalent to the deemed to satisfy provision; or
 - (iii) a combination of (i) and (ii).

B.3. Documentation for bushfire protection

Prior to the issue of the construction certificate, documentation must be provided to the certifier detailing how the proposed works achieve *Planning for Bushfire Protection 2019* requirements including:

- (a) above ground tanks being manufactured by concrete or metal.
- (b) all external exposed water pipes being installed that are metal.
- (c) compliance with AS 3959–2018.

B.4. Documentation for rooftop tank access

Prior to the issue of the construction certificate documentation must be provided to the certifier detailing, where personnel are required to access the water tank roof for maintenance purposes, access details, such as a fixed ladder, in accordance with AS 1657 – 2018.

B.4. Civil drawings and design statement

Prior to the issue of the relevant construction certificate, the Applicant must:

- (a) submit civil drawings, hydraulics plan and a design statement, prepared and signed by an appropriately qualified practising Civil Engineer, to the Certifier; and
- (b) include confirmation of the incorporation of the recommendations in the Geotechnical Assessment Report prepared by Asset Geotechnical Engineering Pty Ltd (Condition A.2) into the design of the development utilised for the construction certificate
- (c) demonstrate within the design statement referred to in paragraph (a) that the earthworks and trenching required to install the water infrastructure will be situated outside structures and footings zone of influence of any existing onsite structures. Alternatively, details must be included from the engineer for any works proposed to be carried out within any zone of influence

B.5. Specifications

Prior to the issue of the relevant construction certificate, the Applicant must provide to the Certifier specifications for the development:

- (a) That describe the construction and materials of which the buildings, services and infrastructure are to be built; and
- (b) That state whether the materials to be used are new or second-hand and (in the case of second-hand materials) give particulars of the materials to be used.

B.6. Hydraulic engineer confirmation

Prior to issue of the construction certificate, provide certification from a qualified and practicing Hydraulic Engineer that the works will not result in a permanent reduction in fire protection and are in accordance with Section 78(4)(b) and (c) of the *Environmental Planning and Assessment (Development Certification and Fire Safety) Regulation 2021*.

B.7. Structural Engineering Certification

Prior to the issue of the construction certificate, provide certification from a qualified and practicing Structural Engineer to confirm that the structure is adequate to support and resist wind and snow loads and grounding if the tank is required to be locked into the ground.

PART C – PRIOR TO THE COMMENCEMENT OF WORKS

C.1. Controlled activity approval under the Water Management Act 2000

Prior to the commencement of works for any part of the Development requiring a controlled activity approval under the *Water Management Act 2000*, a copy of the controlled activity approval shall be submitted to the Secretary or nominee.

C.2. Notification of commencement

- (a) The Applicant must notify the Department in writing, at least 48 hours prior, of the date of commencement of physical work for the Development.
- (b) If the construction of the Development is to be staged, the Applicant must notify the Department in writing at least 48 hours prior to each construction stage, of the commencement date and extent of works to be carried out for the Development in that stage.

C.3. Environmental Officer

- (a) Prior to the commencement of any works which are part of the Development, an appropriately qualified Environmental Officer must be appointed, and the Secretary or nominee must be notified of the identity and contact details of this person. The Environmental Officer is to have experience with management of construction within, and rehabilitation of, sensitive environments.
- (b) In the event that the Environmental Officer needs replacing, the replacement is to be similarly qualified and the Secretary must be notified of the replacement (including of the replacement person's identity and contact details).

C.4. “No Go” areas

Prior to any works which are part of the Development commencing:

- (a) Measures are to be in place to ensure that vehicles and machinery do not enter into areas of native vegetation or habitat that are not necessary for the purposes of the Development during construction.
- (b) The subject site must be temporarily fenced, roped or flagged to clearly define the construction area from “no-go” areas.

The Environmental Officer must provide written and signed certification to the Secretary or nominee confirming that he/she has appropriately marked the “No Go” areas accurately as described in (b) above.

C.5. Plumbing and Drainage Notice of Work

Prior to the commencement of works which are part of the Development, a notice of work must be pre-notified no later than two business days before the work is carried out to the plumbing regulator (NPWS Perisher Team) in accordance with *Plumbing and Drainage Act 2011*. For more information please refer to the NPWS website:

<https://www.environment.nsw.gov.au/topics/parks-reserves-and-protected-areas/park-management/alpine-resort-management/our-services/plumbing-and-drainage>

A copy of the notice of works must also be provided to the Department.

C.6. Implementation of site environmental management measures

- (a) Prior to any works which are part of the Development commencing:
 - (i) all site environmental management measures relevant to that section of work, in accordance with the approved documentation and plans (Condition A.2) and these conditions of consent and the various approved plans required by them, must be in place and in good working order;
 - (ii) all site environmental management measures must be contained within the construction corridor;
 - (iii) the site environmental management measures must be inspected and approved by the Environmental Officer; and
 - (iv) the Environmental Officer must provide written and signed certification to the Secretary or nominee confirming that sub-paragraphs (i), (ii) and (iii) above have been satisfied.
- (b) Prior to commencing each stage of work (if required), all proposed erosion and sediment control measures must be put in place.

C.7. Machinery, equipment and materials

- (a) Prior to Subject site mobilisation, all equipment, machinery and vehicles used during excavation and construction of the Development must be cleaned prior to entry into the Park, or if already within Thredbo Alpine Resort cleaned prior to redeployment to the site, to ensure they are free of mud and vegetative propagules.
- (b) Equipment, machinery, and vehicles must be regularly maintained and manoeuvred to prevent the spread of exotic vegetation. Storage of equipment, machinery, vehicles and material is to be restricted to existing disturbed areas (i.e. nominated material storage area, stockpile sites, formed roads, established car parking areas and within the construction corridor) and not be stored on native vegetation.

C.8. Erection of construction sign

- (a) A sign must be erected at eye level in a prominent position on any site on which any approved work is being carried out:
 - (i) Showing the name, address and telephone number of the principal certifying authority for the work;
 - (ii) Showing the name of the principal contractor (if any) for any construction work and a telephone number on which that person may be contacted outside working hours; and
 - (iii) Stating that unauthorised entry to the work site is prohibited.
- (b) The sign is to be maintained while the approved work is being carried out and must be removed when the work has been completed.
- (c) The sign shall be durable and weatherproof with minimum dimensions 841mm x 594mm with text minimum 30 point.

C.9. Construction site fencing and hoarding

Prior to commencement of works, the area of works must be appropriately fenced and/hoarded to prevent access to the construction site by the public and unauthorised persons. The fencing and/or hoarding must be temporary in nature, contained entirely within the site and not cause unnecessary ground disturbance.

C.10. Treatment of weeds

Prior to the commencement of works, weeds occurring within the disturbance area are to be treated to ensure these weeds are not spread further at the Subject site or throughout the Park.

C.11. Compliance

The Applicant must ensure that all employees, contractors (and their sub-contractors) are made aware of, and are instructed to comply with, the conditions of this consent relevant to activities they carry out in respect of the Development.

PART D – DURING CONSTRUCTION

D.1. Approved plans and documentation to be on-site

A copy of the approved plans and documentation must be kept by the Applicant on the Subject site at all times and be readily available for perusal by any person associated with the construction works, or an officer of the Department or NPWS. Without limitation, this condition applies to the following approved documentation:

- (a) this consent and its schedule of conditions; and
- (b) the approved documentation and plans (Condition A.2).

D.2. Hours of work

Unless the Planning Secretary agrees otherwise, the Applicant may only undertake demolition and/or building works and associated activities between:

- (a) 7 am to 6 pm Monday to Friday;
- (b) 8 am to 1 pm Saturdays; and
- (c) at no time on Sundays and NSW public holidays.

D.3. Construction period

- (a) All works are limited to the “summer period” and are not to commence when snow is located on the Subject site. For the purposes of this condition, the summer period means the period of time commencing after the October long weekend (subject to no snow being on the Subject site) and ending no later than 30 April the following year in each year works are required to complete the Development, with finishing of rehabilitation and stabilisation works up until 30 May, or as otherwise approved by the Secretary or nominee.
- (b) By 30 April in each year works are required to complete the Development, the Applicant must ensure that the Subject site is made safe and secure (having regard to the use of the area) by undertaking the following:
 - (i) removal of all materials, vehicles, machinery, equipment and the like;
 - (ii) removal and/or securing of all stockpiles of soil and gravel;
 - (iii) protecting and fencing off any areas that are unsafe, for instance due to incomplete works;
 - (iv) stabilisation and rehabilitation works in accordance with these conditions of consent and the approved documentation; and
 - (v) any other specific matters related to making the Subject site safe and secure raised by the Principal Certifier or the Secretary or nominee.

D.4. Construction activities and management

At all times during the construction phase of the Development and unless agreed otherwise by the Secretary or nominee in writing, the Applicant must ensure that:

- (a) all construction activities in connection with the Development are undertaken in accordance with the approved documentation, including (without limitation) the documentation specified in paragraphs (a) and (b) inclusive of Condition D.1;
- (b) all construction activities in connection with the Development are confined to the construction site;
- (c) no disturbance or other adverse environmental impacts occur outside the construction corridor;
- (d) all equipment, materials, stockpiles, vehicles, machinery and the like are be confined to the construction corridor and approved off-site storage site; and
- (e) construction must not commence when snow is located on the construction corridor, and machinery must not be used to remove snow from areas containing native vegetation.

Note: The damage or removal of any native vegetation that is not the subject of this consent requires further authorisation under the National Parks and Wildlife Act 1974 or the Environmental Planning and Assessment Act 1979. Failure to obtain authorisation may result in compliance action under that legislation.

D.5. SafeWork NSW

The Applicant must ensure that all works which are part of the Development are carried out in accordance with current SafeWork NSW guidelines.

D.6. Site notice

The Applicant must ensure that site notices are prominently displayed at the boundaries of the Subject site for the duration of the works.

D.7. Storage of materials

During the construction phase of the Development, the Applicant must ensure that:

- (a) the Subject site environmental management measures are complied with;
- (b) no storage or disposal of materials takes place beneath the canopy of any trees or on native heath vegetation; and
- (c) all stockpiling of material is undertaken in accordance with the Stockpile Guide.

D.8. Dirt and dust control measures

The Applicant must ensure that adequate measures are taken to prevent dirt and dust from affecting the amenity or environment of the adjoining areas during the construction phase of the Development.

D.9. Safety demarcation

During the construction phase of the Development, the Applicant must ensure that the Subject site is clearly identified and signed to prevent access by unauthorised persons.

D.10. Noise and vibration management

Excavation and construction works must be managed in accordance with Australian Standard AS 2436-2010 *Guide to noise and vibration control on construction, demolition and maintenance sites* and to ensure there is no adverse impact on any neighbouring/affected tourist accommodation buildings during the construction phase of the Development.

D.11. Waste

All waste must be contained in receptacles and covered overnight, or removed from the Subject site each day, so as not to escape by wind, water or scavenging fauna. These receptacles must only be located in previously disturbed areas and not beneath the canopy or over roots of any trees. The receptacles must be cleaned regularly.

D.12. Loading and unloading of construction vehicles

All loading and unloading associated with demolition and construction work which is part of the Development must be restricted to those areas approved in the SEMP (Condition A.2) and these conditions.

D.13. Excavations and backfilling

- (a) All excavation and backfilling work which is part of the Development must comply with the following:
 - (i) be executed in a safe manner and in accordance with appropriate professional standards;
 - (ii) where trenches or excavations are to be left open overnight, provision must be made for fauna egress so that any fauna entering these excavations can escape;
 - (iii) adequate provision must be made for drainage; and
 - (v) all excavations must be properly fenced and protected to prevent them from being dangerous;unless otherwise agreed in writing by the Secretary or nominee.
- (b) Any clean excavated material (i.e. containing no contaminants or weeds) may be:
 - (i) temporarily stockpiled at the Subject site in accordance with the Rehabilitation Guide and Stockpile Guide; or
 - (ii) stockpiled, at a location authorised by NPWS, and managed for future use in accordance with the Rehabilitation Guide and Stockpile Guide; or
 - (iii) disposed of at an authorised waste facility.
- (c) Any contaminated material (i.e. containing chemical contaminants or weeds) must not be stockpiled at the Subject site or within the Park and is to be disposed of at an authorised waste facility.
- (d) Imported fill material and gravel must only be obtained from an NPWS authorised source and in accordance with the Stockpile Guide.
- (e) Excess imported fill material must be stockpiled for reuse within the Thredbo Alpine Resort at a location authorised by NPWS and in accordance with the Stockpile Guide.

D.14. Erosion and sediment control measures

During the construction phase of the Development, the Applicant must ensure that all erosion and sediment control measures (e.g. silt curtains, sediment fences, booms etc.) are:

- (a) installed and maintained in accordance with “Managing Urban Stormwater: Soils and Construction” (4th Edition Landcom, 2004, known as the Blue Book), and the SEMP (Condition A.2); and
- (b) checked regularly, and in any case after each precipitation event, to ensure they remain in good working order at all times.

D.15. Plumbing and drainage works

All plumbing and drainage work which are part of the Development must comply with the Plumbing Code of Australia and Australian Standard AS/NZS 3500 *Plumbing and drainage* and must be carried out by a qualified plumber holding a NSW licence, qualified supervisor certificate or tradesperson certificate.

D.16. Rehabilitation and site establishment

- (a) Site stabilisation and rehabilitation works must commence as soon as possible following the completion of each stage of work which is part of the Development to minimise exposed areas. Disturbed areas must be adequately mulched and maintained with weed free straw (i.e. straw which does not contain viable seed or other vegetative propagules) until an erosion resistant ground condition is achieved. All erosion prevention and sediment control measures must remain in place until all exposed areas of soil are stabilised and/or revegetated.
- (b) Rehabilitation must be undertaken by the Applicant in accordance with:
 - (i) the Rehabilitation Guide; and
 - (ii) these conditions of consent.

D.17. Geotechnical requirements

At all times works associated with the Development must comply with:

- (a) the Department's Geotechnical Policy; and
- (b) the Geotechnical Assessment undertaken by Asset Geotechnical Engineering Pty Ltd dated 20 December 2024 (Condition A.2).

Works at variance to recommendations contained in the geotechnical assessment report and Form 4 certification must not be undertaken without prior written endorsement from the geotechnical engineer. Any written advice of the variation must be provided to the Principal Certifier and the Department within 48 hours.

D.18. Vegetation removal

Prior to the removal of approved tree species or vegetation:

- (a) Trees to be removed must be clearly marked;
- (b) All vegetation must be checked for fauna habitats and fauna by the Applicant's Environmental Officer immediately prior to felling/removal. Vegetation with active nests must not be removed until the young have left the nest. If fauna is present, then the Applicant must contact NPWS to assist with mitigation actions.
- (c) Any trees or vegetation required to be removed:
 - (i) must not be felled in a manner which damages surrounding vegetation.
 - (ii) must either be cut into smaller pieces to be used for rehabilitation, discretely dispersed amongst adjoining native vegetation without damaging existing native vegetation or removed from site completely if it contains any exotic vegetation species.
 - (iii) if it cannot be used for the purposes in paragraphs (i) or (ii) then it may be stockpiled at an appropriate location in Thredbo Alpine Resort, for re-use on other landscaping or rehabilitation projects, or for firewood or similar.
- (d) All clearing must occur solely within approved development corridors and to be clearly identified with flagging tape to mark no-go zones prior to construction.

D.19. Role of the Environmental Officer

The appointed Environmental Officer must oversee all works which are part of the Development on behalf of the Applicant to ensure:

- (a) compliance with all environmental protection measures in the approved documentation, including (without limitation) the documents specified in paragraphs (a) to (b) inclusive of Condition D.1;
- (b) all Subject site environmental management measures are in place and adequately functioning throughout the entire construction phase of the Development; and
- (c) that Subject site stabilisation and rehabilitation occurs in accordance with the SEMP (Condition A.2), the Rehabilitation Guide, and the Stockpile Guide.

D.20. Aboriginal heritage

- (a) Should any material suspected of being an Aboriginal object become unearthed in the course of works which are part of the Development, the Applicant must immediately:
 - (i) cease all works impacting the suspected relic or artefact; and
 - (ii) contact the NPWS to arrange for representatives to inspect the Subject site.
- (b) The Applicant must ensure that all workers on the Subject site are made aware of the requirements of paragraph (a).

D.21. Prohibition of hazardous materials

No hazardous or toxic materials or dangerous goods may be stored or processed on the Subject site at any time unless otherwise agreed by the Secretary or nominee.

D.22. Re-fuelling

Appropriate controls must be put in place to ensure no spillage when re-fuelling all vehicles and machinery associated with works for the Development. Re-fuelling of vehicles and machinery must be performed on hard-stand areas or with appropriate spill kit and temporary bunding arrangements in place.

PART E – PRIOR TO THE ISSUE OF AN OCCUPATION CERTIFICATE

E.1. Occupation certificate

Prior to the occupation or commencement of use, which is part of the Development, an occupation certificate must be obtained from the Principal Certifier. A copy of the occupation certificate must be furnished to the Secretary or nominee prior to occupation or the commencement of use.

E.2. Site Clean Up

Prior to commencement of use of the Development, the Subject site shall be cleaned up to the satisfaction of the Secretary or nominee.

E.3. Removal of site notice

Any site notices or other site information signs must be removed upon completion of construction of the Development and prior to the commencement of use.

E.4. Geotechnical certification

The Applicant shall provide certification from an appropriately qualified geotechnical engineer to the Principal Certifier prior to the issue of the occupation certificate verifying the works have been completed in accordance with the Geotechnical Policy Form 4 (Condition A.2) and recommendations in the associated Geotechnical Assessment report prepared by Asset Geotechnical Engineering and dated 20 December 2024 (Condition A.2).

E.5. Rehabilitation

Prior to the issue of any occupation certificate, any disturbed ground shall be rendered erosion resistant and rehabilitated in accordance with the approved documentation and these conditions of consent.

E.6. Environmental Officer statement

Prior to the issue of an occupation certificate, the appointed Environmental Officer is to be satisfied that, and provide a statement to the Principal Certifier confirming that, rehabilitation works have been completed in accordance with Condition E.5 of this consent.

E.7. Hydraulic certification

Prior to the issue of an occupation certificate, hydraulic certification is to be provided to the Principal Certifier. This certificate is to verify that works have been completed in accordance with approved plans and specifications and comply with the provisions of the relevant standards.

E.8. Plumbing and drainage certificate of compliance

The following documentation must be submitted by the qualified person referred to in Condition D15 to NPWS as the delegated plumbing regulator in Kosciuszko National Park in accordance with the *Plumbing and Drainage Act 2011*:

- a) Certificate of Compliance

Documents must be submitted on behalf of the proponent to NPWS. A copy of the submission requirements are to be provided to the principal certifier and form part of the occupation certificate documentation.

More information on compliance with the above plumbing and drainage requirements in Kosciuszko National Park can be found at [this link](#).

PART F – POST OCCUPATION

F.1. Rehabilitation and monitoring

All disturbed areas shall be monitored, and necessary action undertaken to ensure that any seeding of the site has established and has become erosion resistant.

F.1. Rooftop tank access

Where personnel are required to access the water tank roof for maintenance purposes, access must be provided, such as a fixed ladder in accordance with AS 1657 – 2018.

ADVISORY NOTES

AN.1 Appeals

The Applicant has the right to appeal to the Land and Environment Court in the manner set out in the *Environmental Planning and Assessment Act, 1979* and the *Environmental Planning and Assessment Regulation, 2021* (as amended).

AN.2 Responsibility for other consents / agreements

The Applicant is solely responsible for ensuring that all additional approvals, licenses, consents and agreements are obtained from other authorities, as relevant.

AN.3 Utility services

- (a) The Applicant shall liaise with the relevant utility authorities for (where relevant) electricity, gas, water, sewage, telecommunications on the Subject site:
 - (i) to locate all service infrastructure on the Subject site;
 - (ii) arrange connection to these services for the development where relevant; and
 - (iii) negotiate relocation and/or adjustment of any infrastructure related to these services that will be affected by the construction of the Development.
- (b) The Applicant and/or the lessee are responsible for costs associated with relocating any services.

AN.4 Temporary fencing

Prior to works commencing, the construction works area shall be fenced with temporary fencing in accordance with current SafeWork NSW guidelines. This fencing is to clearly delineate the construction area and shall keep the disturbance area to a minimum. This is to restrict access and also prevent unauthorised persons entering the work area.

AN.5 Dial before you dig

Underground assets may exist in the area that is the Subject site. In the interests of health and safety and in order to prevent damage to third party assets please contact the Dial Before You Dig service at www.1100.com.au or telephone on 1100 before excavating or erecting structures (this is the law in NSW).

If alterations are required to the configuration, size, form or design of the Development upon contacting the Dial Before You Dig service, an amendment to this consent (or a new development application) may be necessary. Individuals owe asset owners a duty of care that must be observed when working in the vicinity of plant or assets. It is the individual's responsibility to anticipate and request the nominal location of plant or assets on the relevant property via contacting the Dial Before You Dig service in advance of any construction or planning activities.

AN.6 Use of treated timber

If any treated timber is required to be used for the Development it must not be treated with copper, chromium or arsenic.

AN.7 Stabilising agents

The use of soil stabilising agents for work or rehabilitation which is part of the Development is not permitted without prior consent of the Secretary or nominee in consultation with the NPWS.