Guthega Home Trail Widening, Perisher Ski Resort Biodiversity Development Assessment Report

Vail Resorts





DOCUMENT TRACKING

Project Name	Guthega Home Trail Widening, Perisher Ski Resort
Project Number	9834
Project Manager	Ryan Smithers
Accredited Assessor Certification	Ryandham
Prepared by	Ryan Smithers
Reviewed by	David Coombes
Approved by	Ryan Smithers
Status	Final
Version Number	2
Last saved on	8 January 2025

This report should be cited as 'Eco Logical Australia 2025. *Guthega Home Trail Widening, Perisher Ski Resort*. Prepared for Vail Resorts.'

Disclaimer

This document may only be used for the purpose for which it was commissioned and in accordance with the contract between Eco Logical Australia Pty Ltd and Vail Resorts. The scope of services was defined in consultation with Vail Resorts, by time and budgetary constraints imposed by the client, and the availability of reports and other data on the subject area. Changes to available information, legislation and schedules are made on an ongoing basis and readers should obtain up to date information. Eco Logical Australia Pty Ltd accepts no liability or responsibility whatsoever for or in respect of any use of or reliance upon this report and its supporting material by any third party. Information provided is not intended to be a substitute for site specific assessment or legal advice in relation to any matter. Unauthorised use of this report in any form is prohibited.

Template 2.8.1

Executive Summary

Eco Logical Australia Pty Ltd was engaged by Vail Resorts to prepare a BDAR for the proposed widening of the Guthega Home trail in the Guthega area of Perisher Ski Resort.

Some of the native vegetation within the development site is mapped on the Biodiversity Values map. This report has been prepared to meet the requirements of the Biodiversity Assessment Method 2020 established under Section 6.7 of the NSW *Biodiversity Conservation Act 2016* (BC Act).

The proposed development has been located to take advantage of existing disturbed areas and minimize the required disturbance. As a result, it is anticipated that the proposal will involve the further modification of only 0.014 ha of native vegetation.

The development footprint supports one Plant Community Type (PCT) PCT 3381 Kosciuszko Alpine Sally Woodland which is considered to be in moderate condition within the development footprint. PCT 3381 does not comprise any threatened ecological community (TEC) listed on the BC Act or the Commonwealth *Environment Protection and Biodiversity Conservation Act 1999* (EPBC Act).

Targeted surveys within the development site and immediate surrounds identified one threatened fauna species, *Mastacomys fuscus* (Broad-toothed Rat), as occurring within the development site. Despite targeted surveys, no evidence of *Liopholis guthega* (Guthega Skink) was detected within the development site or immediate surrounds. *Cercartetus nanus* (Eastern Pygmy-possum) was assumed to be present. No threatened plants were detected within the development site.

This BDAR outlines the measures taken to avoid, minimise and mitigate impacts to the vegetation and habitats present within the development footprint during the design, construction and operation of the development. The residual unavoidable impacts of the proposed development were calculated in accordance with the BAM by utilising the Biodiversity Assessment Method Credit Calculator. A total of one ecosystem credit and two species credits are required to offset the unavoidable impacts to the vegetation and habitats present within the development footprint.

Serious and Irreversible Impact (SAII) values have been considered as part of this assessment. The proposal will not result in any SAII.

Following consideration of the administrative guidelines for determining significance under the EPBC Act, it is concluded that the proposal is unlikely to have a significant impact on Matters of National Environmental Significance (MNES) or Commonwealth land, and a referral to the Commonwealth Environment Minister is therefore not recommended.

Contents

1. Introduction	1
1.1. General description of the development site	1
1.2. Brief description of the proposal	1
1.3. Development site footprint	1
1.4. Sources of information used	
1.5. Legislative context	3
2. Landscape features	7
3. Native Vegetation	
3.1. Survey Effort	
3.2. Native vegetation extent within the development site	
3.3. Plant Community Types present	
3.3.1. Plant Community Type selection justification	8
3.4. Threatened Ecological Communities	
3.5. Vegetation integrity assessment	
3.5.1. Vegetation zones	9
3.5.2. Patch size	
3.5.3. Assessing vegetation integrity	9
3.6. Use of local data	11
4. Threatened species	14
4.1. Ecosystem credit species	14
4.2. Species credit species	
4.2.1. Identification of species credit species	14
4.2.2. Candidate species requiring further assessment	
4.2.3. Assessment of habitat constraints and vagrant species	16
4.3. Targeted surveys	17
4.3.1. Species credit species included in the assessment	18
4.4. Identification of prescribed additional biodiversity impact entities	18
5. Avoiding and Minimising Impacts on Biodiversity Values	20
5.1. Locating a project to avoid and minimise impacts on biodiversity values	20
5.1.1. Direct and indirect impacts	20
5.1.2. Prescribed biodiversity impacts	
5.2. Designing a project to avoid and minimise impacts on biodiversity values	20
5.2.1. Direct and indirect impacts	20
5.2.2. Prescribed biodiversity impacts	20
6. Assessment of Impacts	21
6.1. Direct impacts	21

6.2. Change in vegetation integrity	21
6.3. Indirect impacts	21
6.4. Prescribed biodiversity impacts	21
6.5. Mitigating and managing direct and indirect impacts	25
6.6. Mitigating prescribed impacts	25
6.7. Adaptive management strategy	25
7. Impact summary	28
7.1. Serious and Irreversible Impacts (SAII)	28
7.2. Impacts requiring offsets	28
7.3. Impacts not requiring offsets	28
7.4. Areas not requiring assessment	28
7.5. Credit summary	31
8. Consistency with legislation and policy	32
8.1. Commonwealth Environment Protection and Biodiversity Conservation Act 1999	32
9. Recommendations	33
10. Conclusion	34
11. Bibliography	35
List of Figures	
Figure 1: Location map	4
Figure 2: Site map	5
Figure 3: The proposal	6
Figure 4: Plant Community Types	12
Figure 5: Vegetation Zones and Plot	13
Figure 6: Species polygons	19
Figure 7: Indirect impact zones	22
Figure 8: Impacts requiring offset	29
Figure 9: Impacts not requiring offset	30

List of Tables

Table 1: Legislative context	3
Table 2: Landscape features	7
Table 3: Full-floristic PCT identification plots	8
Table 4: Plant Community Types	8
Table 5: Potential PCTs	8
Table 6: Threatened Ecological Communities	9
Table 7: Vegetation zones and vegetation integrity survey plots collected on the development site	9
Table 8: Zone 1 PCT 3381 Moderate Condition	10
Table 9: Vegetation integrity scores	11
Table 10: Predicted ecosystem credit species	
Table 11: Candidate species credit species	16
Table 12: Justification for exclusion of candidate species credit species	17
Table 13: Targeted surveys	18
Table 14: Weather conditions	
Table 15: Survey effort	18
Table 16: Species credit species included in the assessment	18
Table 17: Direct impacts to native vegetation	21
Table 18: Direct impacts on threatened species and threatened species habitat	21
Table 19: Change in vegetation integrity	21
Table 20: Indirect impacts	23
Table 21: Measures proposed to mitigate and manage impacts	26
Table 22: Impacts to native vegetation that require offsets	28
Table 23: Impacts on threatened species and threatened species habitat that require offsets	
Table 24: Ecosystem credits required	31
Table 25: Species credit summary	31
Table 26: Species recorded in the plots and incidentally elsewhere within the development site	e or
immediate surrounds	40
Table 27: Plot location data	41
Table 28: Vegetation integrity data (composition)	41
Table 29: Vegetation integrity data (Structure)	41
Table 30: Vegetation integrity data (Function)	41

Abbreviations

Abbreviation	Description
BAM	Biodiversity Assessment Method
BAMC	Biodiversity Assessment Method Credit Calculator
BC Act	NSW Biodiversity Conservation Act 2016
BDAR	Biodiversity Development Assessment Report
CEEC	Critically Endangered Ecological Community
DCCEEW	Commonwealth Department of Climate Change, Energy, the Environment and Water
DCCEEW (NSW)	NSW Department of Climate Change, Energy, the Environment and Water
EEC	Endangered Ecological Community
ELA	Eco Logical Australia Pty Ltd
EP&A Act	NSW Environmental Planning and Assessment Act 1979
EPBC Act	Commonwealth Environment Protection and Biodiversity Conservation Act 1999
FM Act	NSW Fisheries Management Act 1994
GIS	Geographic Information System
GPS	Global Positioning System
IBRA	Interim Biogeographic Regionalisation for Australia
LGA	Local Government Area
NSW	New South Wales
NRAR	NSW Department of Natural Resources Access Regulator
PCT	Plant Community Type
SEPP	State Environmental Planning Policy
TEC	Threatened Ecological Community
VIS	Vegetation Information System

1. Introduction

This Biodiversity Development Assessment Report (BDAR) has been prepared by Ryan Smithers, an Accredited Person (BAAS17061) to apply the Biodiversity Assessment Method (BAM) under the NSW *Biodiversity Conservation Act 2016* (BC Act). All credit calculations have been undertaken using the BAM Calculator (BAMC) version 2020 in case number 53668. Consistent with the BAM, the streamlined (small area) assessment module has been used for this assessment.

Definitions of terminology used throughout this report are presented in Appendix A.

1.1. General description of the development site

The development site comprises a mix of exotic grassland and remnant native vegetation in the Guthega area of Perisher Ski Resort. Parts of the development site are already heavily modified in association with existing ski slopes and associated infrastructure.

This report includes two base maps, the Location map (Figure 1) and the Site map (Figure 2).

1.2. Brief description of the proposal

The proposed development comprises the minor excavation and filling to widen the existing Guthega Home Trail, just above the Guthega Nordic Centre, such that it has a trafficable width of 6 m. The proposal includes a small rock retaining wall.

The proposal is further identified in Figure 3 and Photo 1 and Photo 2.

1.3. Development site footprint

It is anticipated that the proposed development will result in the further disturbance of 140 m² (0.014 ha) of already disturbed native vegetation. Approximately 350 m² of exotic grassland will also be disturbed in association with the proposed works.

The development site footprint is identified in Figure 2.

1.4. Sources of information used

The following data sources were reviewed as part of this report:

- BioNet Vegetation Classification
- BioNet Atlas Database
- Threatened Biodiversity Data Collection
- Additional GIS datasets including cadastre, contours, imagery and drainage.



Photo 1: Looking north from the southern extent of the proposed works showing the existing Home Trail and the location of the proposed cut and fill batters.



Photo 2: Looking south from the northern extent of the proposed works showing the extensive exotic grassland that dominates the development site.

1.5. Legislative context

Legislation relevant to the development site is outlined in Table 1.

Table 1: Legislative context

Name	Relevance to the project				
Commonwealth					
Environment Protection and Biodiversity Conservation Act 1999	Matters of National Environmental Significance (MNES) have been identified on or near the development site. This report assesses impacts to MNES and concludes that the development is unlikely to have a significant impact on MNES.	Appendix D			
State					
Environmental Planning and Assessment Act 1979	The proposed development requires consent and is to be assessed under Part 4 of the EP&A Act. The EP&A Act places a duty on the determining authority to adequately address a range of environmental matters including the maintenance of biodiversity and the likely impact to threatened species, populations and communities.	-			
Biodiversity Conservation Act 2016	The proposed development involves clearing of vegetation identified as high conservation value on the Biodiversity Values Land Map and thus requires submission of a Biodiversity Development Assessment Report.	-			
Environmental Planning Ins	struments				
Precincts - Regional SEPP 2021	State Environmental Planning Policy (Precincts-Regional) 2021 (Precincts-Regional SEPP) facilitates a planning framework for Special Activation Precincts (Precinct/s) in regional NSW, streamlining planning processes and guiding the delivery of the precincts. Chapter 4 Kosciuszko National Park and Alpine Resorts (SEPP Precincts-Regional 2021) identifies the Minister for Planning as the determining authority for development within the NSW Alpine Resorts. Precincts-Regional SEPP requires the Minister for Planning to refer for comment any development application in the Alpine Resorts to the Director General of the NSW Department of Environment and Planning (DPE).	-			
Snowy River Shire Local Environment Plan 2013	The subject site is zoned C1 National Parks and Nature Reserves under the Snowy River Shire Local Environment Plan 2013.	-			




Figure 1: Location map



Figure 2: Site map

6



Figure 3: The proposal

2. Landscape features

The site-based method was applied for this assessment. As such, the assessment area is the 1,500 m buffer surrounding the outside edge of the development footprint.

The landscape features considered for this assessment are presented in Table 2, Figure 1 and Figure 2.

Table 2: Landscape features

Landscape feature	Development Site	Assessment Area	Data source
IBRA Region(s)	Australian Alps	Australian Alps	Interim Biogeographic Regionalisation for Australia, Version 7
IBRA subregion(s)	Snowy Mountains	Snowy Mountains	Interim Biogeographic Regionalisation for Australia, Version 7
Rivers and streams	Minor unmapped watercourses that are tributaries of the Snowy River.	Minor unmapped watercourses that are tributaries of Snowy River.	NSW LPI Waterway mapping
Estuaries and wetlands	No	No	NSW directory of important wetlands
Connectivity of different areas of habitat	The development site is connected to vast areas of native vegetation.	No	Aerial imagery
Geological features of significance and soil hazard features	The rock outcropping in the development site is very typical of the locality and not of any particular geological significance.	No	Site observation
Areas of Outstanding Biodiversity Value	No	No	Register of Declared Areas of Outstanding Biodiversity Value (DPIE 2020)
NSW (Mitchell) Landscapes	Main Range Subalpine	-	NSW (Mitchell) Landscapes - version 3.1 (DPIE 2016)
Percent (%) native vegetation extent	95	There are no substantial differences between the mapped vegetation extent and the aerial imagery	Calculated using aerial imagery and ArcGIS software

3. Native Vegetation

3.1. Survey Effort

Vegetation survey was undertaken within the development site by Ryan Smithers on 11 November 2024.

A total of one full-floristic vegetation plots was surveyed to identify Plant Community Types (PCTs) and Threatened Ecological Communities (TECs) on the development site (Table 3). A total of one vegetation integrity survey plot was undertaken on the development site to assess the composition, structure and function components of each vegetation zone in accordance with the BAM.

All field data collected at the full-floristic plot and at the vegetation integrity plot is included in Appendix B and Appendix C.

Table 3: Full-floristic PCT identification plots

PCT ID	PCT Name	Number of plots surveyed
3381	Kosciuszko Alpine Sally Woodland	1

3.2. Native vegetation extent within the development site

There are no substantial differences between the extent of native vegetation within the development site as identified in recent aerial imagery and that identified during the vegetation survey.

3.3. Plant Community Types present

One PCT was identified within the development site, as shown in Table 3. Further detail with respect to the PCT identified within the development site is presented in Table 4, and its distribution identified in Figure 4.

Table 4: Plant Community Types

PCT ID	PCT Name	Vegetation Class	Vegetation Formation	Area within the development site (ha)	Percent cleared
3381	Kosciuszko Alpine Sally Woodland	Grassy Woodlands	Subalpine Woodlands	0.014	5

3.3.1. Plant Community Type selection justification

In determining the PCTs for the development site, various attributes were considered in combination to assign vegetation to the best fit PCT. Attributes included dominant species in each stratum and relative abundance, community composition, soils and landscape position. Reference was made to the PCT descriptions in the BioNet Vegetation Classification. There are only a small number of PCTs recognised in the alpine and sub-alpine so there are very few PCT options, as shown in Table 5.

Table 5: Potential PCTs

Selected PCT ID	PCT Name	Other PCT options
3381	Kosciuszko Alpine Sally Woodland	-

3.4. Threatened Ecological Communities

PCT 3381 does not comprise a TEC listed on the BC Act or EPBC Act, as identified in Table 6.

Table 6: Threatened Ecological Communities

DCT	BC Act				EPBC Act	
ID	Listing status	Name	Area (ha)	Listing status	Name	Area (ha)
3381	Not listed	-	0.00	Not listed	-	0.00

3.5. Vegetation integrity assessment

3.5.1. Vegetation zones

One vegetation zone was identified within the development site, as shown in Figure 5. One vegetation integrity survey plot was collected on the development site, which is consistent with the BAM (Table 7). A description of the vegetation zone within the development site is provided in Table 8.

3.5.2. Patch size

Patch size was calculated using available vegetation mapping for all patches of intact native vegetation on and adjoining the development site. Patch size was assigned to one of four classes (<5 ha, 5-24 ha, 25-100 ha or \ge 100 ha). A patch size \ge 100 ha was determined for the development site.

3.5.3. Assessing vegetation integrity

A vegetation integrity assessment using the BAM Calculator (BAMC) was undertaken and the results are outlined in Table 9.

Table 7: Vegetation zones and vegetation integrity survey plots collected on the development site

Vegetation Zone	PCT ID	PCT Name	Condition	Area (ha)	Patch Size	Vegetation Integrity Survey Plots required	Vegetation Integrity Survey Plots collected
1	3381	Kosciuszko Alpine Sally Woodland	Moderate	0.01	101	1	1
			Total	0.06	101	1	1

Table 8: Zone 1 PCT 3381 Moderate Condition

	3381	Kosciuszko Alpine Sally Woo	odland			
Vegetation formation	Grassy Woodlands					
Vegetation Class	Subalpine Woodlands					
Conservation status	Widespread and well	conserved. Not listed as a TEC on	the BC Act or EPBC A	ct.		
Description	•	This community is common in the locality but highly variable. It is characterised by a shrubby woodland to open woodland, and occasionally forest, dominated by <i>Eucalyptus niphophila</i> .				
Characteristic canopy trees	Eucalyptus niphophila					
Characteristic mid-storey		Grevillea australis, Ozothamnus cupressoides, Prostanthera cuneata, Nematolepis ovatifolia, Ozothamnus secundiflorus, Ozothamnus alpinus, Olearia phlogopappa, Orites lancifolius, Oxylobium ellipticum.				
Characteristic groundcovers		Acaena novae-zelandiae, Asperula gunnii, Carex breviculmis, Lycopodium fastigiatum, Pimelea alpina, Poa fawcettiae, Polystichum proliferum, Senecio gunnii.				
Mean native richness	13					
Exotic species / HTW cover	Acetosella vulgaris, Ad	chillea millefolium, Agrostis capilla	ıris, Anthoxanthum o	doratum		
Condition	Moderate					
Variation and disturbance	The community is in n	noderate condition within the bul	k of the developmen	t footprint.		
No. sites sampled	1					
Threatened flora species	-					
Fauna habitats	Broad-toothed Rat, Al	pine She-oak Skink and Flame Rob	oin.			
Composition	Structur	e Fund	ction	Vegetation Integrity Score		
32.1	69.3	38	3.2	44.9		




Table 9: Vegetation integrity scores

Veg Zone	PCT ID	Condition	Area (ha)	Composition Condition Score	Structure Condition Score	Function Condition Score	Presence of Hollow bearing trees	Current vegetation integrity score
1	3381	Moderate	0.01	32.1	69.3	38.2	No	44.9

3.6. Use of local data

Use of local data instead of benchmark integrity scores is not proposed.



Figure 4: Plant Community Types




Figure 5: Vegetation Zones and Plot

4. Threatened species

4.1. Ecosystem credit species

Ecosystem credit species predicted to occur within the development site are generated by the BAMC following the input of VI data and the PCTs identified within Chapter 3. Ecosystem credit species predicted to occur at the development site, their associated habitat constraints, geographic limitations and sensitivity to gain class are included in Table 10.

4.2. Species credit species

4.2.1. Identification of species credit species

Species credit species that require further assessment within the development site (i.e. candidate species), their associated habitat constraints, geographic limitations and sensitivity to gain class are included in Table 11. Three additional species credit species were added as candidate species, *Liopholis guthega* (Guthega Skink), *Cercartetus nanus* (Eastern Pygmy-possum), and *Mastacomys fuscus* (Broadtoothed Rat). The Guthega Skink is known from similar habitats in the Perisher Resort and the Broadtoothed Rat was detected within the development site.

Table 10: Predicted ecosystem credit species

Callocepholon Gang-gang (Cockatoo (C	Species	Common Name	Habitat Constraints	Geographic limitations	Sensitivity to gain class	NSW listing status	EPBC listing status
Finbriotum Cockatoo Foraging Cockatoo Foraging Cockatoo Foraging Cockatoo Cockato	cyanopterus	•	-	-	Moderate	Vulnerable	Not Listed
Sogittata Warbler Circus assimilis Spotted Harrier Moderate Vulnerable Not Listed Climacteris Brown Treecreeper victoriae (eastern subspecies) Daphoenositta (eastern subspecies) Daphoenositta Chrysoptera Daphoenositta Quall Moderate Vulnerable Not Listed Chrysoptera Daysurus Spotted-tailed Moderate Vulnerable Endangere maculatus Quall Falco subniger Black Falcon - Moderate Vulnerable Not Listed Commenciation Pipistrelle Falsistrellus Eastern False - Moderate Vulnerable Not Listed Vulnerable Not Listed Commenciation Pipistrelle White-bellied Sea-Eagle White-bellied Sea-Eagle Vulnerable Sea-Eagle Vulnerable Sea-Eagle Vulnerable Sea-Eagle Vulnerable Not Listed Commenciation Needletail Little Eagle - Moderate Vulnerable Not Listed Commenciation Needletail Lophoictinia isura (Foraging) Kite Needletail Moderate Vulnerable Not Listed Commenciation Needletail Lophoictinia isura Hooded Robin Cucullata Pachycephala Olive Whistler Moderate Vulnerable Not Listed Colivacea South-eastern Cucullata Pachycephala Olive Whistler Moderate Vulnerable Not Listed Petroica Beach Colivacea South-eastern Cucullata Pachycephala Olive Whistler Moderate Vulnerable Not Listed Petroica Beach Colivacea South-eastern Cucullata Pachycephala Olive Whistler Moderate Vulnerable Not Listed Petroica Beach Colivacea South-eastern Cucullata Pachycephala Petroica Petr	fimbriatum		-	-	Moderate	Endangered	Endangered
Climacteris Brown High Vulnerable Vulnerable picumnus Treecreeper victoriae (eastern subspecies) Daphoenositta Varied Sittella - Moderate Vulnerable Petroica boodang Scarlet Robin - Moderate Vulnerable Petroica boodang Scarlet Robin - Moderate Vulnerable Not Listed Needletail Noderable Not Listed Vulnerable Not Listed Needletail Noderable Not Listed Needletail Needletail Needletail Needletail Noderable Not Listed Needletail			-	-	High	Vulnerable	Not Listed
picumnus victoriae (eastern subspecies) Daphoenositta Chrysoptera Dasyurus Dasyurus Spotted-tailed Guoll Faico subniger Black Falcon Pipistrelle Not Listed Avaired Sittella Not Listed Folisistrellus Eastern False Pipistrelle Not Waterbodies White-bellied leucogaster (Foraging) Hiranaetus morphnoides Hirenaetus morphnoides White-throated caudacutus Needletail Lophoictinia isura Square-tailed (Foraging) Kite Melanodryas South-eastern cucullata cucullata Chrysoptera Not Listed Petroica Moderate Vulnerable Not Listed Vulnerable Not Listed Within 1km of a rivers, lakes, large dams or creeks, wetlands and coastlines Not Listed Melanodryas Not Listed Not List	Circus assimilis	Spotted Harrier	-	-	Moderate	Vulnerable	Not Listed
Chrysoptera Dasyurus Spotted-tailed Quoll Falco subniger Black Falcon - Moderate Vulnerable Not Listed tasmaniensis Pipistrelle Falsistrellus Eastern False - High Vulnerable Not Listed tasmaniensis Pipistrelle N/A - High Vulnerable Not Listed Waterbodies White-bellied Sea-Eagle Whitin 1km of a rivers, lakes, large dams or creeks, wetlands and coastlines Hieraaetus morphnoides Little Eagle - Moderate Vulnerable Not Listed (Foraging) Hirundapus White-throated Needletail - High Vulnerable Not Listed (Foraging) Hirundapus White-throated Needletail - Moderate Vulnerable Not Listed (Foraging) Melanodryas South-eastern cucullata Hooded Robin cucullata Pachycephala olivacea Petroica boodang Scarlet Robin - Moderate Vulnerable Not Listed Petroica Flame Robin - Moderate Vulnerable Not Listed Petroica Petroica Flame Robin - Moderate Vulnerable Not Listed Petroica Pilotirid - Moderate Vulnerable Not Listed Petroica Petroica Pilotirid - Moderate Vulnerable Not Listed Petroica Petroica Pilotirid - Moderate Vulnerable Not Listed Petroica Pilotirid - Moderate Vulnerable Not Listed Petroica Pilotirid - Moderate Vulnerable Not Listed Petroica P	picumnus	Treecreeper (eastern	-	-	High	Vulnerable	Vulnerable
maculatus Quoll Falco subniger Black Falcon - Moderate Vulnerable Not Listed Falsistrellus Eastern False - - High Vulnerable Not Listed Falsistrellus Eastern False - - High Vulnerable Not Listed Waterbodies White-bellied Waterbodies Within 1km of a rivers, lakes, large dams or creeks, wetlands and coastlines Within 1km of a rivers, lakes, large dams or creeks, wetlands and coastlines - Moderate Vulnerable Not Listed Hirundapus caudacutus White-throated Needletail - - Moderate Vulnerable Vulnerable Vulnerable Lophoictinia isura cucullata Square-tailed (Foraging) Kite - - Moderate Vulnerable Not Listed Melanadryas cucullata South-eastern cucullata - Moderate Endangered Endangered Petroica boodang Scarlet Robin - - Moderate Vulnerable Not Listed Petroica boodang Scarlet Robin - - Moderate Vulnerable Not Listed Pycnoptilus Pilotbird - - Moderate Vulnerable Not Listed		Varied Sittella	-	-	Moderate	Vulnerable	Not Listed
Falsistrellus Eastern False Pipistrelle N/A Waterbodies White-bellied Sea-Eagle S			-	-	High	Vulnerable	Endangered
tasmaniensis Pipistrelle N/A - High Vulnerable Not Lister Waterbodies White-bellied Sea-Eagle Whitin 1km of a rivers, lakes, large dams or creeks, wetlands and coastlines Hieraaetus morphnoides (Foraging) Hirundapus Caudacutus Needletail - Mederate Needletail - Moderate Vulnerable Not Lister (Foraging) Melanodryas South-eastern Hooded Robin cucullata cucullata cucullata Cucullata Cucullata Cucullata Petroica boodang Scarlet Robin - Moderate Vulnerable Not Lister Petroica phoenicea Pycnoptilus Pilotbird - Moderate Vulnerable Not Lister Pulnerable Pulnerable Not Lister Pulnerable	Falco subniger	Black Falcon	-	-	Moderate	Vulnerable	Not Listed
Waterbodies Haliaeetus leucogaster (Foraging) White-bellied Sea-Eagle White-bellied Sea-Eagle Agrivers, lakes, large dams or creeks, wetlands and coastlines Hieraaetus morphnoides Little Eagle			-	-	High	Vulnerable	Not Listed
morphnoides (Foraging) Hirundapus caudacutus White-throated Needletail Lophoictinia isura (Foraging) Kite Square-tailed Kite Square-tailed Kite Moderate Moderate Wulnerable Vulnerable Not Listed Moderate Moderate Findangered Flame Robin Moderate Moderate Moderate Vulnerable Vulnerable Not Listed Moderate Moderate Wulnerable Vulnerable Not Listed Moderate Wulnerable Not Listed Moderate Wulnerable Not Listed Moderate Vulnerable Not Listed Moderate Vulnerable Not Listed Moderate Pycnoptilus Pilotbird Moderate Vulnerable	leucogaster		Waterbodies Within 1km of a rivers, lakes, large dams or creeks, wetlands and	-	High	Vulnerable	Not Listed
Caudacutus Needletail Lophoictinia isura Square-tailed (Foraging) Kite South-eastern Hooded Robin Cucullata Cucul	morphnoides	Little Eagle	-	-	Moderate	Vulnerable	Not Listed
(Foraging) Kite - Moderate - Moderate - Wulnerable Not Listed Melanodryas South-eastern Moderate Endangered Not Listed Not Listed Not Listed Petroica boodang Scarlet Robin - Moderate Vulnerable Not Listed Not Listed Pycnoptilus Pilotbird - Moderate Vulnerable Vulnerable Vulnerable Vulnerable Vulnerable			-	-	High	Vulnerable	Vulnerable
cucullata Pachycephala olivacea Olive Whistler Moderate Vulnerable Not Listed Petroica boodang Petroica Flame Robin Moderate Vulnerable Not Listed Petroica Phycnoptilus Pilotbird Moderate Vulnerable Vulnerable Not Listed Phycnoptilus Pilotbird Moderate Vulnerable			-	-	Moderate	Vulnerable	Not Listed
Olive Whistier Moderate Vulnerable Not Listed Petroica boodang Scarlet Robin Moderate Vulnerable Not Listed Petroica Flame Robin Moderate Vulnerable Not Listed phoenicea Pycnoptilus Pilotbird Moderate Vulnerable	cucullata		-	-	Moderate	Endangered	Endangered
Petroica Flame Robin Moderate Vulnerable Not Listed phoenicea Pycnoptilus Pilotbird Moderate Vulnerable Vulnerab		Olive Whistler	-	-	Moderate	Vulnerable	Not Listed
Pycnoptilus Pilotbird Moderate Vulnerable Vulnerable	Petroica boodang	Scarlet Robin	-	-	Moderate	Vulnerable	Not Listed
Moderate Villnerable Villnerable		Flame Robin	-	-	Moderate	Vulnerable	Not Listed
		Pilotbird	-	-	Moderate	Vulnerable	Vulnerable

4.2.2. Candidate species requiring further assessment

Three species credit species required further assessment following site survey to assess the condition of the development site and the presence of microhabitats; Guthega Skink, Broad-toothed Rat, and Eastern Pygmy-possum.

Table 11: Candidate species credit species

Species	Common Name	Habitat Constraints	Geographic limitations	Sensitivity to gain class	NSW listing status	EPBC listing status
Cercartetus nanus	Eastern Pygmy- possum	-	-	High	Vulnerable	Not Listed
Liopholis guthega	Guthega Skink	Granite substrate and decomposing granite soils Rocky areas including sub- surface boulders	-	High	Endangered	Endangered
Litoria spenceri	Spotted Tree Frog	Waterbodies River environments with rocky habitat or with 500m of rocky river	-	Very High	Critically Endangered	Critically Endangered
Pimelea bracteata	Pimelea bracteata	Swamps; Associated with Sub-Alpine Peat Swamps Waterbodies; Found on the immediate stream bank of subalpine streams	Only above 1100m elevation ASL (sub-alpine species))	High	Critically Endangered	Critically Endangered
Mastacomys fuscus	Broad- toothed Rat	-	-	High	Endangered	Endangered
Pseudomys fumeus	Smoky Mouse	-	-	High	Critically Endangered	Endangered
Pseudophryne corroboree	Southern Corroboree Frog	Swamps Within 200m of high montane of subalpine bogs or ephemeral pool environments	above 1000 m asl	Very High	Critically Endangered	Critically Endangered
Pseudophryne pengilleyi	Northern Corroboree Frog	-	above 700 m asl	Moderate	Critically Endangered	Critically Endangered

4.2.3. Assessment of habitat constraints and vagrant species

Justification for the exclusion of five candidate species credit species is provided in Table 12.

Table 12: Justification for exclusion of candidate species credit species

Species	Common Name	NSW listing status	EPBC listing status	Sensitivity to gain class	Justification for exclusion of species
Liopholis guthega	Guthega Skink	Endangered	Endangered	High	The species was not detected within the development site despite targeted surveys. The habitat within the development site and immediate surrounds is marginal at best, being highly modified or heavily shaded, which provides a poor thermal environment. The nearest records are more than 2 km away from the development site and the species has not been detected at Guthega, despite numerous targeted surveys.
Litoria spenceri	Spotted Tree Frog	Critically Endangered	Critically Endangered	Very High	The species is known only from two locations in NSW on the western side of the Great Dividing Range where it is restricted to fast flowing upland streams and rivers.
Pimelea bracteata	Pimelea bracteata	Critically Endangered	Critically Endangered	High	The microhabitats that the species is associated with do not occur in the development site and the nearest records of this conspicuous species are in the Kiandra area.
Pseudomys fumeus	Smoky Mouse	Critically Endangered	Endangered	High	The nearest records of the Smoky Mouse are old records that are more than 30 km to the south of the development site at lower elevations. It is considered highly unlikely that it would occur within the development site and it was not detected there opportunistically.
Pseudophryne corroboree	Southern Corroboree Frog	Critically Endangered	Critically Endangered	Very High	The Southern Corroboree Frog is limited to sphagnum bogs of the northern Snowy Mountains, in a strip from the Maragle Range in the northwest, through Mt Jagungal to Smiggin Holes in the south. Its range is entirely within Kosciuszko National Park. This species is all but extinct in the wild. It is no longer present at its former southern limit at Smiggin Holes.
Pseudophryne pengilleyi	Northern Corroboree Frog	Critically Endangered	Critically Endangered	Moderate	The Northern Corroboree Frog does not occur within the locality, being limited to the northern parts of the Snowy Mountains and Brindabella Range.

4.3. Targeted surveys

The streamlined assessment method only requires targeted surveys for candidate SAII species. The development site does not provide suitable habitat for the Southern Corroboree Frog, Northern Corroboree Frog, Spotted Tree Frog, Smoky Mouse or *Pimelea bracteata*. However, there is potential habitat for the Broad-toothed Rat and Eastern Pygmy-possum. Targeted surveys were also undertaken for the Guthega Skink as it is well known from the Centre Valley area and to ensure the proposed development avoids and minimises impacts as far as is possible.

18

Targeted surveys were undertaken within the development site and immediate surrounds on the dates outlined in Table 13 for the candidate species credit species and for other relevant threatened species known from locality. Weather conditions during the targeted surveys are outlined in Table 14 and survey effort is outlined in Table 15.

Table 13: Targeted surveys

Date	Surveyors	Target species
11 November 2024	Ryan Smithers	Guthega Skink and Broad-toothed Rat

Table 14: Weather conditions

Date	Rainfall (mm)	Minimum temperature 0 ^c	Maximum temperature 0 ^c
11 November 2024	-	13	16

Table 15: Survey effort

Method	Habitat (ha)	Stratification units	Total effort	Target species
Target Searches	Approx.	Suitable habitats within and immediately	1 person hour	Guthega Skink and
	1.5 ha	surrounding the development site		Broad-toothed Rat

The targeted surveys resulted in the detection of the characteristic scats of the Broad-toothed Rat, which were scattered in low densities throughout the development site and surrounds, as they are in suitable habitats throughout much of the locality. No other candidate or threatened species were detected within the development site or immediate surrounds.

Following completion of field surveys, the species credit species included in the assessment is outlined in Table 16. The Eastern Pygmy-possum was assumed to be present at the request of the National Parks and Wildlife Service.

Table 16: Species credit species included in the assessment

Species	Common Name	Species presence	Geographic limitations	Habitat (ha) / count	Biodiversity Risk Weighting
Broad-toothed Rat	Mastacomys fuscus	Yes	-	0.01 ha	2
Eastern Pygmy-possum	Cercartetus nanus	Assumed	-	0.01 ha	2

4.3.1. Species credit species included in the assessment

Two species credit species, the Broad-toothed Rat and Eastern Pygmy-possum, have been included in the assessment as the proposed development will impact on known or potential habitat for these species. Species polygons for these species are included as Figure 6.

4.4. Identification of prescribed additional biodiversity impact entities

The proposed development does not include any prescribed additional biodiversity impact entities.



Figure 6: Species polygons

5. Avoiding and Minimising Impacts on Biodiversity Values

5.1. Locating a project to avoid and minimise impacts on biodiversity values

5.1.1. Direct and indirect impacts

The proposal has been designed to avoid and minimise direct and indirect impacts. In particular, this has involved:

- Locating the proposed works in part in disturbed areas.
- Minimising the disturbance footprint associated with construction.
- Planning construction access and egress to avoid and minimise impacts on vegetation and fauna habitats.
- Marking the extent of the development site prior to the commencement of works, such that the disturbance footprint will not extend beyond the proposed footprint.
- Undertaking post construction rehabilitation.

5.1.2. Prescribed biodiversity impacts

The proposal does not involve any prescribed biodiversity impacts.

5.2. Designing a project to avoid and minimise impacts on biodiversity values

5.2.1. Direct and indirect impacts

The proposal has been designed to avoid and minimise direct and indirect impacts on biodiversity values as described in Section 5.1.1.

5.2.2. Prescribed biodiversity impacts

Prescribed biodiversity impacts have been avoided and minimised by incorporating the design features identified in Section 5.1.1.

6. Assessment of Impacts

6.1. Direct impacts

The direct impact of the development on:

- Native vegetation is outlined in Table 17.
- Threatened species and threatened species habitat is outlined in Table 18.
- Prescribed biodiversity impacts outlined in Section 6.4.

Table 17: Direct impacts to native vegetation

PCT ID	PCT Name	BC Act listing	EPBC Act listing	Direct impact (ha)
3381	Kosciuszko Alpine Sally Woodland	Not listed	Not Listed	0.01

Table 18: Direct impacts on threatened species and threatened species habitat

Species	Common Name	Direct impact number of individuals / habitat (ha)	BC Act listing status	EPBC Act listing status
Mastacomys fuscus	Broad-toothed Rat	0.01 ha	Endangered	Endangered
Cercartetus nanus	Eastern Pygmy-possum	0.01 ha	Vulnerable	Not Listed

6.2. Change in vegetation integrity

The change in vegetation integrity as a result of the development is outlined in Table 19.

Table 19: Change in vegetation integrity

Veg Zone	PCT ID	Condition	Area (ha)	Current vegetation integrity score	Future vegetation integrity score	Change in vegetation integrity
1	3381	Moderate	0.01	44.9	0	-44.9

6.3. Indirect impacts

The indirect impacts of the development are outlined in Table 20. Given the nature of the proposed development, and the proposed mitigation measures, indirect impacts are only anticipated to extend a maximum of 10 m into vegetation surrounding the proposed development site. Indirect impact zones are shown on Figure 7.

6.4. Prescribed biodiversity impacts

The proposal does not involve any prescribed biodiversity impact.



Figure 7: Indirect impact zones

Table 20: Indirect impacts

Indirect impact	Project phase	Nature	Extent	Frequency	Duration	Timing
Sedimentation and contaminated and/or nutrient rich run-off	Construction and post construction	Minor potential for sedimentation during and immediately post-construction. However, the proposed sediment control measures have been effective during the many other similar developments that have been undertaken within the alpine resorts in recent years.	Minor	During and after any heavy rainfall	12 month maximum	Intermittently during and post construction phase
Noise, dust or light spill	Construction	Minor during construction.	Minor	Intermittently during construction phase	During construction	Intermittently during construction phase
Inadvertent impacts on adjacent habitat or vegetation	Construction	Minor. The construction methods used at Perisher have been effective at preventing impacts on adjacent vegetation during the many other similar developments that have been undertaken in recent years.	Minor	Not expected but possible	During construction	Not expected
Transport of weeds and pathogens from the site to adjacent vegetation	Construction	Not expected. The development site includes and abuts areas that are already heavily modified and which support weeds which are common within the Perisher Resort area and elsewhere within the NSW Alps. The proposal will include post construction rehabilitation and weed control.	Not expected	Not expected but possible	Not expected	Not expected
Vehicle strike	Construction	Minor. It is considered unlikely that the proposal will include vehicle strike impacts. Vehicles will be travelling at very slow speeds within the development site and the noise and vibration associated with vehicle movements is expected to deter any fauna within or adjoining the development site from the path of any vehicles.	Not expected	Not expected but possible	During construction	Not expected
Trampling of threatened flora species	Construction	Not expected as none are known to be present.		Not expected	During construction	Not expected
Rubbish dumping	Construction	Not expected. Construction materials will be removed from the site regularly and no rubbish will be dumped or otherwise left to pollute the surrounding environment.	Not expected	Not expected	Not expected	Not expected
Wood collection Construction		Not expected.	Not expected	Not expected	Not expected	Not expected

Indirect impact	Project phase	Nature	Extent	Frequency	Duration	Timing
Bush rock removal and disturbance	Construction	Minor. A relatively small amount of rock will be removed as part of the development. No additional indirect impacts are expected.	Minor	Intermittently during construction phase	During construction	Intermittently during construction phase
Increase in predatory species populations	Construction and post construction	Not expected. The proposed development occurs on the edge of an already disturbed area and will not increase the populations of predatory species such as foxes and cats.	Not expected	Not expected	Not expected	Not expected
Increase in pest animal populations	Construction and post construction	Not expected.	Not expected	Not expected	Not expected	Not expected
Increased risk of fire	Construction	Minor potential for increased risk of fire during construction.	Minor	Intermittently during construction phase	During construction	Intermittently during construction phase
Disturbance to specialist breeding and foraging habitat, e.g. beach nesting for shorebirds	Construction and post construction	Not expected as none are known to be present.	Not expected	Not expected	Not expected	Not expected

6.5. Mitigating and managing direct and indirect impacts

Measures proposed to mitigate and manage impacts at the development site before, during and after construction are outlined in Table 21.

6.6. Mitigating prescribed impacts

The development does not have any prescribed biodiversity impacts.

6.7. Adaptive management strategy

This section is required for those impacts that are infrequent, cumulative or difficult to predict. Impacts associated with the proposed development have been considered extensively and addressed in Section 5 and Section 6. Further consideration of infrequent, cumulative or difficult to predict impacts is not considered to be necessary.

Table 21: Measures proposed to mitigate and manage impacts

Measure	Risk before mitigation	Risk after mitigation	Action	Outcome	Timing	Responsibility
Displacement of resident fauna	Low	Low	None proposed.	NA	NA	Vail Resorts
Timing works to avoid critical life cycle events such as breeding or nursing	Low	Low	None proposed.	NA	NA	NA
Instigating clearing protocols including pre- clearing surveys, daily surveys and staged clearing, the presence of a trained ecologist or licensed wildlife handler during clearing events	Medium	Low	Tape off native vegetation adjacent to the development site as "no go" areas.	Impacts on fauna mitigated.	Prior to construction	Vail Resorts
Clearing protocols that identify vegetation to be retained, prevent inadvertent damage and reduce soil disturbance; for example, removal of native vegetation by chainsaw, rather than heavy machinery, is preferable in situations where partial clearing is proposed	Medium	Low	Tape off native vegetation adjacent to the development site as "no go" areas.	Risk of disturbance beyond proposed disturbance footprint is reduced.	Prior to construction	Vail Resorts
Sediment barriers or sedimentation ponds to control the quality of water released from the site into the receiving environment	Medium	Low	Sediment control measures as necessary such as fencing and hay bales.	Risk of sedimentation or water quality impacts substantially reduced.	During and post-construction	Vail Resorts
Noise barriers or daily/seasonal timing of construction and operational activities to reduce impacts of noise	Low	Low	Restrict work to daylight hours.	Noise impacts mitigated.	During construction	Vail Resorts
Light shields or daily/seasonal timing of construction and operational activities to reduce impacts of light spill	Low	Low	Restrict work to daylight hours.	Light impacts mitigated.	During construction	Vail Resorts
Adaptive dust monitoring programs to control air quality	Low	Low	None proposed.	NA	NA	NA
Programming construction activities to avoid impacts; for example, timing construction activities for when migratory species are absent from the site, or when particular species known to or likely to use the habitat on the site are not breeding or nesting	Low	Low	None proposed.	NA	NA	NA

Measure	Risk before mitigation	Risk after mitigation	Action	Outcome	Timing	Responsibility
Temporary fencing to protect significant environmental features such as riparian zones	Medium	Low	Tape off native vegetation adjacent to the development site as "no go" areas.	Risk of disturbance beyond proposed disturbance footprint is reduced.	Prior to construction	Vail Resorts
Hygiene protocols to prevent the spread of weeds or pathogens between infected areas and uninfected areas	Medium	Low	Any machinery or vehicles involved with the proposed works will be washed down to remove all soil and vegetative matter before entering the site to limit spread of weeds and disease such as <i>Phytophthora cinnamomi</i> .	Risk of weed or pathogen spread substantially reduced.	Prior to and during construction	Vail Resorts
Staff training and site briefing to communicate environmental features to be protected and measures to be implemented	Medium	Low	Brief all workers as to limit of disturbance footprint and other environmental safeguards.	Risk of disturbance beyond proposed disturbance footprint is reduced.	Prior to and during construction as necessary	Vail Resorts
Making provision for the ecological restoration, rehabilitation and/or ongoing maintenance of retained native vegetation habitat on or adjacent to the development footprint	Medium	Low	Post construction rehabilitation consistent with standard Perisher rehabilitation strategies.	Post construction vegetation within the development footprint with high medium-term recovery potential.	Immediately post construction	Vail Resorts
Monitoring	Low	Low	None proposed.	NA	NA	NA

7. Impact summary

Following implementation of the BAM and the BAMC, the following impacts have been determined.

7.1. Serious and Irreversible Impacts (SAII)

The development does not have any Serious and Irreversible Impacts (SAII).

7.2. Impacts requiring offsets

The impacts of the development requiring offset for native vegetation are outlined in Table 22 and shown on Figure 8. The impacts of the development requiring offset for species credit species and their habitats are outlined in Table 23 and on Figure 8.

Table 22: Impacts to native vegetation that require offsets

Vegetation Zone	PCT ID	PCT Name	Vegetation Class	Vegetation Formation	Direct impact (ha)
1	3381	Kosciuszko Alpine Sally Woodland	Grassy Woodlands	Subalpine Woodlands	0.01

Table 23: Impacts on threatened species and threatened species habitat that require offsets

Species	Common Name	Direct impact number of individuals / habitat (ha)	BC Act listing status	EPBC Act Listing status
Mastacomys fuscus	Broad-toothed Rat	0.01 ha	Endangered	Endangered
Cercartetus nanus	Eastern Pygmy-possum	0.01 ha	Vulnerable	Not Listed

7.3. Impacts not requiring offsets

All the impacts of the development on native vegetation and on the Broad-toothed Rat and Eastern Pygmy-possum require offsets. The impacts of the proposed development on non-native vegetation do not require offsets. Those impacts that do not require offsets area shown in Figure 9.

7.4. Areas not requiring assessment

No parts of the proposed development do not require assessment.



Figure 8: Impacts requiring offset



Figure 9: Impacts not requiring offset

7.5. Credit summary

The number of ecosystem credits required for the development are outlined in Table 24.

The number of species credits required for the development are outlined in Table 25.

A biodiversity credit report is included in Appendix F.

Table 24: Ecosystem credits required

Vegetation Zone	PCT ID	PCT Name	Condition	Credit Class	Direct impact (ha)	Credits required
1	3381	Kosciuszko Alpine Sally Woodland	Good	Grassy Woodlands	0.01	1

Table 25: Species credit summary

Species	Common Name	Direct impact number of individuals / habitat (ha)	Credits required
Mastacomys fuscus	Broad-toothed Rat	0.01 ha	1
Cercartetus nanus	Eastern Pygmy-possum	0.01 ha	1

8. Consistency with legislation and policy

8.1. Commonwealth Environment Protection and Biodiversity Conservation Act 1999

An impact assessment under the EPBC Act was undertaken on one MNES; the Broad-toothed Rat, which was found to occur within the development footprint.

The outcome of this assessment was that it is highly unlikely that the development would significantly impact on those MNES assessed (Appendix D).

A referral to the Commonwealth under the EPBC Act is not recommended.

9. Recommendations

To further ameliorate the potential impacts of the proposed development and to improve environmental outcomes, the following recommendations for impact mitigation and amelioration are suggested as modifications to the proposal and/or as conditions of consent.

• The mitigation measures identified in Table 21 should be incorporated into the proposal.

10. Conclusion

Eco Logical Australia Pty Ltd was engaged by Vail Resorts to prepare a BDAR for the proposed widening of the Guthega Home Trail in the Guthega area of Perisher Ski Resort.

This report has been prepared to meet the requirements of the BAM 2020 established under Section 6.7 of the BC Act.

This BDAR outlines the measures taken to avoid, minimise and mitigate impacts to the vegetation and habitats present within the development footprint during the design, construction and operation of the development. The residual unavoidable impacts of the proposed development were calculated in accordance with the BAM by utilising the BAMC. The BAMC calculated that a total of one ecosystem credit and two species credits are required to offset the unavoidable impacts to the vegetation and fauna habitats present within the development footprint.

SAII values have been considered as part of this assessment. The proposal will not result in any SAII.

Following consideration of the administrative guidelines for determining significance under the EPBC Act, it is concluded that the proposal is unlikely to have a significant impact on MNES or Commonwealth land, and a referral to the Commonwealth Environment Minister is therefore not recommended.

11. Bibliography

Cogger, H.G. 1996. Reptiles and Amphibians of Australia. Reed Books, Sydney

Costermans, L. 1994. Native Trees and Shrubs of South-Eastern Australia. Lansdowne Publishing, Sydney.

Costins, C., Gray, M., Totterdell, C., and Wimbush, D. 2000. *Kosciuszko Alpine Flora*. CSIO Publishing, Victoria.

Cropper, S.C. 1993. Management of Endangered Plants. CSIRO Publishing, Melbourne.

Department of Environment. 2013. Significant Impact Guidelines 1.1 - Matters of National Environmental Significance. Australian Government, Canberra.

Department of Environment, Land, Water and Planning. 2016. *National Recovery Plan for the Mountain Pygmy-possum Burramys parvus*. Australian Government, Canberra.

Ecology Australia. 2002. Kosciuszko Resorts Vegetation Assessment. A report for Planning NSW.

Gellie, N.J.H. 2006. Native vegetation of the southern forests: South-east Highlands, Australian Alps, South-west Slopes and South-east Corner bioregions. *Cunninghamia 9, 219-254*.

Green, K. 2002. Selective predation on the broad-toothed rat, *Mastacomys fuscus* (Rodentia: Muridae), by the introduced red fox, *Vulpes vulpes* (Carnivora: Canidae), in the Snowy Mountains, Australia. *Austral Ecology 27, 353–359*.

NGH Environmental. 2007. *Rehabilitation Guidelines for the Resort Areas of Kosciuszko National Park*. A report for Parks and Wildlife Division. Department of Environment and Climate Change NSW.

McDougall, K.L. & Walsh, N.G. 2007. Treeless vegetation of the Australian Alps. Cunninghamia 10, 1-57.

NSW Department of Planning and Environment (DPE). 2023. *Perisher Wallaby Grass (Rytidosperma vickeryae) 2023 Surveys Kosciuszko National Park*. NSW Office of Environment and Heritage Sydney.

NSW Department of Environment and Conservation (DEC). 2006. Kosciuszko National Park Plan of Management.

NSW National Parks and Wildlife Service 2001a. Approved Recovery Plan for the Threatened Alpine Flora Anemone Buttercup (Ranunculus anemoneus), Feldmark Grass (Erythranthera pumila), Raleigh Sedge (Carex raleighii) & Shining Cudweed (Euchiton nitidulus). NSW NPWS, Hurstville NSW.

NSW National Parks and Wildlife Service. 2001b. *Approved Recovery Plan for the Southern Corroboree Frog Pseudophryne corroboree*. NSW National Parks and Wildlife Service Hurstville.

NSW National Parks and Wildlife Service. 2002. *Approved Recovery Plan for the Mountain Pygmy Possum Burramys parvus*. NSW National Parks and Wildlife Service Hurstville.

NSW Office of Environment and Heritage (OEH). 2018. *Perisher Wallaby Grass (Rytidosperma vickeryae) Kosciuszko National Park 2017.* NSW Office of Environment and Heritage Sydney.

NSW Scientific Committee. 2005. Final Determination to list Montane Peatlands and Swamps of the New England Tableland, NSW North Coast, Sydney Basin, South East Corner, South Eastern Highlands and Australia Alps area as an endangered ecological community.

Sato, C.F., Schroder, M., Green, K., Michael, D.R., Osborne, W.S. and Lindenmayer, D.B. 2014. Managing ski resorts to improve biodiversity conservation: Australian reptiles as a case study. *Ecological Management and Restoration* 15(2).

Sato, C.F., Wood, J.T., Schroder, M., Green, K., Michael, D.R. and Lindenmayer, D. B. 2013. The impacts of ski resorts on reptiles: a natural experiment. *Animal Conservation. Doi: 10.111/acv.12095*.

Sato C.F., Wood J.T., Schroder M., Green, K., Michael, D.R., Osborne, W.S. and Lindenmayer, D.B. 2014. An experiment to test key hypotheses of the drivers of reptile distribution in subalpine ski resorts. *Journal of Applied Ecology 51, 13-22*.

Strahan, R. 1995. *The Australian Museum Complete Book of Australian Mammals*, Cornstalk Publishing, Sydney.

Threatened Species Scientific Committee. 2009. Listing Advice for the Alpine Sphagnum Bogs and Associated Fens Endangered Ecological Community.

Appendix A - Definitions

The following terminology has been used throughout this report for the purposes of describing the impacts of the proposal in the context of a biodiversity assessment in accordance with the NSW Biodiversity Assessment Method 2020. This terminology may or may not align with other technical documents associated with the proposed development.

Terminology	Definition
Biodiversity credit report	The report produced by the Credit Calculator that sets out the number and class of biodiversity credits required to offset the remaining adverse impacts on biodiversity values at a development site, or on land to be biodiversity certified, or that sets out the number and class of biodiversity credits that are created at a biodiversity stewardship site.
BioNet Atlas	The BioNet Atlas (formerly known as the NSW Wildlife Atlas) is the OEH database of flora and fauna records. The Atlas contains records of plants, mammals, birds, reptiles, amphibians, some fungi, some invertebrates (such as insects and snails) and some fish.
Broad condition state	Areas of the same PCT that are in relatively homogenous condition. Broad condition is used for stratifying areas of the same PCT into a vegetation zone for the purpose of determining the vegetation integrity score.
Connectivity	The measure of the degree to which an area(s) of native vegetation is linked with other areas of vegetation.
Credit Calculator	The computer program that provides decision support to assessors and proponents by applying the BAM, and which calculates the number and class of biodiversity credits required to offset the impacts of a development or created at a biodiversity stewardship site.
Development	Has the same meaning as development at section 4 of the EP&A Act, or an activity in Part 5 of the EP&A Act. It also includes development as defined in section 115T of the EP&A Act.
Development footprint	The area of land that is directly impacted on by a proposed development, including access roads, and areas used to store construction materials.
Development site	An area of land that is subject to a proposed development that is under the EP&A Act.
Ecosystem credits	A measurement of the value of EECs, Critically Endangered Ecological Communities (CEEC) and threatened species habitat for species that can be reliably predicted to occur with a PCT. Ecosystem credits measure the loss in biodiversity values at a development site and the gain in biodiversity values at a biodiversity stewardship site.
Extent of occurrence (EOO)	Measures the spatial spread of a taxon to determine the degree to which risks from threatening factors could impact an entire population, and is not intended to be an estimate of the amount of occupied or potential habitat.
High threat exotic plant cover	Plant cover composed of vascular plants not native to Australia that if not controlled will invade and outcompete native plant species.
Hollow bearing tree	A living or dead tree that has at least one hollow. A tree is considered to contain a hollow if: (a) the entrance can be seen; (b) the minimum entrance width is at least 5 cm; (c) the hollow appears to have depth (i.e. you cannot see solid wood beyond the entrance); (d) the hollow is at least 1 m above the ground. Trees must be examined from all angles.
Important wetland	A wetland that is listed in the Directory of Important Wetlands of Australia (DIWA) and SEPP 14 Coastal Wetlands.
Linear shaped development	Development that is generally narrow in width and extends across the landscape for a distance greater than 3.5 kilometres in length.
Local population	The population that occurs in the study area. In cases where multiple populations occur in the study area or a population occupies part of the study area, impacts on each subpopulation must be assessed separately.

Terminology	Definition
NSW (Mitchell) landscape	Landscapes with relatively homogeneous geomorphology, soils and broad vegetation types, mapped at a scale of 1:250,000.
Multiple fragmentation impact development	Developments such as wind farms and coal seam gas extraction that require multiple extraction points (wells) or turbines and a network of associated development including roads, tracks, gathering systems/flow lines, transmission lines.
Operational Manual	The Operational Manual published from time to time by DPIE, which is a guide to assist assessors when using the BAM.
Patch size	An area of intact native vegetation that: a) occurs on the development site or biodiversity stewardship site, and b) includes native vegetation that has a gap of less than 100 m from the next area of native vegetation (or ≤30 m for non-woody ecosystems). Patch size may extend onto adjoining land that is not part of the development site or stewardship site.
Proponent	A person who intends to apply for consent to carry out development or for approval for an activity.
Reference sites	The relatively unmodified sites that are assessed to obtain local benchmark information when benchmarks in the Vegetation Benchmarks Database are too broad or otherwise incorrect for the PCT and/or local situation. Benchmarks can also be obtained from published sources.
Regeneration	The proportion of over-storey species characteristic of the PCT that are naturally regenerating and have a diameter at breast height <5 cm within a vegetation zone.
Residual impact	An impact on biodiversity values after all reasonable measures have been taken to avoid, minimise or mitigate the impacts of development. Under the BAM, an offset requirement is determined for the remaining impacts on biodiversity values.
Retirement of credits	The purchase and retirement of biodiversity credits from an already-established biobank site or a biodiversity stewardship site secured by a biodiversity stewardship agreement.
Riparian buffer	Riparian buffers applied to water bodies in accordance with the BAM.
Sensitive biodiversity values land map	Development within an area identified on the map requires assessment using the BAM.
Site attributes	The matters assessed to determine vegetation integrity. They include: native plant species richness, native over-storey cover, native mid-storey cover, native ground cover (grasses), native ground cover (shrubs), native ground cover (other), exotic plant cover (as a percentage of total ground and mid-storey cover), number of trees with hollows, proportion of over-storey species occurring as regeneration, and total length of fallen logs.
Site-based development	A development other than a linear shaped development, or a multiple fragmentation impact development
Species credits	The class of biodiversity credits created or required for the impact on threatened species that cannot be reliably predicted to use an area of land based on habitat surrogates. Species that require species credits are listed in the Threatened Biodiversity Data Collection.
Subject land	Is land to which the BAM is applied in Stage 1 to assess the biodiversity values of the land. It includes land that may be a development site, clearing site, proposed for biodiversity certification or land that is proposed for a biodiversity stewardship agreement.
Threatened Biodiversity Data Collection	Part of the BioNet database, published by DPIE and accessible from the BioNet website.
Threatened species	Critically Endangered, Endangered or Vulnerable threatened species as defined by Schedule 1 of the BC Act, or any additional threatened species listed under Part 13 of the EPBC Act as Critically Endangered, Endangered or Vulnerable.

Terminology	Definition
Vegetation Benchmarks Database	A database of benchmarks for vegetation classes and some PCTs. The Vegetation Benchmarks Database is published by OEH and is part of the BioNet Vegetation Classification.
Vegetation zone	A relatively homogenous area of native vegetation on a development site, land to be biodiversity certified or a biodiversity stewardship site that is the same PCT and broad condition state.
Wetland	An area of land that is wet by surface water or ground water, or both, for long enough periods that the plants and animals in it are adapted to, and depend on, moist conditions for at least part of their life cycle. Wetlands may exhibit wet and dry phases and may be wet permanently, cyclically or intermittently with fresh, brackish or saline water.
Woody native vegetation	Native vegetation that contains an over-storey and/or mid-storey that predominantly consists of trees and/or shrubs.

Appendix B - Vegetation Floristic Plot Data

Table 26: Species recorded in the plots and incidentally elsewhere within the development site or immediate surrounds.

Family	Species	Common Name	Listing	ROTAP	Exotic	High	Growth Form Group	Plot 1		
			Status			Threat Weed		Stratum & Layer	Cover	Abundance
Polygonaceae	Acetosella vulgaris	Sheep Sorrel	-	-	Yes	Yes	-	g	0.1	20
Asteraceae	Achillea millefolium	Yarrow	-	-	Yes	Yes	-	g	0.2	100
Poaceae	Agrostis capillaris	Browntop Bent	-	-	Yes	Yes	-	g	0.3	100
Poaceae	Anthoxanthum odoratum	Sweet Vernal Grass	-	-	Yes	-	-	g	0.2	100
Rubiaceae	Asperula gunnii	Mountain Woodruff	-	-	-	-	Forb (FG)	g	2	100
Myrtaceae	Eucalyptus niphophila	-	-	-	-	-	Tree (TG)	u	2	5
Fabaceae (Faboideae)	Hovea montana	-	-	-	-	-	Shrub (SG)	g	35	100
Asteraceae	Hypochaeris radicata	Catsear	-	-	Yes	-	-	g	0.1	10
Asteraceae	Microseris lanceolata	Yam Daisy	-	-	-	-	Forb (FG)	g	0.2	50
Asteraceae	Olearia phlogopappa subsp. flavescens (Hutch.) Messina	Dusty Daisy-bush	-	-	-	-	Shrub (SG)	m	2	20
Fabaceae (Faboideae)	Oxylobium ellipticum	Common Shaggy Pea	-	-	-	-	Shrub (SG)	g	35	100
Asteraceae	Ozothamnus secundiflorus	Cascade Everlasting	-	-	-	-	Shrub (SG)	m	1	5
Thymelaeaceae	Pimelea ligustrina subsp. ciliata	-	-	-	-	-	Shrub (SG)	m	2	50
Poaceae	Poa ensiformis	Purple-sheathed Tussock-grass	-	-	-	-	Grass & grasslike (GG)	g	5	500
Poaceae	Poa fawcettiae	Smooth Blue Snowgrass	-	-	-	-	Grass & grasslike (GG)	g	35	500
Caryophyllaceae	Stellaria pungens	Prickly Starwort	-	-	-	-	Forb (FG)	g	0.2	10
Winteraceae	Tasmannia xerophila subsp. xerophila	Alpine Pepperbush	-	-	-	-	Shrub (SG)	g	0.2	20

Appendix C - Vegetation Integrity Plot Data

Table 27: Plot location data

Plot no.	РСТ	Condition	Easting	Northing	Bearing
1	3381	Moderate	623373	5973228	60

Table 28: Vegetation integrity data (composition)

Composition (number of species)						
Plot	Tree	Shrub	Grass	Forb	Fern	Other
1	1	6	3	3	0	0

Table 29: Vegetation integrity data (Structure)

Structure (Total cover)						
Plot	Tree	Shrub	Grass	Forb	Fern	Other
1	2.0	77.0	40.2	2.4	0.0	0.0

Table 30: Vegetation integrity data (Function)

	Function										
Plot	Large Trees	Hollow trees	Litter Cover	Length Fallen Logs	Tree Stem 5-9	Tree Stem 10-1 9	Tree Stem 20-29	Tree Stem 30-49	Tree Stem 50-79	Tree Regen	High Threat Weed Cover
1	0	0	44	5	1	1	0	0	0	1	0.5

Appendix D - EPBC Act Significant Impact Criteria

The EPBC Act Administrative Guidelines on Significance (DoE 2013) set out 'Significant Impact Criteria' that are to be used to assist in determining whether a proposed action is likely to have a significant impact on Matters of National Environmental Significance. Matters listed under the EPBC Act as being of national environmental significance include:

- Listed threatened species and ecological communities
- Listed migratory species
- Wetlands of International Importance
- The Commonwealth marine environment
- World Heritage properties
- National Heritage places
- Nuclear actions
- Great Barrier Reef.

Specific 'Significant Impact Criteria' are provided for each Matter of National Environmental Significance except for threatened species and ecological communities in which case separate criteria are provided for species listed as endangered and vulnerable under the EPBC Act.

Only one Commonwealth listed entity is known or considered to have the potential to occur within the study area:

• Mastacomys fuscus (Broad-toothed Rat).

The relevant Significant Impact Criteria have been applied to determine the significance of impacts associated with the proposal.

Matters to be considered	Impact
Any environmental impact on a World Heritage Property or National Heritage Places	No. The proposed action does not impact on a World Heritage Property or a National Heritage Place - (listed natural: Australian Alpine National Parks and Reserves; nominated historic: Snowy Mountains Scheme NSW).
Any environmental impact on Wetlands of International Importance	No. The proposal will not affect any part of a wetland of international importance.
	Yes. The study area provides habitat for one Commonwealth listed endangered species: the Broad-toothed Rat.
	The significant impact criteria for endangered species are discussed below:
	a. lead to a long-term decrease in the size a population of a species,
Any impact on Commonwealth Listed Critically Endangered or Endangered Species;	Whilst the proposed action will affect a small area of known habitat for the Broad-toothed Rat, it will affect only a very small amount (0.014 ha) of the habitat for the species. As such, the proposal is considered highly unlikely to adversely affect a significant proportion of the home range of one or more Broad-toothed Rat individuals and will not result in habitat fragmentation which could isolate individuals or a population of the Broad-toothed Rat.
Endingered Species,	Under these circumstances, it is considered highly unlikely that the proposed action will lead to a long-term decrease in the size of the Broad-toothed Rat population.
	b. reduce the area of occupancy of the species
	The proposed action will be limited to the loss or further modification of 0.014 ha of native vegetation which is a small amount of habitat in the context of the extent of similar habitats in the locality generally. The proposed works will not affect any key habitat resources for the

Matters to be considered

Impact

Broad-toothed Rat; nor affect the species ability to access habitats within or beyond the study area.

c. fragment an existing population into two or more populations

The proposed action will be limited to the loss or further modification of 0.014 ha of native vegetation which is a small amount of habitat in the context of the extent of similar habitats in the locality generally. The proposed works will not affect any key habitat resources for the Broad-toothed Rat; nor affect the species ability to access habitats within or beyond the study area.

Under these circumstances, the proposed action will not fragment an existing population of the Broad-toothed Rat into two or more populations.

d. adversely affect habitat critical to the survival of a species

No habitat within the development site is considered likely to be critical to the survival of the Broad-toothed Rat. There are thousands of hectares of similar habitats in the alpine and subalpine zones of the Australian alps, including contiguous areas within the Perisher Resort area. The habitats to be affected, whilst utilised by the Broad-toothed Rat, are relatively dry and away from the wet heath, bog and creek-side habitats that the species is most strongly associated with. The Broad-toothed Rat continues to occur within the Perisher Resort Area despite a long history of similar and more extensive disturbances.

e. disrupt the breeding cycle of a population

It is considered highly unlikely that the proposed works would disrupt the breeding cycle of the local population of the Broad-toothed Rat given the small area of habitat to be affected relative to the extensive area of similar and superior habitat contiguous with the development site.

f. modify, destroy, remove or isolate or decrease the availability or quality of habitat to the extent that the species is likely to decline

The proposed action will modify a very small area of habitat for the Broad-toothed Rat, but this area is unlikely to be important to the species in the context of the extent of potential habitat in the locality.

Under these circumstances it is highly unlikely that the proposed action would modify- destroy-remove or isolate or decrease the availability or quality of habitat to the extent that the Broadtoothed Rat is likely to decline.

g. result in invasive species that are harmful to an endangered species becoming established in the endangered or critically endangered species' habitat

The proposed action is unlikely to result in invasive species that are harmful becoming established in potential habitat of the Broad-toothed Rat. Species such as cats or foxes are already present in the landscape and are subject to control programs within the resort.

h. introduce disease that may cause the species to decline

The proposed action is unlikely to introduce disease that may cause the Broad-toothed Rat to decline.

i. interfere with the recovery of the species.

As the proposed action is not considered to decrease or fragment any existing populations the recovery of the Broad-toothed Rat is unlikely to be adversely impacted.

Any impact on Commonwealth Listed Vulnerable Species; No. The study area does not provide potential habitat for any Commonwealth listed vulnerable species.

Any impact on a Commonwealth Endangered Ecological Community No: The development site does not provide potential habitat for any Commonwealth listed endangered ecological community.

Any environmental impact on Commonwealth Listed Migratory Species;

No. The proposed action will not have any adverse impacts on any listed migratory species.

Matters to be considered	Impact
Does any part of the Proposal involve a Nuclear Action;	No. The project does not include a Nuclear Action.
Any environmental impact on a Commonwealth Marine Area;	No. There are no Commonwealth Marine Areas within the study area.
In addition- any direct or indirect impact on Commonwealth lands	No. The project does not directly or indirectly affect Commonwealth land.

Appendix E - Staff CVs



CURRICULUM VITAE

Ryan Smithers

SENIOR ECOLOGIST

QUALIFICATIONS

BEnvSc (Land Resources Management)- University of Wollongong with 1st Class Honours 1995. Accredited BBAM- FBA- and BAM Assessor

Alpine Ecology Course Australian Alpine Institute and La Trobe University Senior First Aid- St. Johns Ambulance.

Ryan brings to ELA 30 years' experience in ecology and natural resource management. He has extensive practical experience in flora and fauna surveying- fire-fighting- planning and land management throughout southern NSW and has undertaken numerous flora and fauna surveys-biodiversity plans- environmental impact assessments- vegetation management plans- fire management plans and weed management plans.

Ryan has extensive experience in general and targeted fauna surveys using a diverse range of survey techniques. Ryan has undertaken many flora and fauna surveys on the NSW south coast-southern tablelands and in the Australian Alps- and in other parts of Australia including in the Northern Territory.

Ryan is an accredited Biobanking (BBAM)- Framework for Biodiversity Assessment (FBA) and Biodiversity Assessment Method (BAM) assessor and has undertaken may surveys using BBAM-BAM and DPIE Vegetation Survey Standard or very similar methodologies. Ryan project managed ELAs contributions to the Full-floristic Vegetation Survey and Condition Assessment for the Southeast Highlands and Australian Alps of the Upper Murrumbidgee Catchment and South-east Corner Biometric Benchmark projects which involved the collection of more than 250 plots.

Ryan has particular ecological expertise in the NSW southern tablelands and Alps- gained from 15 years of survey and assessment across the Alps- including many assessments within the Charlotte Pass- Thredbo and Perisher Ski Resorts- and assessments on the Monaro including around Jindabyne.

Ryan has undertaken assessments in the region for a broad range of clients including NSW NPWS, Local Land Services, Biodiversity Conservation Trust, Kosciuszko Thredbo, Vail Resorts and Charlotte Pass Ski Resort.

RELEVANT PROJECT EXPERIENCE

Monaro and Werriwa Snow Gum Woodland and Grasslands Conservation Tender

Monaro Grasslands Conservation Tender

Kosi Walk Realignment Review of Environmental Factors

Diggings Campground Upgrade Review of Environmental Factors

Mount Perisher Chairlift Biodiversity Development Assessment Report

Merritt's Gondola Biodiversity Development Assessment Report

Corin Forest Ski Slope Assessment

Montane Peatlands Strategic Action Plan

Perisher Guthega Skink Targeted Surveys

Numerous Mountain Bike Ecological Assessments at Thredbo

Leichardt Chairlift Ecological Assessment

Thredbo Masterplan Ecological Assessment

Guthega Quad Chair Flora and Fauna Assessment

Thredbo Chairlift Constraints Analysis

Friday Flat Ecological Assessment

Sponar's Traverse Flora and Fauna Assessment

Lobs Hole Review of Environmental Factors

Lake Wallace Flora and Fauna Assessment for Cooma Monaro Shire at Nimmitabel

Numerous Impact Assessments in alpine and sub-alpine environments for OEH- Vail- Kosciuszko-

Thredbo and Charlotte Pass Ski Resorts

Boco Rock Wind Farm Ecological Assessment and Offsets Analysis

South-east Highlands and Australian Alps of the Upper Murrumbidgee Catchment Full Floristic Survey and Condition Assessment

South-east Corner Biometric Benchmark Project

Queanbeyan Biodiversity Study

Mount Jerrabomberra Ecological Assessment

Eurobodalla Bio-certification Project

Jervis Bay Biodiversity Assessment

Broulee and South Moruya Biocertification Project

North Moruya Biodiversity Study

Eurobodalla Vegetation Mapping Validation

Eurobodalla Biodiversity Study for future Urban Expansion Lands

Merimbula STP Upgrade Terrestrial Ecological Assessment

Cobowra LALC Lands Biobanking Assessment

Upper Lachlan Shire Biodiversity Planning Framework

Parkes- Cabonne- Bland- Upper Lachlan and Temora Shires Biodiversity Assessment and NRM Projects

Old Comma Road deviation Species Impact Statement

Flora and Fauna Assessment Edwin Lane Parkway Extension

Ecological Studies – Proposed Googong township

Tarrawonga Biobanking Assessment – Boggabri

Katherine to Gove Pipeline – Mitchell Ranges fauna surveys

Darwin regional flora and fauna survey RAAF Darwin- defence establishment Berrimah and Shoal Bay receiving station.

47

Appendix F - Biodiversity credit report



Proposal Details

Assessment Id Proposal Name BAM data last updated *

00053667/BAAS17061/24/00053668 Guthega Home Trail 28/10/2024

Assessor Name Assessor Number BAM Data version *

Ryan Smithers BAAS17061 Current classification (live - default)

(80)

Proponent Names Report Created BAM Case Status

08/01/2025 Finalised

Assessment Revision BOS entry trigger Assessment Type

Description
BOS Threshold: Biodiversity Values Map
Part 4 Developments (Small Area)

Date Finalised

* Disclaimer: BAM data last updated may indicate either complete or partial update of the BAM calculator database. BAM calculator database may not be completely aligned with Bionet.

Potential Serious and Irreversible Impacts

Name of threatened ecological community	Listing status	Name of Plant Community Type/ID
Nil		
Species		
Nil		

Additional Information for Approval

Assessment Id Proposal Name

Guthega Home Trail

Page 1 of 4



PCT Outside Ibra Added
None added

PCTs Wit	h Custo	mized	Benc	hmarl	k۶
----------	---------	-------	------	-------	----

PCT

No Changes

Predicted Threatened Species Not On Site

Name

No Changes

Ecosystem Credit Summary (Number and class of biodiversity credits to be retired)

Name of Plant Community Type/ID	Name of threatened ecological community	Area of impact	HBT Cr	No HBT Cr	Total credits to be retired
3381-Kosciuszko Alpine Sally Woodland	Not a TEC	0.0	0	1	1



3381-Kosciuszko Alpine Sally	Like-for-like credit retirement options					
Woodland	Class	Trading group	Zone	НВТ	Credits	IBRA region
	Subalpine Woodlands This includes PCT's: 1191, 1196, 3379, 3380, 3381, 3382, 3383, 3384, 3385	Subalpine Woodlands <50%	3381_Moderat e	No		Snowy Mountains, Bondo, Monaro, Murrumbateman, Snowy Mountains and South East Coastal Ranges. or Any IBRA subregion that is within 100 kilometers of the outer edge of the impacted site.

Species Credit Summary

Species	Vegetation Zone/s	Area / Count	Credits
Cercartetus nanus / Eastern Pygmy-possum	3381_Moderate	0.0	1.00
Mastacomys fuscus mordicus / Broad-toothed Rat	3381_Moderate	0.0	1.00

Credit Retirement Options	Like-for-like credit retirement options		
Cercartetus nanus / Eastern Pygmy-possum	Spp	IBRA subregion	
	Cercartetus nanus / Eastern Pygmy-possum	Any in NSW	



Mastacomys fuscus mordicus / Broad-toothed Rat	Spp	IBRA subregion
	Mastacomys fuscus mordicus / Broad-toothed Rat	Any in NSW



