BASIX[°]Certificate

Building Sustainability Index www.basix.nsw.gov.au

Multi Dwelling

Certificate number: 1772526M_02

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary

Date of issue: Monday, 16 December 2024

To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



Project summary								
Project name	115 to 117 Dutton Street Yagoona NSW 2199_02							
Street address	115 TO 117 DUTTON STREET	YAGOONA 2199						
Local Government Area	CANTERBURY-BANKSTOWN							
Plan type and plan number	Deposited Plan DP9795							
Lot no.	18&19							
Section no.	-							
No. of residential flat buildings	1							
Residential flat buildings: no. of dwellings	28							
Multi-dwelling housing: no. of dwellings	0							
No. of single dwelling houses	0							
Project score								
Water	40	Target 40						
Thermal Performance	V Pass	Target Pass						
Energy	v 61	Target 61						
Materials	·100	Target n/a						

Certificate Prepared by

Name / Company Name: BONNEFIN CONSULTING PTY LTD

ABN (if applicable): 95164564210

Description of project

Project address	
Project name	115 to 117 Dutton Street Yagoona NSW 2199_02
Street address	115 TO 117 DUTTON STREET YAGOONA 2199
Local Government Area	CANTERBURY-BANKSTOWN
Plan type and plan number	Deposited Plan DP9795
Lot no.	18&19
Section no.	-
Project type	
No. of residential flat buildings	1
Residential flat buildings: no. of dwellings	28
Multi-dwelling housing: no. of dwellings	0
No. of single dwelling houses	0
Site details	
Site area (m²)	2120
Roof area (m²)	826.4
Non-residential floor area (m ²)	0
Residential car spaces	55
Non-residential car spaces	0

Common area landscape								
Common area lawn (m ²)	695							
Common area garden (m ²)	0							
Area of indigenous or low water use species (m ²)	0							
Assessor details and therm	al loads							
Assessor number	10056							
Certificate number	0011553050							
Climate zone	56							
Project score								
Water	40	Target 40						
Thermal Performance	V Pass	Target Pass						
Energy	61	Target 61						
Materials	-100	Target n/a						

Description of project

The tables below describe the dwellings and common areas within the project

Residential flat buildings - Building1, 28 dwellings, 4 storeys above ground

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms		Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms		Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)	Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & lawn (m²)	Indigenous species (min area \mathfrak{m}^2)
101	2	96	0	0	0	102	3	78.8	0	0	0	103	1	70.4	0	0	0	104	2	89.5	0	0	0
105	1	71	0	0	0	106	2	92.1	0	0	0	107	1	70.1	0	0	0	108	3	82.4	0	0	0
201	2	79.2	0	0	0	202	3	78.8	0	0	0	203	1	52.5	0	0	0	204	2	78.7	0	0	0
205	2	78.7	0	0	0	206	2	78.7	0	0	0	207	3	108.8	0	0	0	208	3	82.4	0	0	0
301	2	79.2	0	0	0	302	3	78.8	0	0	0	303	1	52.5	0	0	0	304	2	78.7	0	0	0
305	2	78.7	0	0	0	306	2	78.7	0	0	0	307	3	108.8	0	0	0	308	3	82.4	0	0	0
G01	3	95.9	0	0	0	G02	3	94.2	0	0	0	G03	2	78.7	0	0	0	G04	2	78.7	0	0	0

Description of project

The tables below describe the dwellings and common areas within the project

Common areas of unit building - Building1

Common area	Floor area (m²)	Common area	Floor area (m²)	Common area	Floor area (m²)
Basement 2 Carpark	1178.5	Basement 1 Carpark	1153.3	Comms/Swtich room	38.5
Bin holding area	39.9	Bulky waste	5.5	Bin (L1 to L3)	8.2
Fire pump room	38.5	Plant room	14.5	Storage	385.2
Stairs 112.4		Ground floor lobby	56.7	Hallway/lobbies	302.9
Lift bank (No. 1)	-				

Schedule of BASIX commitments

1. Commitments for Residential flat buildings - Building1

(a) Buildings

(i) Materials

(b) Dwellings

(i) Water

(ii) Energy

(iii) Thermal Performance

(c) Common areas and central systems/facilities

(i) Water

(ii) Energy

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water

(ii) Energy

Schedule of BASIX commitments

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

1. Commitments for Residential flat buildings - Building1

(a) Buildings

(i) Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Floor types", "External wall types", "Internal wall types", "Ceiling and roof types", "Frames" and "Glazing" tables below.			>
(b) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all specifications included in the tables below.		~	
(c) The applicant must construct the floors, walls, roof, ceiling and roof, windows, glazed doors and skylights of the development in accordance with the specifications listed in the tables below. In the case of glazing, a 5% variance from the area values listed in the "Frames" and "Glazing" tables is permitted.	>	>	>
(d) The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the below tables.			>

Floor types								
Floor type	Area (m2)	Insulation	Low emissions option					
suspended floor above garage, frame: suspended concrete slab	381.1	polystyrene	-					
floors above habitable rooms, frame: suspended concrete slab	2522	-	-					
suspended floor above open subfloor, frame: suspended concrete slab	106.8	-	-					
suspended floor above enclosed subfloor, frame: suspended concrete slab	1200.1	-	-					
suspended floor above enclosed subfloor, frame: suspended concrete slab	1743.9	-	-					
floors above habitable rooms, frame: suspended concrete slab	161.2	rockwool batts, roll or pump-in	-					

	External wall types										
External wall type Construction type Area (m2) Low emissions option Insulation											
External wall type 1	brick veneer,frame:timber - hardwood predominant incl. glue laminated beams	865.1	-	rockwool batts, roll or pump-in							
External wall type 2	cavity brick,frame:timber - hardwood predominant incl. glue laminated beams	8.3	-	-							
External wall type 3	concrete block/ plasterboard,frame:timber - hardwood predominant incl. glue laminated beams	547.8	-	rockwool batts, roll or pump-in							

Internal wall types								
Internal wall type	Construction type	Area (m2)	Insulation					
Internal wall type 1	plasterboard, frame:timber - hardwood predominant incl. glue laminated beams	1410.5	-					
Internal wall type 2	plasterboard, frame:timber - hardwood predominant incl. glue laminated beams	181.9	rockwool batts, roll or pump-in					
Internal wall type 3	cavity brick wall, frame:timber - hardwood predominant incl. glue laminated beams	882.3	-					
Internal wall type 4	single skin masonry, frame:timber - hardwood predominant incl. glue laminated beams	334	-					

Reinforcement concrete frames/columns							
Building has reinforced concrete frame/columns?	Volume (m³)	Low emissions option					
-	-	-					

	Ceiling and roof types								
	Ceiling and roof type	Area (m²)	Roof Insulation	Ceiling Insulation					
C	concrete - bare internal, frame: no frame	182.3	-	-					
	concrete - plasterboard internal, frame: no rame	644.1	-	polystyrene					

BASIX Department of Planning, Housing and Infrastructure

www.basix.nsw.gov.au Version: 4.03 / EUCALYPTUS_03_01_0 Certificate No.: 1772526M_02 Monday, 16 December 2024

Glazing types			Frame types							
Single glazing (m ²) Double glazing Triple glazing (m ²) (m ²)		Aluminium frames (m²)								
581.3	159.5	-	740.8	-	-	-	-			

(b) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			1
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	~	~	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	~
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		>	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		~	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		✓	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	>	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	>	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

			Fixture	es		Appli	ances		Indivi	dual pool			ndividual spa	a
Dwelling no.	All shower- heads	All toilet flushing systems	kitchen	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
All dwellings	4 star (> 4.5 but <= 6 L/min)	5 star	3 star	3 star		not specified	not specified	-	-	-	-	-	-	-

BASIX Department of Planning, Housing and Infrastructure

			Alter	native water sou	irce					
Dwelling no.	Alternative water supply systems	Size	Configuration		Landscape connection	Toilet connec (s)		undry nnection	Pool top- up	Spa top-up
II dwellings	No alternative water supply	-	-		-	-	-		-	-
ii) Energy							Show or DA plan		w on CC/CDC s & specs	Certifier check
(a) The applica	ant must comply with the con	nmitments listed	below in carrying out the developn	nent of a dwelling	listed in a table	below.				
supplied by	y that system. If the table spe	cifies a central h	ed for the dwelling in the table belo ot water system for the dwelling, t water is supplied by that central s	hen the applicant r			~		~	
c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.								~		
headings of cooling or such areas	of the "Cooling" and "Heating" heating system is specified ir	" columns in the t the table for "Liv	n/s specified for the dwelling unde able below, in/for at least 1 living/ /ing areas" or "Bedroom areas", th conditioning system, then the sys	pedroom area of the	he dwelling. If n ay be installed i	o n any			~	~
the table b lighting" fo specified fo	elow (but only to the extent s r each such room in the dwel	pecified for that i ling is fluorescen then the light fittir	elling which is referred to in a hea oom or area). The applicant must t lighting or light emitting diode (Ll ngs in that room or area must only	ensure that the "p ED) lighting. If the	rimary type of a term "dedicated	artificial d" is			~	~
the table b			elling which is referred to in a head oom or area). The applicant must				~		~	~
(g) This comm	itment applies if the applican	t installs a water	heating system for the dwelling's	bool or spa. The a	applicant must:					
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and										
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.										
	ant must install in the dwelling	g:								
(h) The application (h) The application (h)										

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		~	¢
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		~	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		 Image: A set of the set of the	

	Hot water	Bathroom ven	tilation system	Kitchen venti	ilation system	Laundry ventilation system		
Dwelling no.	Hot water system	Each bathroom	Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	gas instantaneous - 6.5 star	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

	Coc	bling	Неа	ating	Natural lighting	
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen
101, 102, 108, 202, 204, 205, 208, 302, 304, 305, 308, G02	3-phase airconditioning / EER 3.5 - 4.0	0	yes			
All other dwellings	3-phase airconditioning / EER 3.5 - 4.0	0	no			

	Individual pool			Individual spa		Appliances other efficiency measures				
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line
All dwellings	-	-	-	-	-	gas cooktop & electric oven	-	-	yes	no

(iii) Thermal Performance	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	v	~	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	~		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

	Thermal loads						
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)				
101	23.9	11.2	35.100				
102	32.7	5.8	38.500				
103	10.6	4	14.600				
104	9.9	5.5	15.400				

		Thermal loads	
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)
105	9.3	3.9	13.200
106	11.1	5.3	16.400
107	19	4.1	23.100
108	31.7	5.3	37.000
201	28.1	9.7	37.800
202	32.6	4.1	36.700
203	24.7	5.3	30.000
204	10.2	5.1	15.300
205	12.8	5.7	18.500
206	12.5	4.5	17.000
207	13.2	6.3	19.500
208	31.4	3.7	35.100
301	32.8	6	38.800
302	32.5	2.8	35.300
303	31.2	2.8	34.000
304	20.6	3	23.600
305	19.8	4.6	24.400
306	24.9	2.8	27.700
307	27.6	4	31.600
308	32.8	2.9	35.700
G01	17.3	10.4	27.700
G02	30.9	6	36.900
G03	27.3	3	30.300
All other dwellings	27.9	3.2	31.100

(c) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		>	¢
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	>	•
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	>	>	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	٢
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		v	>

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common	no common facility	no common facility	no common facility	no common laundry facility
areas				

Central systems	Size	Configuration	Connection (to allow for)
Central water tank - rainwater or stormwater (No. 1)	10000	To collect run-off from at least: - 600 square metres of roof area of buildings in the development - 0 square metres of impervious area in the development - 0 square metres of garden/lawn area in the development - 0 square metres of planter box area in the development (excluding, in each case, any area which drains to, or supplies, any other alternative water supply system).	 irrigation of 650 square metres of common landscaped area on the site car washing in 0 car washing bays on the site

(ii) Energy	Show on	Show on CC/CDC	Certifier
	DA plans	plans & specs	check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		>	~

BASIX Department of Planning, Housing and Infrastructure

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	~	~	>

	Common area	Common area ventilation system		Common area lighting		
Common area	Ventilation system type	Ventilation efficiency measure	Primary type of artificial lighting	Lighting efficiency measure	Lighting control system/ BMS	
Basement 2 Carpark	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	light-emitting diode	motion sensors	no	
Basement 1 Carpark	ventilation (supply + exhaust)	carbon monoxide monitor + VSD fan	light-emitting diode	motion sensors	no	
Comms/Swtich room	ventilation (supply + exhaust)	none i.e., continuous	light-emitting diode	motion sensors	no	
Bin holding area	ventilation exhaust only	-	light-emitting diode	motion sensors	no	
Bulky waste	ventilation exhaust only	-	light-emitting diode	motion sensors	no	
Bin (L1 to L3)	ventilation exhaust only	-	light-emitting diode	motion sensors	no	
Fire pump room	ventilation (supply + exhaust)	none i.e., continuous	light-emitting diode	motion sensors	no	
Plant room	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Storage	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Stairs	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Ground floor lobby	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Hallway/lobbies	no mechanical ventilation	-	light-emitting diode	motion sensors	no	
Lift bank (No. 1)	-	-	light-emitting diode	connected to lift call button	no	

Central energy systems	Туре	Specification
Lift bank (No. 1)	F motor	Number of levels (including basement): 4 number of levels from the bottom of the lift shaft to the top of the lift shaft: 7 number of lifts: 1 lift load capacity: <1001 kg

2. Commitments for common areas and central systems/facilities for the development (non-building specific)

(b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		~	>
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	~	•
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	>	~	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	~
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	>

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	no common facility	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		~	~
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		~	~
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.	>	~	~

Central energy systems	Туре	Specification
Other	-	-

Notes

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE: NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

Legend

- 1. Commitments identified with a " 🕊 " in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a " " in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a "" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).