

To: Bjb Architects 3.09/77 Dunning Ave, ROSEBERY NSW 2018

STORMWATER SYSTEM REPORT

Property Address

Lot/Section/Deposited PlanLot B DP 402722Date Prepared:14/05/2024Ref:WP-SIAONL-936/Prepared By:Amin HaddadDevelopment Type:Residentail Flat B

24 Wentworth Street Croydon Park 2133 Lot B DP 402722 14/05/2024 WP-SIAONL-936/2024 Amin Haddad Residentail Flat Building

FLOOD STUDY REQUIRED

No

This Stormwater System Report (SSR) provides flood and stormwater information about the property.

The information in this report should be reviewed by those who are knowledgeable in flooding or have a technical requirement to understand more about Council's building development controls (such as surveyors, builders, certifiers, architects and engineers).

Stormwater Infrastructure

The site is/may be affected by the following Council / Sydney Water / Private stormwater system components.



Property Levels

Description	Minimum (m AHD)	Maximum (m AHD)
Approximate Ground Level	5.5	7.6

Flooding Levels

Stormwater Catchment Flooding from Canterbury LGA Cooks River Catchment Overland Flow Study (Cardno, April 2016)

Flood Event	Minimum Level (m AHD)	Maximum Level (m AHD)
5% AEP (20 year ARI)	N/A	N/A
1% AEP (100 year ARI)	-	-
PMF (Probable Maximum Flood)	7.9	7.9

Terms and Definitions

Annual	The probability of a flood event of a given
Exceedance	size occurring in any one year, usually expressed as
Probability	a percentage annual chance.
(AEP)	
Average	Similar to AEP. The long-term average number
Recurrence	of years between the occurrence of a flood as big as
Interval (ARI):	(or larger than) the selected
	event.
metres above	The reference level for defining
Australian	ground levels in Australia. The level of 0.0m AHD is
Height Datum	approximately mean sea level.
(m ĂHD)	
Maximum and	Highest and lowest ground levels on the
Minimum	property based on available ground level information.
Ground Level –	A Registered Surveyor can
	confirm exact ground levels.
Probable	An extreme flood deemed to be the largest flood that
Maximum	could conceivably occur at a specific location
Flood	The PMF defines the extent of
	flood prone land (i.e. the floodplain).



Further Information

For further information on flood-related development controls which may be applicable to this property, refer to the following guidelines:

- Canterbury Bankstown Development Control Plan (2023, chapter 2.2 Flood risk Management)
- Canterbury Bankstown Development Engineering Standards (2023)
- Council Standard Drawings.

Disclaimer

The information contained in this document is not endorsed by the Council as without error, omission or mis-description. Council accordingly expressly disclaims all and any liability and responsibility in respect of loss, damage or injury to person or property arising from anything done or omitted to be done by any person in reliance, whether wholly or in part, upon any part of this information.

Any person having regard to the information contained in this document is encouraged to seek, at their discretion, all other sources of information on the subject matter as they consider appropriate, which may include local knowledge and/or professional advice.

ATTACHMENTS


For 1% AEP (100 year ARI)

- 1. Flood Extent & Flood Contours Map
- 2. Flood Depth Map
- 3. Velocity Depth Product Map

For PMF


- 4. Flood Contours & Flood extent Map
- 5. GIS Map (from Council's Data)
- 6. Aerial Map (from Council 's Data)






1% AEP (100 year ARI) Flood Extent






1% AEP (100 year ARI) Flood Depth






1% AEP (100 year ARI) Flood Velocity Depth Product






1% AEP (100 year ARI) Flood Hydraulic Category





PMF Flood Extent





GIS Map for 24 Wentworth Street Croydon Park 2133





Aerial Map for 24 Wentworth Street Croydon Park 2133