

GROUND FLOOR PLAN

25.01.29 - 29 Gregory Street, Yagoona. SCALE 1:100



## PLATFORM 5 PTY.LTD

This drawing remains the property of Platform 5 pty ltd. It may be used for the purpose for which it was commissioned & in accordance with the terms of engagement for that commisssion.

Unauthorised use of this drawing is prohibited.

Do not scale drawings Verify all dimensions on site

LEGEND

200MM DINCEL WALL

250MM BRICK VENEER CONSTRUCTION

270MM DOUBLE BRICK CONSTRUCTION

110MM SINGLE BRICK CONSTRUCTION

110MM STUD WALL

200MM BLOCK WALL CONSTRUCTION

SSL - STRUCTURAL SLAB LEVEL

EX XXXX EXISTING NATURAL GROUND LEVELS

30 SET DOWN IN BATHROOMS

\_ \_ \_ EXISTING STRUCTURES TO BE DEMOLISHED.

#### GENERAL NOTES:

Written dimensions to take precedence over scale
 Builder to verify all boundary clearances and site set out dimensions prior to

commencement of construction

3. Levels and contours are based on supplied datum. prior to construction the relevant authority should be contacted for possible minimum floor level requirements and flood

4. All works to be carried out in accordance with the Building Code of Australia, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned.

5. All structural work and site drainage to be subject to the Engineers details or certification where required by Council.
6. Articulation joints in masonary to be provided as per Engineers Details and/or in

accordance with BCA clause 3.3.1.8
7. Retaining walls are required to be engineer designed and certifeid where required.
8. All plumbing works to be strictly in accordance with A.S. 3500 and approved by

relevant authorities.
9. All drawings are to be read in conjunction with the Engineer's Structural Drawings.
10. All windows and glazing to comply with A.S. 1288 & A.S. 2047.
11. Batters to comply with appropraite soil classification described in Table 3.1.1.1 BCA Vol 2


 Engineer to provide design to address footings if built in close proximity to sewer, stormwater easements.
 Vehicular crossover to be constructed as per Council requirements.

14. Articulated joints in accordance with BCA 3.3.1.8 (Vol2)
15. Ventilation to wc to be an exhaust fan in accordance with BCA-f4.5 & As-1668.2

16. Provide cold water connection & gpo to dishwasher space
17. Hotwater system to comply with A.S.3500

18. Downpipes to be a maximum 12m spacing and adjacent to valley intersections 19. Drainage to be in accordance with part 3 of the BCA. point

of discharge to meet local authority requirement



## GREYSTANES, NSW, SYDNEY - 2134-EMAIL: INFO@PLATFORMFIVE.COM.AU WEBSITE: WWW.PLATFORMFIVE.COM.AU

PROJECT TITLE

29 GREGORY STREET, YAGONNA - NSW

CLIENT	
MR. CHARBEL TAOUK	

A01	DRAFT ISSUE FOR REVIEW	24/10/2024
B01	ISSUE TO CONSULTANTS	12/12/2024
C01	ISSUE TO COUNCIL FOR DA APPROVAL	27/12/2024
D01	ISSUE TO COUNCIL FOR DA APPROVAL	29/01/2024

DRAWING TITLE:

REV DESCRIPTION

GROUND FLOOR PLAN

<u>24-002</u>

PROJECT NUMBER:

DATE

DRAWING NUMBER: DA2003


DATE OF ISSUE <u>27/12/2024</u>

**D01** 

SCALE: AS SHOWN



**DEVELOPMENT APPLICATION** 



LEVEL 01

25.01.29 - 29 Gregory Street, Yagoona.pln
SCALE 1:100



# PLATFORM 5 PTY.LTD Convright

This drawing remains the property of Platform 5 pty ltd. It may be used for the purpose for which it was commissioned & in accordance with the terms of engagement for that commisssion.

Unauthorised use of this drawing is prohibited.

Do not scale drawings Verify all dimensions on site

LEGEND

200MM DINCEL WALL

250MM BRICK VENEER CONSTRUCTION

270MM DOUBLE BRICK CONSTRUCTION

110MM SINGLE BRICK CONSTRUCTION

110MM STUD WALL

200MM BLOCK WALL CONSTRUCTION

EX XXXX

EXISTING NATURAL GROUND LEVELS



SET DOWN IN BATHROOMS

XXXX SSL - STRUCTURAL SLAB LEVEL

### EXISTING STRUCTURES TO BE DEMOLISHED.

#### GENERAL NOTES: 1. Written dimensions

Written dimensions to take precedence over scale
 Builder to verify all boundary clearances and site set out dimensions prior to

commencement of construction
 Levels and contours are based on supplied datum. prior to construction the relevant authority should be contacted for possible minimum floor level requirements and flood.

4. All works to be carried out in accordance with the Building Code of Australia, all Local and State Government Ordinances, relevant Australian Standards, Local Electricity and Water Authorities concerned.
5. All structural work and site drainage to be subject to the Engineers details or

5. All structural work and site drainage to be subject to the Engineers details or certification where required by Council.6. Articulation joints in masonary to be provided as per Engineers Details and/or in accordance with BCA clause 3.3.1.8


Retaining walls are required to be engineer designed and certifeid where required.
 All plumbing works to be strictly in accordance with A.S. 3500 and approved by relevant authorities.

All drawings are to be read in conjunction with the Engineer's Structural Drawings.
 All windows and glazing to comply with A.S. 1288 & A.S. 2047.
 Batters to comply with appropraite soil classification described in Table 3.1.1.1 BCA Vol 2
 Engineer to provide design to address footings if built in close proximity to sewer, stormwater easements.

13. Vehicular crossover to be constructed as per Council requirements.14. Articulated joints in accordance with BCA 3.3.1.8 (Vol2)

15. Ventilation to wc to be an exhaust fan in accordance with BCA-f4.5 & As-1668.2 16. Provide cold water connection & gpo to dishwasher space 17. Hotwater system to comply with A.S.3500

18. Downpipes to be a maximum 12m spacing and adjacent to valley intersections
19. Drainage to be in accordance with part 3 of the BCA. point of discharge to meet local authority requirement



## GREYSTANES, NSW, SYDNEY - 2134-EMAIL: INFO@PLATFORMFIVE.COM.AU WEBSITE: WWW.PLATFORMFIVE.COM.AU

PROJECT TITLE

29 GREGORY STREET, YAGONNA - NSW

CLIENT
MR. CHARBEL TAOUK

A01	DRAFT ISSUE FOR REVIEW	24/10/2024
B01	ISSUE TO CONSULTANTS	12/12/2024
C01	ISSUE TO COUNCIL FOR DA APPROVAL	27/12/2024
D01	ISSUE TO COUNCIL FOR DA APPROVAL	29/01/2024

DRAWING TITLE:

REV DESCRIPTION

LEVEL ONE

<u>24-002</u>

PROJECT NUMBER:

DATE

DRAWING NUMBER: DA2003


DATE OF ISSUE

**D01** 

SCALE: AS SHOWN

27/12/2024





25.01.29 - 29 Gregory Street, Y SCALE 1:100



# PLATFORM 5 PTY.LTD

This drawing remains the property of Platform 5 pty ltd. It may be used for the purpose for which it was commissioned & in accordance with the terms of engagement for that commisssion.

Unauthorised use of this drawing is prohibited.

Do not scale drawings

Verify all dimensions on site

**LEGEND** 

200MM DINCEL WALL

250MM BRICK VENEER CONSTRUCTION

270MM DOUBLE BRICK CONSTRUCTION

200MM BLOCK WALL CONSTRUCTION

110MM SINGLE BRICK CONSTRUCTION

110MM STUD WALL

EX XXXX EXISTING NATURAL GROUND LEVELS

SET DOWN IN BATHROOMS

EXISTING STRUCTURES TO BE DEMOLISHED.

SSL - STRUCTURAL SLAB LEVEL

#### GENERAL NOTES:

1. Written dimensions to take precedence over scale 2. Builder to verify all boundary clearances and site set out dimensions prior to

commencement of construction 3. Levels and contours are based on supplied datum. prior to construction the relevant authority should be contacted for possible minimum floor level requirements and flood

4. All works to be carried out in accordance with the Building Code of Australia, all Local and State Government Ordinances, relevant Australian Standards, Local

Electricity and Water Authorities concerned.

5. All structural work and site drainage to be subject to the Engineers details or certification where required by Council.

6. Articulation joints in masonary to be provided as per Engineers Details and/or in accordance with BCA clause 3.3.1.8

7. Retaining walls are required to be engineer designed and certifeid where required.

8. All plumbing works to be strictly in accordance with A.S. 3500 and approved by relevant authorities.


 All drawings are to be read in conjunction with the Engineer's Structural Drawings.
 All windows and glazing to comply with A.S. 1288 & A.S. 2047. 11. Batters to comply with appropriate soil classification described in Table 3.1.1.1 BCA Vol 2 12. Engineer to provide design to address footings if built in close proximity to sewer, stormwater easements.

13. Vehicular crossover to be constructed as per Council requirements. 14. Articulated joints in accordance with BCA 3.3.1.8 (Vol2)

15. Ventilation to wc to be an exhaust fan in accordance with BCA-f4.5 & As-1668.2 16. Provide cold water connection & gpo to dishwasher space

17. Hotwater system to comply with A.S.3500

18. Downpipes to be a maximum 12m spacing and adjacent to valley intersections 19. Drainage to be in accordance with part 3 of the BCA. point of discharge to meet local authority requirement



## GREYSTANES, NSW, SYDNEY - 2134-EMAIL: INFO@PLATFORMFIVE.COM.AU WEBSITE: WWW.PLATFORMFIVE.COM.AU

PROJECT TITLE

29 GREGORY STREET, YAGONNA - NSW

DATE

CLIENT	
MR. CHARBEL TAOU	K

A01	DRAFT ISSUE FOR REVIEW	24/10/2024
B01	ISSUE TO CONSULTANTS	12/12/2024
C01	ISSUE TO COUNCIL FOR DA APPROVAL	27/12/2024
D01	ISSUE TO COUNCIL FOR DA APPROVAL	29/01/2024
l		

DRAWING TITLE:

REV DESCRIPTION

PROJECT NUMBER: **ROOF PLAN** <u>24-002</u>

DRAWING NUMBER: DA2004

<u>27/12/2024</u> DATE OF ISSUE

**AS SHOWN** SCALE:



D01