

JOB DESCINI TION	DIAWING TITEL
PROPOSED : DETACHED SECONDARY DWELLING (GRANNY FLAT)	SITE PLAN
AT: 200 GASCOIGNE ROAD, YAGOONA LOT 669 DP13125	CLIENT NAME Mr.Danny Farag Mr. Raymond Farag Mrs. Trudy Anne Farag C: Gassan 0433689694
	·

	NOTES
- ALL WORK ADDITIONS ARE TO	O BE
CONSIDERD PART OF THIS AN	MENDED PLAN
- ALL GROUND LINES ARE APPR	ROXIMATE ONLY,
AND ARE TO BE VERIFIED ON	I SITE.
- THE BUILDER IS RESPONSIBL	E FOR THE
CORRECTINGS OF ALL PLANS	AND DIMENSIONS.
- THE BUILDER HAS TO CHECK	ALL DIMENSIONS
PRIOR TO COMMENCMENT O	F WORK.
- STORM WATER TO BE CONN	
EXISTING DRAINAGE LINE TO : - DONT SCALE.	SIREEI GUITER

NOTES	
ARE TO BE	- SMOKE ALARMS ARE TO BE INSTALLED IN
THIS AMENDED PLAN	ACCORDANCE
E APPROXIMATE ONLY,	WITH AS3786-1993. ALARMS ARE TO BE POSTIONED ON
TIED ON SITE.	THE CELING AND SET BACK A MINIMUM
ONSIBLE FOR THE	DISTANCE
PLANS AND DIMENSIONS.	OF 300mm FROM ANY WALL.
CHECK ALL DIMENSIONS MENT OF WORK.	-WET AREAS ARE TO BE WATERPROOFED I ACCORDANCE
ECONNECTED TO	WITH AS3740 WATERPROOFING OF WET
NE TO STREET GUTTER	AREAS WITHIN
THE TO STREET OUTTER	RESIDENTIAL BUILDINGSE

	DRAWN	SS
	DATE	6/02/2025
	CHECKED	SS
	SCALE	1/100
	JOB NUMBER	943
	NUMBER IN	SET 2
	ISSUE	

NORTH	
N	

ISSUE	AMENDMENT	BY	DATE
	L		