

MINIMUM BASIX REQUIREMENTS

WATER

WELS Water Rating 3star rated (>7.5 but <= 9 L/min) showerheads to all new showers 3star rated toilets 3star rated taps


THERMAL PERFORMANCE INSULATION R1.3 bulk insulation to all new framed external walls R2.5 insulation to all new ceilings Foil to underside of new roofing

EXTERNAL COLOURS Medium (0.475<SA<0.70) roof colour to all new roofing


GLAZED WINDOWS & DOORS Improved aluminium with clear glazing to all new windows and doors; U=6.44 & SHGC=0.75

SKYLIGHTS Timber, low-e internal/argon fill/clear external (double glazing) U=2.5 & SHGC=0.456

ENERGY HWS Connect to existing Hot Water System



The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.



IF SEDIMENT FENCE IS REQUIRED. SEE DETAILS BELOW

AND REFER TO DRAWINGS FOR LOCATION


SOIL AND EROSION CONTROL

- E1 LOCAL COUNCIL & IN ACCORDANCE WITH
- MINIMISE DISTURBED AREAS WHERE POSSIBLE.
- ALL STOCKPILES TO BE CLEAR OF DRAINS, GUTTERS & FOOTPATHS.

DRAINAGE IS TO BE CONNECTED TO STORMWATER SYSTEM AS SOON AS POSSIBLE.

SEDIMENT PLAN

			client	project	drawing title
			MR and MRS KOLENTSIS	ALTERATIONS AND ADDITIONS 28 FOORD AVENUE HURLSTONE PARK NSW 2193	SITE PLAN
					CONSTRUCTION PLAN STORMWATER CONCER
amendment	date	rev.	stage		contractors are responsible for all site levels and dimensions and must verify these at the job bet



01-11-2024

AS SHOWN

2536-00

тм

TM

mmencing any work or making any shop drawings