



CONSTRUCTION ISSUE

REVISION B

PROPOSED RESIDENCE FOR

M & K ISAACS

AT

LOT 24, 26 STEPHENS STREET
BINALONG NSW 2584

PAGE LIST	
PAGE NO	PAGE TITLE
01	COVER
02	SITE PLAN
03	FLOOR PLAN
04	3D VIEWS
05	ELEVATIONS A & B
06	ELEVATIONS C & D
07	CROSS SECTION
08	FOUNDATION PLAN
09	ELECTRICAL & FIXTURES PLAN
10	ROOF DRAINAGE
11	KITCHEN CABINETY
12	LAUNDRY & ENSUITE CABINETY
13	BATHROOM CABINETY

GENERAL NOTES:

- ALL DESIGN, CONSTRUCTION METHODS AND MATERIALS TO BE IN ACCORDANCE WITH:
 - THE CURRENT NATIONAL CONSTRUCTION CODES (NCC)
 - THE STATE DEVELOPMENT CODE
 - BUILDING REGULATIONS
 - CURRENT ISSUES OF AUSTRALIAN STANDARDS & MANUFACTURERS SPECIFICATIONS & INSTALLATION DETAILS FOR MATERIALS USED
- THESE PLANS ARE TO BE READ IN CONJUNCTION WITH CONTRACT DOCUMENTS AND ENGINEERS DRAWINGS AND SPECIFICATIONS. RESPONSIBLE PARTIES ARE TO BE NOTIFIED OF ANY DISCREPANCIES.
- SUBSTITUTION OF ANY STRUCTURAL MEMBERS & OR VARIATIONS TO ANY PART OF THE DESIGN WILL VOID ANY RESPONSIBILITIES OF THE BUILDING DESIGNER FOR THE STRUCTURAL INTEGRITY & PERFORMANCE OF THE BUILDING.
- 3D VIEWS, PERSPECTIVES AND ILLUSTRATIONS ARE INTENDED TO BE A VISUAL AID ONLY, THEY ARE NOT PRESCRIPTIVE BUT INDICATIVE ONLY. THE IMAGES ARE NOT TO BE RELIED UPON IN ANY WAY FOR FINAL CONSTRUCTION FINISHES AND RESULTS.
- ALL DIMENSIONS IN MILLIMETERS.
- DIMENSIONS TAKE PREFERENCE TO SCALE AND ARE TO STRUCTURE NOT FINISH ON NEW WORK. EXISTING WALLS MAY BE NOMINALLY DIMENSIONED.
- ALL DIMENSIONS, DETAILS, SITE LEVELS AND FINISHED FLOOR LEVELS TO BE CONFIRMED BY CONTRACTOR BEFORE COMMENCEMENT OF ANY CONSTRUCTION AND RESPONSIBLE PEOPLE NOTIFIED OF ANY DISCREPANCIES.
- MANUFACTURER'S SPECIFICATION MEANS A CURRENT APPROVED SPECIFICATION FOR USE UNDER THE CONDITIONS APPLICABLE THESE DRAWINGS ARE AVAILABLE DIGITALLY, IF REQUIRED.
- ANY DATA SUPPLIED BY OTHERS AND SHOWN ON THESE DRAWINGS ARE NOT THE RESPONSIBILITY OF THIS DESIGNER. ALL USERS OF THESE DRAWINGS ARE ADVISED TO CHECK OTHER SUPPLIED DATA.
- OWNER REMAINS RESPONSIBLE FOR ONGOING MAINTENANCE OF BUILDING. STRUCTURAL ELEMENTS IN PARTICULAR ARE TO REMAIN PROTECTED BY THE METHODS SHOWN AND LISTED IN THESE DRAWINGS.
- ALL WINDOW AND DOOR DIMENSIONS ARE NOMINAL.

SITE WORKS NOTES:

- POSITION OF DWELLING TO BE CONFIRMED BY SURVEYOR & CLIENT PRIOR TO ANY SITE WORKS.
- ALL STORMWATER, DOWN PIPES, RAIN WATER TANKS & SITE DRAINAGE TO BE SIZED & LOCATED BY THE HYDRAULIC CONSULTANT/ PLUMBER IN ACCORDANCE WITH NCC VOL. 2.3.1.2 & 3.5.2 AND STATE LEGISLATION/ LOCAL PLANNING SCHEME HOUSE CODE AND AS 3500 ALL PARTS.
- BUILDER TO ENSURE THAT ACTUAL SEWER LINE AND MANHOLE POSITIONS MATCH THOSE AS SHOWN AS BASED ON LOCAL AUTHORITY DOCUMENTS. ANY DISCREPANCIES MUST BE BROUGHT TO ATTENTION AND RESOLVED PRIOR TO COMMENCEMENT OF CONSTRUCTION.
- BUILDER TO DETERMINE APPROPRIATE PLATFORMING METHOD ON SITE PRIOR TO COMMENCEMENT OF ANY WORKS. FINISHED FLOOR LEVEL IS TO BE ABOVE THE MINIMUM LEVEL AS PER LOCAL AUTHORITIES REQUIREMENTS & TO COMPLY WITH NCC VOL. 2.3.1.2.3.
- FALL OF LAND UNKNOWN AND IS TO BE CONFIRMED ON SITE BEFORE COMMENCEMENT OF CONSTRUCTION. ANY REQUIRED EARTHWORKS INCLUDING CUT, FILL, BATTERS AND RETAINING MUST COMPLY WITH THE CURRENT NCC VOLUME 2 3.1.1, AS 3798 & AS 4200.
- THE FINISHED SURFACE IMMEDIATELY SURROUNDING THE DWELLING, 1000mm WIDE, IS TO FALL AWAY FROM THE DWELLING AT A SLOPE OF 1 IN 20 MINIMUM.
- STORMWATER MUST BE CONNECTED TO A LEGAL POINT OF DISCHARGE -
 - STORMWATER KERB ADAPTERS TO STREET (2 MAX.)
 - ROOFWATER/STORMWATER PIPE
 - BUBBLERS TO COUNCIL SPECIFICATION.
 - RAINWATER TANK, OVERFLOW MUST CONNECT TO STORMWATER SYSTEM.
- SURFACE DRAINAGE IS TO DISCHARGE EVENLY WITHIN THE SITE AND WITHOUT NUISANCE TO ADJOINING PROPERTIES.
- ALL SUB-FLOOR AREAS MUST BE GRADED TO AVOID THE PONDING OF WATER.
- THE HEIGHT OF FENCES, INCLUDING THE HEIGHT OF RETAINING WALLS ARE NOT TO EXCEED 2.0m ABOVE FINISHED GROUND LEVEL ONLY IF INDICATED ON THE PLANS AND TO LOCAL AUTHORITY APPROVAL.
- WHERE SERVICES / PIPEWORK ARE LOCATED UNDER DRIVEWAYS AND SLABS CONTRACTORS ARE TO ENSURE ADEQUATE COMPACTION TO TRENCH BACKFILL IS ACHIEVED TO SUPPORT CONCRETE.

PATH/DRIVEWAY NOTES:

- DRIVEWAY SLOPE NOT TO EXCEED 1:4. CHECK WITH LOCAL AUTHORITY REQUIREMENTS PRIOR TO CONSTRUCTING ANY DRIVEWAYS, PATHWAYS OR CROSSOVERS BETWEEN THE PROPERTY BOUNDARY AND ROAD KERB.
- PROVIDE A LAYER OF SAND A MINIMUM OF 20mm THICK UNDER THE SLAB, COMPACTED AND LEVELED.
- SLAB THICKNESS, MESH TO ENGINEERS DESIGN.

3D VIEW NOTES:

- GROUND LINE OR SLOPE OF SITE IS NOT REPRESENTED ON 3D VIEWS.
- FURNITURE AND FIXTURES ARE INDICATIVE ONLY AND ARE NOT PRESCRIPTIVE.
- 3D VIEWS, PERSPECTIVES AND ILLUSTRATIONS ARE INTENDED TO BE A VISUAL AID ONLY, THEY ARE NOT PRESCRIPTIVE BUT INDICATIVE ONLY. THE IMAGES ARE NOT TO BE RELIED UPON IN ANY WAY FOR FINAL CONSTRUCTION FINISHES AND RESULTS.

ELECTRICAL NOTES:

- SMOKE ALARMS TO BE INSTALLED IN ACCORDANCE WITH THE NCC PART 3.7.5 - SMOKE ALARMS. SMOKE ALARMS MUST COMPLY WITH AS 3786.
 - ONLY USE PHOTOELECTRIC TYPE SMOKE ALARMS
 - ALL SMOKE ALARMS TO BE INTERCONNECTED
 - INSTALL LOCATIONS:
 - ON EACH LEVEL OF LIVING SPACE
 - OUTSIDE EACH BEDROOM AREA
 - IN EVERY BEDROOM
- THIS PLAN IS INDICATIVE ONLY AND IS TO BE USED ONLY AS AN EXAMPLE. OWNERS TO NOMINATE FINAL POSITIONS OF ELECTRICAL APPLIANCES, LIGHTING AND ELECTRICAL FITTINGS.

ELEVATION NOTES:

- WALL FINISHES AND WINDOW TYPES ARE INDICATIVE ONLY AND ARE NOT PRESCRIPTIVE. REFER TO BUILDERS SPECIFICATIONS FOR DETAILS.
- GROUND LINE SHOWN ON ELEVATIONS DOES NOT RELATE TO ACTUAL SLOPE OF SITE.
- FURNITURE AND FIXTURES ARE INDICATIVE ONLY AND ARE NOT PRESCRIPTIVE.
- ELEVATIONS ARE INTENDED TO BE A VISUAL AID ONLY, THEY ARE NOT PRESCRIPTIVE BUT INDICATIVE ONLY. THE IMAGES ARE NOT TO BE RELIED UPON IN ANY WAY FOR FINAL CONSTRUCTION FINISHES AND RESULTS.

SECTION NOTES:

- TRUSS DESIGN IS INDICATIVE ONLY AND IS NOT PRESCRIPTIVE. FINAL DESIGN TO TRUSS MANUFACTURER SPECIFICATIONS.
- ALL PINE TO BE JD4 MIN.
- ALL HWD. TO BE F14 MIN.
- GROUND LINE SHOWN DOES NOT RELATE TO ACTUAL SLOPE OF SITE.
- FURNITURE AND FIXTURES ARE INDICATIVE ONLY AND ARE NOT PRESCRIPTIVE.
- SECTIONS ARE INTENDED TO BE A VISUAL AID ONLY, THEY ARE NOT PRESCRIPTIVE BUT INDICATIVE ONLY. THE IMAGES ARE NOT TO BE RELIED UPON IN ANY WAY FOR FINAL CONSTRUCTION FINISHES AND RESULTS.

FOUNDATION NOTES:

- THESE PLANS ARE TO BE READ IN CONJUNCTION WITH CONTRACT DOCUMENTS AND ENGINEERS DRAWINGS AND SPECIFICATIONS. RESPONSIBLE PARTIES ARE TO BE NOTIFIED OF ANY DISCREPANCIES. SITE CLASSIFICATION IS TO BE CONFIRMED BY INSPECTION OF FOOTING EXCAVATIONS.
- PLUMBER RESPONSIBLE TO LOCATE AND CONFIRM SEWER HOUSE CONNECTION LOCATION ACCURATELY PRIOR TO COMMENCEMENT. PLUMBER IS TO VERIFY WITH SITE SUPERVISOR PRIOR TO SETTING OUT FIXTURE DRAINAGE POINTS. NO AMENDMENTS OR SPECIAL FIXTURES HAVE BEEN NOMINATED.
- WHERE SERVICES / PIPEWORK ARE LOCATED UNDER DRIVEWAYS AND SLABS CONTRACTORS ARE TO ENSURE ADEQUATE COMPACTION TO TRENCH BACKFILL ACHIEVED TO SUPPORT CONCRETE.
- REBATE GARAGE DOORS & SLIDING GLASS DOORS 20mm, AND SHOWER RECESSES 50mm IN LOCATIONS SHOWN.
- ACCORDING TO MANUF' SPEC. OR BUILDERS DIRECTIONS.
- MINIMUM COVER TO GROUND - 50mm.
- TOP COVER TO SLAB REINFORCEMENT - 30mm.
- GRADE FINISHED GROUND SURFACE TO DIVERT WATER AWAY FROM BUILDING.
- WATERPROOF MEMBRANE IS 0.2mm POLYETHYLENE. JOINTS ARE TO BE LAPPED 300mm AND TAPED.
- REINFORCEMENT TO BE SUPPORTED ON PLASTIC CHAIRS AT 1000mm CRS.
- ALL CONCRETE IS TO BE MECHANICALLY VIBRATED DURING PLACING.
- FILL MATERIAL AND SAND UNDER SLABS IS TO BE COMPACTED TO 95% OF MAX. DRY DENSITY.
- FLOORS TO ALL WET AREAS TO HAVE A FALL TO A FLOOR WASTE.

TERMITE RISK NOTES:

- TERMITE CONTROL BARRIERS TO BE IN ACCORDANCE WITH AS 3660.1 AND NCC CLAUSE 3.1.3.
- ANY UNTREATED TIMBER POSTS, STAIRS AND THE LIKE SHALL BE SET 75MM MINIMUM CLEAR OF GROUND FOR VISUAL TERMITE CONTROL.
- TWO APPROVED NOTICES SHALL BE AFFIXED TO THE DWELLING AS REQUIRED ADVISING OWNERS OF THE METHOD OF TERMITE RISK MANAGEMENT USED, AND THEIR ONGOING RESPONSIBILITY FOR THE MAINTENANCE OF THE SYSTEMS.
- BUILDER TO CONFIRM WITH OWNER THE CHOSEN METHOD OF TIMBER PROTECTION.
- OWNER REMAINS RESPONSIBLE FOR ONGOING INSPECTION OF STRUCTURAL TIMBER ELEMENTS, AND THAT BARRIERS ARE NOT COMPROMISED.
- WHERE CONCRETE SLAB FORMS BARRIER, SLAB TO BE CONSTRUCTED AS PER AS2870. SLAB & FOOTINGS TO BE "MONOLITHIC". TERMITE COLLAR FLANGE TO BE CLAMPED TO PIPES AND SET IN SLAB. 75MM MIN OF EXPOSED SLAB EDGE TO REMAIN ABOVE FINISHED PERIMETER LEVEL. EXPOSED EDGE NOT TO BE COVERED BY SOIL, RENDERED OR TILED, BUT MAY BE PAINTED. WHERE BRICKWORK CONCEALS EDGE OF SLAB, IN ADDITION TO ABOVE, PROVIDE TERMITE COLLAR BARRIER BELOW D.P.C. FIXED TO SLAB EDGE.
- INSTALL ANT CAPPING TO ALL BRICK PIERS, TIMBER OR CONC STUMPS. KEEP TIMBER CLEAR OF GROUND WHEN ON STEEL ANCHORS. NON-TIMBER ELEMENTS (EG STEEL POSTS) NEED NO PROTECTION FROM TERMITES.
- ALL TIMBER IN DIRECT CONTACT WITH CONC TO BE SEPARATED BY G.I. FLASHING.

ROOF DRAINAGE NOTES:

FLOOR PLAN NOTES:

- SMOKE ALARMS TO BE INSTALLED IN ACCORDANCE WITH THE NCC PART 3.7.5 - SMOKE ALARMS. SMOKE ALARMS MUST COMPLY WITH AS3786.
 - ONLY USE PHOTOELECTRIC TYPE SMOKE ALARMS
 - ALL SMOKE ALARMS TO BE INTERCONNECTED
 - INSTALL LOCATIONS:
 - ON EACH LEVEL OF LIVING SPACE
 - OUTSIDE EACH BEDROOM AREA
 - IN EVERY BEDROOM
 - WALL FINISHES AND WINDOW TYPES ON 3D VIEWS ARE INDICATIVE ONLY AND ARE NOT PRESCRIPTIVE.
 - ALL GLAZING TO BE IN ACCORDANCE WITH AS1288. WINDOWS SIZES MAY VARY DUE TO MANUFACTURER'S SPECIFICATIONS.
 - BUILDER TO CONFIRM ALL DIMENSIONS PRIOR TO CONSTRUCTION. DIMENSIONS ARE TO FRAME ONLY AND DO NOT INCLUDE CLADDING/LININGS (UNO).
 - S.S. BALUSTRADING TO COMPLY WITH CURRENT NCC VOLUME 2 SECTION 3.9.2.3 'WIRE BALUSTRADING CONSTRUCTION'
 - DOORS TO W.C.'S TO HAVE LIFT OFF HINGES (ONLY IF THE DOORS SWING IN TOWARDS THE W.C).
 - MASONRY CONSTRUCTION TO AS 3700.
 - REFER ENGINEERS DRAWINGS & SPECIFICATIONS FOR ALL STRUCTURAL DETAILS, FRAMING, BRACING, TIE DOWN AND SLAB/FOOTING DETAILS.
 - SEAL WET AREAS IN ACCORDANCE WITH AS3740 & NCC REQUIREMENTS.
 - PROVIDE FLOOR WASTE TO ALL WET AREAS.
- ALL GUTTER AND DOWNPIPE WORKS TO AS/NZS 3500.3 AND CURRENT NCC VOLUME 2 PART 3.5.2.
 - DOWNPIPES (DP) TO BE 100mmØ UPVC.
 - TEMPORARY DOWNPIPES TO BE PROVIDED AT DP LOCATIONS DURING CONSTRUCTION DRAINING ROOFWATER ONTO GROUND, 2M MIN AWAY FROM BUILDING.
 - ALL STORMWATER, DOWN PIPES, RAIN WATER TANKS & SITE DRAINAGE TO BE SIZED & LOCATED BY THE HYDRAULIC CONSULTANT/ PLUMBER IN ACCORDANCE WITH NCC VOL. 2.3.1.2 & 3.5.2 AND STATE LEGISLATION/ LOCAL PLANNING SCHEME HOUSE CODE AND AS 3500 ALL PARTS.
 - THE ROOF DRAINAGE SYSTEM MUST BE PROVIDED WITH AN OVERFLOW TO PREVENT THE BACKFLOW OF WATER INTO THE BUILDING.
 - THE AREA SPECIFIC RAINFALL INTENSITY MUST BE SELECTED FROM NCC TABLE 3.5.2.1 OR FROM AS/NZ3500.
 - EAVES GUTTERS MUST BE INSTALLED AT A FALL NOT LESS THAN 1 IN 500 WITH SUPPORT BRACKETS AT 1.2m MAXIMUM CENTRES.
 - BOX GUTTERS MUST BE INSTALLED AT A FALL NOT LESS THAN 1 IN 100 IN ACCORDANCE WITH AS/NZ3500.3.
 - DOWNPIPES MUST SERVE NOT MORE THAN 12 METERS OF GUTTER LENGTH FOR EACH DOWNPIPE WHICH MUST BE LOCATED AS CLOSE AS POSSIBLE TO VALLEY GUTTERS. EAVES GUTTERS MUST BE PROVIDED WITH AN OVERFLOW SYSTEM WHERE DOWNPIPES ARE LOCATED MORE THAN 1.2 METRES FROM A VALLEY GUTTER.



M: 0403 508 705
E: plans@areidesigns.com.au
W: areidesigns.com.au
QLD QBCC: 15040886
VIC VBA: CDB-U 73620
TAS BSP: 071565667
ABN: 31 615 195 818

PLAN NUMBER:
#4575
BUILDERS NUMBER:
DURAL 211 - SERENITY
AREI PLAN CODE:
AREI DESIGNS

CLIENT:
MELLROSS HOMES
DRAWING NAME:
COVER

PROJECT:
PROPOSED RESIDENCE FOR
M & K ISAACS AT
LOT 24, 26 STEPHENS STREET
BINALONG NSW 2584

CHECKED:
ODW
PAGE NO:
01 OF 13
SCALE @ A3
NTS

REV	DESCRIPTION	DRAWN	DATE
A	PRELIMINARY ISSUE	SM	18/09/2024
B	CONSTRUCTION ISSUE	SM	13/01/2025

© COPYRIGHT AREI DESIGNS
ALL RIGHTS RESERVED

SCALE NOT APPLICABLE

PROPERTY DESCRIPTION


LOT: 24 DP1066526
SUBURB: BINALONG
LOCAL AUTHORITY: YASS VALLEY COUNCIL

WIND LOADS FOR HOUSING CLASSIFICATION

REGION: A
TERRAIN CATEGORY: TC 1
SHIELDING CLASSIFICATION: PS (PARTIAL SHIELDING)
TOPOGRAPHIC CLASSIFICATION: T1 (MAXIMUM SLOPE <1:20)
WIND SPEED CLASSIFICATION: N2- 33 m/s
Serviceability limit state

SITE LEVELS:


LOWER F.F.L. - 475.800
GARAGE F.F.L. - 475.714
PORCH F.F.L. - 475.714
ALFRESCO F.F.L. - 475.714
PAD F.F.L. - 475.400



LOCATION PLAN
1: 1000

LEGEND

- GM UNDERGROUND GAS MARKER
- H HYDRANT
- W STORM WATER PIT
- W WATER CONNECTION
- ET ELECTRICAL TURRET
- TEL TELSTRA PIT
- MAN MAN HOLE
- DP 100mm DOWN PIPE
- PP POWER POLE
- SL STREET LIGHT
- SBM SITE BENCH MARK
- SEWER LINE
- CONTOUR LINE
- EXISTING RETAINING
- NEW RETAINING
- ROOF LINE
- STORM WATER LINE
- FENCE
- ELECTRICAL
- TELSTRA COMMUNICATIONS
- WATER LINE



M: 0403 508 705
E: plans@areidesigns.com.au
W: areidesigns.com.au
QLD QBCC: 15040886
VIC VBA: CDB-U 73620
TAS BSP: 071565667
ABN: 31 615 195 818

PLAN NUMBER:
#4575
BUILDERS NUMBER:
DURAL 211 - SERENITY
AREI PLAN CODE:
AREI DESIGNS

CLIENT:
MELLROSS HOMES
DRAWING NAME:
SITE PLAN

PROJECT:
**PROPOSED RESIDENCE FOR
M & K ISAACS AT
LOT 24, 26 STEPHENS STREET
BINALONG NSW 2584**




CHECKED:
ODW
PAGE NO:
02 OF 13
SCALE @ A3
1:200

REV	DESCRIPTION	DRAWN	DATE
A	PRELIMINARY ISSUE	SM	18/09/2024
B	CONSTRUCTION ISSUE	SM	13/01/2025

© COPYRIGHT AREI DESIGNS
ALL RIGHTS RESERVED
USE SCALE & RULER AS A GUIDE ONLY
0m 1 2m 3 4m 5 6m 7 8m 9 10m

WINDOW SCHEDULE		
MARK	SIZE	DESCRIPTION
W1	1800 x 2400	ALUM. FRAMED SLIDING WINDOW
W2	1800 x 1800	ALUM. FRAMED SLIDING WINDOW
W3	2100 x 2400	ALUM. FRAMED SLIDING GLASS DOOR
W4	1800 x 1800	ALUM. FRAMED SLIDING WINDOW
W5	1200 x 1800	ALUM. FRAMED SLIDING WINDOW
W6	1200 x 1800	ALUM. FRAMED SLIDING WINDOW
W7	1800 x 600	ALUM. FRAMED SLIDING WINDOW
W8	1200 x 1500	ALUM. FRAMED SLIDING WINDOW
W9	1200 x 1800	ALUM. FRAMED SLIDING WINDOW
W10	1000 x 600	ALUM. FRAMED SLIDING WINDOW
W11	1800 x 600	ALUM. FRAMED SLIDING WINDOW
W12	1800 x 600	ALUM. FRAMED SLIDING WINDOW

DOOR SCHEDULE		
MARK	SIZE	DOOR TYPE
D1	2040 x 820	GLASS ENTRY DOOR
D2	2100 x 4800	PANEL LIFT DOOR
D3	2100 x 2400	PANEL LIFT DOOR
D4	2100 x 2400	ROLL - A - DOOR
D5	2040 x 920	GLASS ENTRY DOOR
D7	2040 x 820	HOLLOW CORE SWING
D8	2040 x 820	HOLLOW CORE SWING
D9	2040 x 770	HOLLOW CORE SWING
D10	2040 x 770	HOLLOW CORE SWING
D11	2040 x 820	HOLLOW CORE SWING
D12	2040 x 720	HOLLOW CORE SWING
D13	2040 x 820	HOLLOW CORE SWING
D14	2040 x 820	HOLLOW CORE SWING
D15	2040 x 720	HOLLOW CORE CAVITY SLIDER
D16	2040 x 720	HOLLOW CORE SWING
D17	2040 x 820	HOLLOW CORE SWING



M: 0403 508 705
E: plans@areidesigns.com.au
W: areidesigns.com.au
QLD QBCC: 15040886
VIC VBA: CDB-U 73620
TAS BSP: 071565667
ABN: 31 615 195 818

PLAN NUMBER:
#4575
BUILDERS NUMBER:
DURAL 211 - SERENITY
AREI PLAN CODE:
AREI DESIGNS


CLIENT:
MELLROSS HOMES
DRAWING NAME:
ELEVATIONS A & B

PROJECT:
**PROPOSED RESIDENCE FOR
M & K ISAACS AT
LOT 24, 26 STEPHENS STREET
BINALONG NSW 2584**


CHECKED:
ODW
PAGE NO:
05 OF 13
SCALE @ A3
1:100

REV	DESCRIPTION	DRAWN	DATE
A	PRELIMINARY ISSUE	SM	18/09/2024
B	CONSTRUCTION ISSUE	SM	13/01/2025







ELEVATION C




ELEVATION D





REV	DESCRIPTION	DRAWN	DATE
A	PRELIMINARY ISSUE	SM	18/09/2024
B	CONSTRUCTION ISSUE	SM	13/01/2025



TYP SECTION
1:20





ROOF VENTILATION
1:20



CROSS SECTION
1:20





TOTAL ROOF AREA = 308.5 m²

ROOF TYPE: COLORBOND
FASCIA & GUTTER TYPE: COLORBOND
EAVES (TYP. O/H): 450mm
ROOF PITCH: 22.5°

DOWNPIPES (DP):

DP MAX. LINEAL SPACING: 12 m
RAINFALL INTENSITY LOCATION: NSW - YASS
ARI ONCE IN 20 YEARS mm/hr: 111 mm
MIN. DP DIAMETER (Ø): 90 mm
MIN. GUTTER CROSS SECTION: 5400 mm²
MAX. ROOF AREA PER DP: 35 m²



M: 0403 508 705
E: plans@areidesigns.com.au
W: areidesigns.com.au
QLD QBCC: 15040886
VIC VBA: CDB-U 73620
TAS BSP: 071565667
ABN: 31 615 195 818

PLAN NUMBER:
#4575
BUILDERS NUMBER:
DURAL 211 - SERENITY
AREI PLAN CODE:
AREI DESIGNS


CLIENT:
MELLROSS HOMES
DRAWING NAME:
ROOF DRAINAGE

PROJECT:
**PROPOSED RESIDENCE FOR
M & K ISAACS AT
LOT 24, 26 STEPHENS STREET
BINALONG NSW 2584**


CHECKED:
ODW
PAGE NO:
10 OF 13
SCALE @ A3
1:100

REV	DESCRIPTION	DRAWN	DATE
A	PRELIMINARY ISSUE	SM	18/09/2024
B	CONSTRUCTION ISSUE	SM	13/01/2025


© COPYRIGHT AREI DESIGNS
ALL RIGHTS RESERVED
USE SCALE & RULER AS A GUIDE ONLY
0m 5 1m 5 2m 5 3m 5 4m 5 5m




KITCHEN PLAN
1:50




ELEVATION K1
1:50



ELEVATION K2
1:50




ELEVATION K3
1:50




ELEVATION K4
1:50

LEGEND




DENOTES GENERAL
TILED WALL AREAS




DENOTES FEATURE TILED
AREA, WALL TILES TO
MATCH FLOOR TILES


NOTE: TILE & CABINETRY LAYOUTS ARE
APPROXIMATE ONLY AND MAY ALTER TO SUIT.



ELEVATION K5
1:50



ELEVATION K6
1:50



ELEVATION K5
1:50



M: 0403 508 705
E: plans@areidesigns.com.au
W: areidesigns.com.au
QLD QBCC: 15040886
VIC VBA: CDB-U 73620
TAS BSP: 071565667
ABN: 31 615 195 818

PLAN NUMBER:
#4575
BUILDERS NUMBER:
DURAL 211 - SERENITY
AREI PLAN CODE:
AREI DESIGNS


CLIENT:
MELLROSS HOMES
DRAWING NAME:
KITCHEN CABINETRY

PROJECT:
**PROPOSED RESIDENCE FOR
M & K ISAACS AT
LOT 24, 26 STEPHENS STREET
BINALONG NSW 2584**


CHECKED:
ODW
PAGE NO:
11 OF 13
SCALE @ A3
1:100

REV	DESCRIPTION	DRAWN	DATE
A	PRELIMINARY ISSUE	SM	18/09/2024
B	CONSTRUCTION ISSUE	SM	13/01/2025

© COPYRIGHT AREI DESIGNS
ALL RIGHTS RESERVED
USE SCALE & RULER AS A GUIDE ONLY
0m 5 1m 5 2m 5 3m 5 4m 5 5m



LAUNDRY PLAN
1:50



ENSUITE PLAN
1:50

LEGEND




DENOTES GENERAL
TILED WALL AREAS




DENOTES FEATURE TILED
AREA, WALL TILES TO
MATCH FLOOR TILES


NOTE: TILE & CABINETRY LAYOUTS ARE
APPROXIMATE ONLY AND MAY ALTER TO SUIT.




ELEVATION L1
1:50




ELEVATION E1
1:50




ELEVATION E3
1:50



ELEVATION L2
1:50



ELEVATION E2
1:50



ELEVATION E4
1:50



M: 0403 508 705
E: plans@areidesigns.com.au
W: areidesigns.com.au
QLD QBCC: 15040886
VIC VBA: CDB-U 73620
TAS BSP: 071565667
ABN: 31 615 195 818

PLAN NUMBER:
#4575
BUILDERS NUMBER:
DURAL 211 - SERENITY
AREI PLAN CODE:
AREI DESIGNS


CLIENT:
MELLROSS HOMES
DRAWING NAME:
LAUNDRY & ENSUITE CABINETRY

PROJECT:
**PROPOSED RESIDENCE FOR
M & K ISAACS AT
LOT 24, 26 STEPHENS STREET
BINALONG NSW 2584**


CHECKED:
ODW
PAGE NO:
12 OF 13
SCALE @ A3
1:100

REV	DESCRIPTION	DRAWN	DATE
A	PRELIMINARY ISSUE	SM	18/09/2024
B	CONSTRUCTION ISSUE	SM	13/01/2025


© COPYRIGHT AREI DESIGNS
ALL RIGHTS RESERVED
USE SCALE & RULER AS A GUIDE ONLY
0m 5 1m 5 2m 5 3m 5 4m 5 5m




BATHROOM & WC PLAN
1:50




ELEVATION B1
1:50




ELEVATION B2
1:50




ELEVATION B3
1:50



ELEVATION B4
1:50



ELEVATION T1
1:50



ELEVATION T2
1:50

LEGEND

- DENOTES GENERAL
TILED WALL AREAS
- DENOTES FEATURE TILED
AREA, WALL TILES TO
MATCH FLOOR TILES

NOTE: TILE & CABINETRY LAYOUTS ARE
APPROXIMATE ONLY AND MAY ALTER TO SUIT.



M: 0403 508 705
E: plans@areidesigns.com.au
W: areidesigns.com.au
QLD QBCC: 15040886
VIC VBA: CDB-U 73620
TAS BSP: 071565667
ABN: 31 615 195 818

PLAN NUMBER:
#4575
BUILDERS NUMBER:
DURAL 211 - SERENITY
AREI PLAN CODE:
AREI DESIGNS

CLIENT:
MELLROSS HOMES
DRAWING NAME:
BATHROOM CABINETRY

PROJECT:
PROPOSED RESIDENCE FOR
M & K ISAACS AT
LOT 24, 26 STEPHENS STREET
BINALONG NSW 2584

CHECKED:
ODW
PAGE NO:
13 OF 13
SCALE @ A3
1:100

REV	DESCRIPTION	DRAWN	DATE
A	PRELIMINARY ISSUE	SM	18/09/2024
B	CONSTRUCTION ISSUE	SM	13/01/2025

© COPYRIGHT AREI DESIGNS
ALL RIGHTS RESERVED
USE SCALE & RULER AS A GUIDE ONLY
0m 5 1m 5 2m 5 3m 5 4m 5 5m