

Municipality of Bankstown.


DP 30757
H427652 2-2-60

PLAN

of subdivision of lot 4, Plan in H305732.

Parish of Bankstown County of Cumberland

Scale 40 feet to one inch.



The Common Seal of the Council of the Municipality of Bankstown was hereunto affixed this 5th day of February, 1960 in pursuance of a resolution passed on the 3rd day of February, 1959

Martobrien Mayor Town Clerk

BANKSTOWN MUNICIPAL COUNCIL

This plan was approved by Council on 2-2-59

FORM 1, ORDINANCE No. 32

Council Clerk's Certificate No. 701

I hereby certify that the requirements of the Local Government Act, 1919 (other than the requirements for the registration of plans), have been complied with by the applicant in relation to the proposed subdivision set out herein.

5-2-60

Date

Council Clerk

OK & W in conc fd.

Old

Kent

Rd

RM. G.I.S. Ad. 190° 37' 10"



Note:
It is intended to dedicate Hillview Avenue & the splayed corners of lots 1 & 20 to the Public.

It is intended to create Drainage Easements 8' wide in favour of the Bankstown Municipal Council within lots 8 & 20 as appurtenant to Hillview Avenue.

(X) COVENANT H168295
(Y) COVENANT 655278

Subscribed, certified & declared before me at Sydney this 19th day of October 1959 A.D.

M. C. Armstrong J.P. Justice of Peace.



I, John Robert Gowland of Pennant Hills a Surveyor registered under the Surveyors Act 1929-46, hereby certify that the survey represented in this plan is accurate and has been made by me in accordance with the Survey Practice Regulations 1933 and was completed on 8.10.1959 and I hereby solemnly and sincerely declare that the permanent marks have been placed as shown in this plan and I make this solemn declaration conscientiously believing the same to be true and by virtue of the provisions of the Oaths Act, 1900.

Surveyor registered under the Surveyors Act 1929-46.

DP 30757

Asimuth A-B

PLAN AMENDED IN L.T.O. 1-3-89



CONVERSION TABLE ADDED IN
REGISTRAR GENERAL'S DEPARTMENT

DP 30757

FEET	INCHES	METRES
-	2	0.051
-	9	0.229
-	11	0.279
-	11 1/2	0.292
1	-	0.305
1	6	0.457
1	9	0.533
2	9 1/2	0.851
3	5	1.041
4	5 3/4	1.365
7	11 1/2	2.426
8	-	2.438
8	1 5/8	2.480
8	1 3/4	2.483
8	5 1/2	2.578
8	6 3/8	2.600
11	-	3.353
11	8 3/4	3.575
12	-	3.658
13	7 1/2	4.153
13	8 1/2	4.178
16	-	4.877
16	11 1/2	5.169
16	11 3/4	5.175
17	11 7/8	5.483
18	-	5.486
19	8 7/8	6.017
19	10 1/2	6.058
19	11 1/4	6.077
20	-	6.096
21	6 1/4	6.560
21	8 1/4	6.610
22	3 3/8	6.791
23	3 3/4	7.106
23	4	7.112
23	5 3/8	7.147
23	5 5/8	7.153
24	2 5/8	7.382
24	2 7/8	7.388
24	7 3/8	7.503
25	-	7.620
27	3	8.306
30	-	9.144
31	1 3/4	9.493
31	8	9.652
32	10 3/4	10.027
36	0 1/2	10.986
36	8	11.176
38	-	11.582
38	4 1/4	11.690
38	11 1/8	11.865
39	3 5/8	11.979
39	4 1/4	11.995
39	10 1/2	12.154
39	10 5/8	12.157
40	-	12.192
42	7 7/8	13.002
44	-	13.411
44	5 5/8	13.554
44	10 3/4	13.684
45	-	13.716
45	8 1/4	13.926
46	0 1/8	14.024
46	10 1/2	14.288
48	8 5/8	14.849
48	10 1/8	14.888
49	8 3/4	15.157
49	11 1/2	15.227
50	-	15.240
51	1 7/8	15.592
52	-	15.850
53	-	16.154
54	9 3/4	16.707
55	-	16.764
55	7 1/2	16.955
56	10	17.323
57	-	17.374



CONVERSION TABLE ADDED IN
REGISTRAR GENERAL'S DEPARTMENT

DP 30757 CONTINUED

FEET INCHES		METRES
58	4 1/2	17.793
61	9 1/8	18.825
62	5 3/4	19.044
62	11 1/4	19.183
63	-	19.202
63	0 1/2	19.215
63	10 1/2	19.469
64	-	19.507
66	-	20.117
68	-	20.726
68	2 1/4	20.784
68	3 7/8	20.825
69	4 1/2	21.146
70	-	21.336
70	4 1/2	21.450
70	7 3/4	21.533
73	1	22.276
74	10 3/8	22.819
75	-	22.860
77	-	23.470
77	11 1/2	23.762
79	2 1/4	24.136
80	-	24.384
81	6 3/4	24.860
83	3 3/4	25.394
88	-	26.822
90	-	27.432
93	2 3/8	28.407
94	3	28.727
99	9 1/8	30.407
100	5 3/4	30.626
105	-	32.004
106	9 1/2	32.550
110	-	33.528
110	10	33.782
111	5 1/4	33.966
112	7 3/4	34.334
112	10 1/2	34.404
119	5	36.398
120	3	36.652
123	9	37.719
125	1 3/8	38.135
125	11 1/8	38.383
126	0 1/8	38.408
128	0 3/4	39.033
130	6 5/8	39.792
132	-	40.234
135	-	41.148
140	-	42.672
144	4 1/4	43.999
150	-	45.720
170	-	51.816
170	11 5/8	52.111
171	2	52.172
177	0 1/2	53.962
179	10 1/4	54.820
187	-	56.998
198	10 1/2	60.617
200	-	60.960
209	3 3/8	63.789
279	11 1/2	85.331
288	0 1/8	87.786
346	2 7/8	105.534
346	6 1/2	105.626
AC RD P		SQ M
-	- 21 3/4	550.1
-	- 22	556.4
-	- 22 1/4	562.8
-	- 23	581.7
-	- 23 1/2	594.4
-	- 25 1/2	645
-	- 26 1/4	663.9
-	- 27 1/2	695.6
-	- 37 1/2	948.5
-	- 37 3/4	954.8



CONVERSION TABLE ADDED IN
REGISTRAR GENERAL'S DEPARTMENT

DP 30757 CONTINUED

AC	RD	P	SQ M
-	-	39 1/4	992.7
-	-	39.55	1000
-	1	5 1/2	1151