

CLIENT:

CUMBOOGLE FARMING

SITE ADDRESS:

LOT 9 PERRY JAMES CRESCENT, MOREE NSW 2400

SCHEDULE OF DRAWINGS:			AMENDMENTS					
00.	COVER PAGE	06.	EROSION CONTROL	ISSUE	DESCRIPTION	ВҮ	DATE	* ,
01.	FLOOR PLAN	07.		А	CONCEPT PLANS	JBR	04.12.23	*
02.	ELEVATIONS 1-4	08.		В	APC PLANS	JBR	10.01.24	W
03.	SITE PLAN	09.		С	AMENDED APC PLANS	JBR	04.03.24	* :
04.	SECTION & DETAILS	10.		D	DA PLANS	JBR	29.05.24	TC SP
05.	ROOF LAYOUT	11.		E	DA AMENDMENTS	JBR	11.04.25	

NOTES:

ALL DIMENSIONS ARE IN MILLIMETERS

* DO NOT SCALE THE DRAWING - USE WRITTEN DIMENSIONS

* IT IS THE RESPONSIBILITY OF THE OWNER TO ENSURE THAT THE LAYOUT AND ALL SPECIAL INCLUSIONS ARE CORRECT * RAWCO PROJECTS & PTY. LTD WILL TAKE NO RESPONSIBILITY FOR ANY VERBAL DISCUSSIONS OR INSTRUCTIONS. ALL CHANGES AND SPECIAL INCLUSIONS MUST BE DOCUMENTED IN WRITING.


* THIS DRAWING IS SUBJECT TO COPYRIGHT LAWS AND MAY NOT BE COPIED WITHOUT THE WRITTEN PERMISSION OF RAWCO PROJECTS & DESIGN PTY. LTD - ACN 628 619 045



PROJECTS & DESIGN

info@rawco.net.au www.rawco.net.au






Issued under the Environmental Planning and Assessment Act 1979

Approved application number: DA25/5067

Granted on: 10 October 2025

Signed: JF Sheet number: 1 of 8

CLIENT:	DRAWN:	DATE:	SCALE:
CUMBOOGLE FARMING	JBR	11.04.2025	
SITE ADDRESS:	COUNCIL AREA:		SHEET No:
LOT 9 PERRY JAMES CRESCENT, MOREE NSW 2400	00 MOREE PLAINS SHIRE		00
DRAWING TITLE:	JOB No:		ISSUE:
OVER SHEET D23-11-01		Е	



LEGEND:

FIRE EXTINGUISHER EGRESS DIRECTION

 EMERGENCY LIGHT EXIT EMERGENCY EXIT LIGHT

EXHAUST FAN

BUILDING DESCRIPTION:

FOR THE PURPOSE OF THE NATIONAL CONSTRUCTION CODE OF

RISE IN STOREYS - NCC 2022 'PART C1' - THE BUILDING HAS A RISE IN STOREYS OF ONE.

CLASSIFICATION - NCC 2022 'PART A6' - 'CLASS 5' - OFFICE BUILDING - 'CLASS 7b' - WAREHOUSE

- 'CLASS 7a' - CARPARK

- 'CLASS 10A' - VERANDAHS

AUSTRALIA, THE DEVELOPMENT MAY BE DESCRIBED AS FOLLOWS: TABLE 1

CLIMATE ZONE - BCA 'PART A1.1 - THE BUILDING IS LOCATED WITHIN CLIMATE ZONE 4, HOT DRY SUMMER, COOL WINTER

- BUILDING - TYPE 'C' CONSTRUCTION.

TYPE OF CONSTRUCTION REQUIRED - NCC 2022 'PART C'

EFFECTIVE HEIGHT - NCC 2022 'PART E2D9 - THE BUILDING HAS AN EFFECTIVE HEIGHT OF ZERO i.e LESS THAN 25.0 METRES.


FLOOR AREAS:


I LOOK AKLAS.	
01. PROPOSED BUILDING A WAREHOUSE	233.90 m ²
02. PROPOSED BUILDING A OFFICE	274.58 m ²
03. PROPOSED BUILDING A AWNING	73.86 m ²
04. PROPOSED BUILDING A VERANDAH	42.81 m ²
05. PROPOSED BUILDING B WAREHOUSE	509.28 m ²
06. PROPOSED BUILDING B AWNING	147.93 m²
	1282.37 m ²



info@rawco.net.au www.rawco.net.au

CLIENT:	DRAWN:	DATE:	SCALE:
CUMBOOGLE FARMING	JBR	11.04.2025	1:100
SITE ADDRESS:	COUNCIL AREA:		SHEET No:
LOT 9 PERRY JAMES CRESCENT, MOREE NSW 2400	MOREE PLAINS SHIRE		01
DRAWING TITLE:	JOB No:		ISSUE:
OOR PLAN D23-11-01		E	







BEFORE STARTING WORK ON SITE CHECK FOLLOWING:

- SERVICE LOCATIONS
- SERVICE LOCATIONS
 SEWER CONNECTION POSITION
- DRIVEWAY ALIGNMENT & LEVELS
- ° DP INDICATES DOWNPIPE LOCATION

ACCESS TO THE NEW BUILDING TO BE PROVIDED FROM THE FRONT BOUNDARY, TO THE MAIN ENTRANCE BY ENSURING THE FINISHED CONCRETE & BITUMEN SURFACE IS GRADED AT A MAX. OF 1 IN 40 & NO GREATER STEP THAN 5mm AS PER AS1428.1, NCC PART 3.2

CLEAR & UNAMBIGUOUS DIRECTIONAL SIGNAGE TO BE PROVIDED AS REQUIRED AS PER AS1428.1, AS1428.2 & AS1428.4.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON THE SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR POSSIBLE LOCATION OF FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.


SUBSEQUENT REGISTERED OR OTHER SURVEYS IN THIS AREA MAY AFFECT THE BOUNDARY DEFINITION SHOWN ON THIS PLAN. ANY DIFFERENCES SO CAUSED TO THE BOUNDARY DEFINITION SHOWN ON THIS PLAN ARE BEYOND THE CONTROL OF RAWCO PROJECTS & DESIGN PTY LTD





info@rawco.net.au www.rawco.net.au




LIENT:	DRAWN:	DATE:	SCALE:
UMBOOGLE FARMING	JBR	11.04.2025	1:200
ITE ADDRESS:	COUNCIL AREA:		SHEET No:
OT 9 PERRY JAMES CRESCENT, MOREE NSW 2400	MOREE PLAINS SHIRE		03
RAWING TITLE:	JOB No:		ISSUE:
ITE PLAN	D23-11-01		Е







ALL WEATHER GRAVEL OR HARDSTAND SURFACE DRIVEWAY AROUND




SHARED AREA WALKWAYS WITHIN OR PARTLY WITHIN A SHARED AREA SHALL BE MARKED WITH UNBROKEN LONGITUDINAL LINES ON BOTH SIDES OF WALKWAY

EACH DECDICATED SPACE SHALL BE IDENTIFIED BY MEANS OF A WHITE SYMBOL OF ACCESS IN ACCORDANCE AS1428.1-2009 BETWEEN 800 AND 1000mm HIGH PLACED ON A BLUE RECTANGLE WITH NO SIDE MORE THAT 1200mm, PLACED AS A PAVEMENT MARKING IN THE CENTRE OF THE SPACE BETWEEN 500 AND 600mm FROM ITS ENTRY POINT.

MARKINGS SHALL BE YELLOW AND SHALL HAVE A SLIP RESISTANT SURFACE. DEDICATED PARKING SPACES SHALL BE OUTLINED WITH UNBROKEN LINES 80 TO 100mm WIDE ON ALL SIDES

TACTILE GROUND SURFACE INDICATORS MUST BE PROVIDED TO WARN PEOPLE WITH VISION IMPAIRMENT THAT THEY ARE APPROACHIG A STAIRWAY, A RAMP, THRESHOLD RAMP OR VECHILE ACCESS TACTILE INDICATORS TO BE TYPE B IN ACCORDANCE WITH 'AS1428.4', & 'SPECIFICATION 15' OF THE NCC, VOL. 1, 2022.



SPLAY EDGES OF THRESHOLD RAMP

TYPICAL SETDOWN AT MAIN ENTRY DOOR/PRINCIPAL ENTRANCE (PPE)

BOLLARD TO BE FILLED
WITH CONCRETE & ROUND
OFF SMOOTH CAPPING

150 DIA. HEAVY DUTY GAL.
PIPE SET IN CONCRETE

SELECTED PAINT FINISH

000
600
600

THRESHOLD RAMP DETAIL

www.rawco.net.au

TYPICAL BOLLARD DETAIL SCALE 1:50

CONSTRUCTION NOTES:

DURING THE CONSTRUCTION THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING THE STRUCTURE IN A STABLE CONDITION & ENSURING NO PART SHALL BE OVERSTRESSED UNDER CONSTRUCTION ACTIVITIES.

BUILDING TO BE PROTECTED AGAINST SUBTERRANEAN TERMITES, IN ACCORDANCE WITH 'AS3660'. A DURABLE NOTICE MUST BE PERMANENTLY FIXED TO THE BUILDING IN A PROMINENT POSITION SHOWING METHOD OF RISK MANAGMENT, DATE OF INSTALLATION, WHERE CHEMICAL BARRIER IS USED. IT'S LIFE EXPECTANCY AND INSTALLERS OR MANUFACTURERS RECOMMENDATIONS FOR THE SCOPE AND FREQUENCY OF FUTURE INSPECTIONS FOR TERMITE ACTIVITY.

ROOF & SURFACE WATER TO BE COLLECTED & DISCHARGED TO EXISTING
STORMWATER DISPOSAL SYSTEM ON SITE, WITH DESIGN IN THIS REGARD TO
BE THE RESPONSIBILITY OF THE BUILDING CONTRACTOR IN ACCORDANCE
WITH RELEVANT AUSTRALIAN STANDARDS & LOCAL COUNCIL REQUIRMENTS.

SARKING TO

WET AREAS OF THE BUILDING IE. NEW BATHROOMS ARE TO BE PROTECTED BY THE INSTALLATION OF A WATER PROOFING SYSTEM COMPLYING WITH AS3740 - "WATERPROOFING OF WET AREAS"

WALL FRAME BRACING, ROOF BRACING, & ALL 'TIE DOWN' FIXING DETAILS TO BE RESPONSIBILITY OF THE CONTRACTOR AS SPECIFIED & DETAILED BY TRUSS/FRAME MANUFACTURER & IN ACCORDANCE WITH STEEL FRAMED CONSTUCTION STANDARD.

STORMWATER TO BE INSTALLED IN ACCORDANCE WITH AS/NZS 3500.3-2018

SARKING TO BE INSTALLED TO COMPLY WITH AS/NZS 4200


ENSURE THE TOP OF BUILDING'S OVERFLOW (RELIEF) GULLY IS 150mm MIN BELOW THE LOWEST SANITARY FIXTURE & 75mm MIN ABOVE THE SURROUNDING GROUND LEVEL.


RAVCO PROJECTS & DESIGN info@rawco.net.au


280

max.

CLIENT:	DRAWN:	DATE:	SCALE:
CUMBOOGLE FARMING	Author	11.04.2025	As indicated
SITE ADDRESS:	COUNCIL AREA:		SHEET No:
LOT 9 PERRY JAMES CRESCENT, MOREE NSW 2400 MOREE PLAINS SHIRE		04	
DRAWING TITLE:	JOB No:		ISSUE:
SECTION & DETAILS	D23-11-01		Е







Issued under the Environmental Planning and Assessment Act 1979


Approved application number: DA25/5067


Granted on: 10 October 2025

Signed: JF Sheet number: 6 of 8



CLIENT:	DRAWN:	DATE:	SCALE:
CUMBOOGLE FARMING	JBR	11.04.2025	1:100
SITE ADDRESS:	COUNCIL AREA:		SHEET No:
OT 9 PERRY JAMES CRESCENT, MOREE NSW 2400 MOREE PLAINS SHIRE		05	
DRAWING TITLE:	JOB No:		ISSUE:
ROOF LAYOUT	D23-11-01		Е







LANDSCAPING NOTES:

LANDSCAPED SPECIES TO INCLUDE THE FOLLOWING:

- ATALYA HEMIGLAUCA WHITEWOOD (TREE) SCLEROLAENA MURICATA BLACK ROLYPOLY (SHRUB)
- CHLORIS TRUNCATA WINDMILL GRASS (GROUND COVER)

LANDSCAPED AREAS TO INLUDE:

- MULCH DEPTH OF 75mm
- IRRIGATED GARDEN BEDS TO A MIN. WIDTH OF 1500mm, EXCEPT FOR ANY GARDEN BED TO THE PRIMARY STREET FRONTAGE, ALONG THE FRONT FENCE IS TO BE A MIN. OF 3000mm IN

SITE NOTES:

BEFORE STARTING WORK ON SITE CHECK FOLLOWING:

- SERVICE LOCATIONS
- SEWER CONNECTION POSITION
- DRIVEWAY ALIGNMENT & LEVELS
- ° DP INDICATES DOWNPIPE LOCATION

ACCESS TO THE NEW BUILDING TO BE PROVIDED FROM THE FRONT BOUNDARY, TO THE MAIN ENTRANCE BY ENSURING THE FINISHED CONCRETE & BITUMEN SURFACE IS GRADED AT A MAX. OF 1 IN 40 & NO GREATER STEP THAN 5mm AS PER AS1428.1, NCC PART 3.2

LANDCAPING WITHIN A CAR PARKING AREA:

- TO PROVIDE ONE LARGE TREE AT A MIN. BETWEEN EVERY 5 CAR SPACES OR ONE MED. TREE EVERY 3 SPACES, EVENLY THROUGH PARKING AREAS. ALL TREE STOCK TO BE IN ACCORDANCE WITH AS2303:2018
- TO BE LOCATED ADJACENT TO EDGE OF ALL CARPARKS & PATHWAYS
- TO INCLUDE PLANT SPECIES IN ACCORDANCE WITH THE PLANTING PALETTES IN SECTION 3.3.2 LANDSCAPE TREAMENTS
- TO RETAIN EXISTING VEGETATION OF ECOLOGICAL VALUE I.E USES RECYCLED GALI-
- WATER OR ON-SITE STORMWATER FOR IRRIGATION

CLEAR & UNAMBIGUOUS DIRECTIONAL SIGNAGE TO BE PROVIDED AS REQUIRED AS PER AS1428.1, AS1428.2 & AS1428.4.

PRIOR TO ANY DEMOLITION, EXCAVATION OR CONSTRUCTION ON THE SITE, THE RELEVANT AUTHORITY SHOULD BE CONTACTED FOR POSSIBLE LOCATION OF FURTHER UNDERGROUND SERVICES AND DETAILED LOCATIONS OF ALL SERVICES.

SUBSEQUENT REGISTERED OR OTHER SURVEYS IN THIS AREA MAY AFFECT THE BOUNDARY DEFINITION SHOWN ON THIS PLAN. ANY DIFFERENCES SO CAUSED TO THE BOUNDARY DEFINITION SHOWN ON THIS PLAN ARE BEYOND THE CONTROL OF RAWCO PROJECTS & DESIGN PTY LTD

RAWCO PROJECTS & DESIGN

info@rawco.net.au www.rawco.net.au





Department of Planning, Housing and Infrastructure

Issued under the Environmental Planning and Assessment Act 1979

Approved application number: DA25/5067

Granted on: 10 October 2025

Signed: JF Sheet number: 8 of 8

Va			
LIENT:	DRAWN:	DATE:	SCALE:
JMBOOGLE FARMING	JBR	11.04.2025	1:350
TE ADDRESS:	COUNCIL AREA:		SHEET No:
OT 9 PERRY JAMES CRESCENT, MOREE NSW 2400	MOREE PLAINS SHIRE		07
RAWING TITLE:	JOB No:		ISSUE:
LOCK LAYOUT	D23-11-01		Е