


SHEET	SHEET NAME
DA - 000	COVER SHEET
DA - 100	EXISTING SITE PLAN
DA - 101	SITE PLAN
DA - 200	GROUND FLOOR PLAN
DA - 201	FIRST FLOOR PLAN
DA - 300	ELEVATIONS - 01
DA - 301	ELEVATIONS - 02
DA - 400	SECTIONAL VIEW
DA - 500	PERSPECTIVE VIEWS
DA - 600	WINDOW & DOOR SCHEDULE
DA - 700	SHADOW DIAGRAMS
DA - 800	NOTIFICATION PLAN
DA - 900	BASIX COMMITMENT TABLE
DA - 901	BASIX COMMITMENT TABLE 2




35
DP 1077424



(N) - RESTRICTIONS ON THE USE OF LAND (VIDE DP1077424)
(S) - EASEMENT TO DRAIN SEWAGE 3 & 4 WIDE (VIDE DP1077424)

EXISTING SITE PLAN



7Building Designs

TEL: 0490 083 865
EMAIL: OFFICE@7BUILDINGDESIGNS.COM
WEB: WWW.7BUILDINGDESIGNS.COM

GENERAL NOTE:
DO NOT SCALE DRAWINGS: USE FIGURED DIMENSIONS ONLY.
CHECK & VERIFY DIMENSIONS & LEVELS PRIOR TO THE
COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE
NOTED & REPORTED TO 7BUILDING DESIGNS.
COPYRIGHT OF THE DESIGN & OTHER INFORMATION SHOWN
HEREIN IS OWNED BY 7BUILDING DESIGNS. REPRODUCTION OR
USE OF THE DESIGN IN ANY PARTY FOR ANY PURPOSE IS
FORBIDDEN WITHOUT THE WRITTEN PERMISSION OF 7BUILDING
DESIGNS



B	DEVELOPMENT APPLICATION / MODIFICATION (SITE SHED & OFFICE)	09.05.2025	LDS
A	DEVELOPMENT APPLICATION	03.09.2024	LDS
REV NO.	DESCRIPTION	DATE	DRAWN

CLIENT / PROJECT NAME
**PROPOSED NEW RESIDENCE FOR:
FERGUS HOLT**
PROJECT ADDRESS
**3 CAMELLIA CLOSE
TALLWOODS VILLAGE NSW 2430**

DRAWING NAME
EXISTING SITE PLAN

ISSUE PURPOSE
DEVELOPMENT APPLICATION

SCALE @ A3	DATE	JOB NO.
1 : 200	09.05.2025	1048
DA - 100		B
SHEET NO.		REV NO.



7Building Designs

TEL: 0490 083 865
EMAIL: OFFICE@7BUILDINGDESIGNS.COM
WEB: WWW.7BUILDINGDESIGNS.COM

GENERAL NOTE:
DO NOT SCALE DRAWINGS. USE FIGURED DIMENSIONS ONLY.
CHECK & VERIFY DIMENSIONS & LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE NOTED & REPORTED TO 7BUILDING DESIGNS.
COPYRIGHT OF THE DESIGN & OTHER INFORMATION SHOWN HEREIN IS OWNED BY 7BUILDING DESIGNS. REPRODUCTION OR USE OF THE DESIGN IN ANY PARTY FOR ANY PURPOSE IS FORBIDDEN WITHOUT THE WRITTEN PERMISSION OF 7BUILDING DESIGNS

B	DEVELOPMENT APPLICATION / MODIFICATION (SITE SHED & OFFICE)	09.05.2025	LDS
A	DEVELOPMENT APPLICATION	03.09.2024	LDS
REV NO.	DESCRIPTION	DATE	DRAWN

CLIENT / PROJECT NAME
**PROPOSED NEW RESIDENCE FOR:
FERGUS HOLT**
PROJECT ADDRESS
**3 CAMELLIA CLOSE
TALLWOODS VILLAGE NSW 2430**

DRAWING NAME
SITE PLAN
ISSUE PURPOSE
DEVELOPMENT APPLICATION


SCALE @ A3
1 : 200
DATE
09.05.2025
JOB NO.
1048
DA - 101
SHEET NO.
B
REV NO.

DA - 301

4

DA - 300

3




AREA CALCS:

FIRST FLOOR LIVING:	110.8m ²
GARAGE:	38.8m ²
FRONT DECK:	28.4m ²
REAR BALCONY:	31.7m ²
GROUND FLOOR LIVING:	162.5m ²
GROUND FLOOR DECK:	57.2m ²
GROSS LIVING:	273.3m ²
GROSS DECK & BALCONY:	117.3m ²
POOL DECKING AREA (not included in totals):	33.6m ²
TOTAL GROSS INC GARAGE:	429.4m ²

NOTE:

REQUIREMENTS AS PER:

BASIX CERTIFICATE NO: 1749623S



7Building Designs

TEL: 0490 083 865
EMAIL: OFFICE@7BUILDINGDESIGNS.COM
WEB: WWW.7BUILDINGDESIGNS.COM

GENERAL NOTE:
DO NOT SCALE DRAWINGS: USE FIGURED DIMENSIONS ONLY.
CHECK & VERIFY DIMENSIONS & LEVELS PRIOR TO THE
COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE
NOTED & REPORTED TO 7BUILDING DESIGNS.
COPYRIGHT OF THE DESIGN & OTHER INFORMATION SHOWN
HEREIN IS OWNED BY 7BUILDING DESIGNS. REPRODUCTION OR
USE OF THE DESIGN IN ANY PARTY FOR ANY PURPOSE IS
FORBIDDEN WITHOUT THE WRITTEN PERMISSION OF 7BUILDING
DESIGNS

B	DEVELOPMENT APPLICATION / MODIFICATION (SITE SHED & OFFICE)	09.05.2025	LDS
A	DEVELOPMENT APPLICATION	03.09.2024	LDS
REV NO.	DESCRIPTION	DATE	DRAWN

CLIENT / PROJECT NAME

PROPOSED NEW RESIDENCE FOR:
FERGUS HOLT

PROJECT ADDRESS

3 CAMELLIA CLOSE
TALLWOODS VILLAGE NSW 2430

DRAWING NAME

GROUND FLOOR PLAN

ISSUE PURPOSE

DEVELOPMENT APPLICATION

SCALE @ A3

1 : 100

DATE

09.05.2025

JOB NO.


1048

DA - 200


SHEET NO.

B


REV NO.



SCALE @ A3	DATE	JOB NO.
1 : 100	09.05.2025	1048
DA - 201		B
SHEET NO.		REV NO.





SOUTH EAST ELEVATION



SOUTH WEST ELEVATION

NOTE:
REQUIREMENTS AS PER:
BASIX CERTIFICATE NO: 17496235



7Building Designs

TEL: 0490 083 865
EMAIL: OFFICE@7BUILDINGDESIGNS.COM
WEB: WWW.7BUILDINGDESIGNS.COM


GENERAL NOTE:
DO NOT SCALE DRAWINGS: USE FIGURED DIMENSIONS ONLY.
CHECK & VERIFY DIMENSIONS & LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE NOTED & REPORTED TO 7BUILDING DESIGNS.
COPYRIGHT OF THE DESIGN & OTHER INFORMATION SHOWN HEREIN IS OWNED BY 7BUILDING DESIGNS. REPRODUCTION OR USE OF THE DESIGN IN ANY PARTY FOR ANY PURPOSE IS FORBIDDEN WITHOUT THE WRITTEN PERMISSION OF 7BUILDING DESIGNS

B	DEVELOPMENT APPLICATION / MODIFICATION (SITE SHED & OFFICE)	09.05.2025	LDS
A	DEVELOPMENT APPLICATION	03.09.2024	LDS
REV NO.	DESCRIPTION	DATE	DRAWN

CLIENT / PROJECT NAME
**PROPOSED NEW RESIDENCE FOR:
FERGUS HOLT**
PROJECT ADDRESS
**3 CAMELLIA CLOSE
TALLWOODS VILLAGE NSW 2430**


DRAWING NAME
ELEVATIONS - 02
ISSUE PURPOSE
DEVELOPMENT APPLICATION

SCALE @ A3
1 : 100
DATE
09.05.2025
JOB NO.
1048
DA - 301
SHEET NO.
B
REV NO.



NOTE:
REQUIREMENTS AS PER:
BASIX CERTIFICATE NO: 17496235

SECTION AA




SECTION BB

NOTE:
TEMPORARY SITE SHED / OFFICE CONTAINERS
(TO BE REMOVED UPON CONSTRUCTION COMPLETION)



NOTE:

PERSPECTIVE IMAGES ARE FOR DIAGRAMTIC PURPOSES ONLY. SHADOWS, SIZES, COLOUR PROFILES, DETAIL & SCALES OF ALL MATERIALS ARE SUBJECT TO CHANGE & SUBJECT TO FINAL PRODUCT SELECTIONS AS PER MANUFACTURERS SPECIFICATIONS.



7Building Designs

TEL: 0490 083 865
EMAIL: OFFICE@7BUILDINGDESIGNS.COM
WEB: WWW.7BUILDINGDESIGNS.COM

GENERAL NOTE:
DO NOT SCALE DRAWINGS: USE FIGURED DIMENSIONS ONLY.
CHECK & VERIFY DIMENSIONS & LEVELS PRIOR TO THE COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE NOTED & REPORTED TO 7BUILDING DESIGNS.
COPYRIGHT OF THE DESIGN & OTHER INFORMATION SHOWN HEREIN IS OWNED BY 7BUILDING DESIGNS. REPRODUCTION OR USE OF THE DESIGN IN ANY PARTY FOR ANY PURPOSE IS FORBIDDEN WITHOUT THE WRITTEN PERMISSION OF 7BUILDING DESIGNS

B	DEVELOPMENT APPLICATION / MODIFICATION (SITE SHED & OFFICE)	09.05.2025	LDS
A	DEVELOPMENT APPLICATION	03.09.2024	LDS
REV NO.	DESCRIPTION	DATE	DRAWN

CLIENT / PROJECT NAME
**PROPOSED NEW RESIDENCE FOR:
FERGUS HOLT**
PROJECT ADDRESS
**3 CAMELLIA CLOSE
TALLWOODS VILLAGE NSW 2430**

DRAWING NAME
PERSPECTIVE VIEWS

ISSUE PURPOSE
DEVELOPMENT APPLICATION

SCALE @ A3
DA - 500
SHEET NO.

DATE
09.05.2025

JOB NO.
1048


REV NO.
B

NUMBER	MARK	HEIGHT	WIDTH	STYLE	ORIENTATION	AREA
01	SFS1021	1000	2110	SLIDING	NORTH WEST	2.10
02	FW2007	2035	730	FIXED	NORTH WEST	1.46
03	SD2129	2100	2990	SLIDING DOOR	NORTH WEST	6.30
04	SD2129	2100	2990	SLIDING DOOR	NORTH WEST	6.30
05	FW2007	2035	730	FIXED	NORTH WEST	1.46
06	SD2521	2100	2110	SLIDING DOOR & 400 HI LITE	NORTH WEST	5.25
07	SD2521	2100	2110	SLIDING DOOR & 400 HI LITE	NORTH WEST	5.25
08	SD2521	2100	2110	SLIDING DOOR & 400 HI LITE	NORTH WEST	5.25
09	SD2521	2100	2110	SLIDING DOOR & 400 HI LITE	NORTH WEST	5.25
10	SD2521	2100	2110	SLIDING DOOR & 400 HI LITE	NORTH WEST	5.25
11	SF1815	1800	1510	SLIDING	NORTH WEST	2.70
12	FW0634	600	3440	FIXED	NORTH EAST	2.04
13	SF1818	1800	1810	SLIDING	NORTH EAST	3.20
14	LVR1706	1700	610	LOUVRE	NORTH EAST	10.20
15	FW2147	2100	470	FIXED	SOUTH EAST	0.98
16	SF0906	900	610	SLIDING	SOUTH EAST	0.54
17	SF1812	1800	1210	SLIDING	SOUTH EAST	2.16
18	SF1812	1800	1210	SLIDING	SOUTH EAST	2.16
19	SF1812	1800	1210	SLIDING	SOUTH EAST	2.16
20	LVR1106	1100	610	LOUVRE	SOUTH EAST	0.66
21	LVR1106	1100	610	LOUVRE	SOUTH EAST	0.66
22	LVR1506	1500	610	LOUVRE	SOUTH EAST	0.90
23	LVR1506	1500	610	LOUVRE	SOUTH EAST	0.90
24	LVR1706	1700	610	LOUVRE	SOUTH WEST	10.20
25	LVR1706	1700	610	LOUVRE	SOUTH WEST	10.20
26	LVR1006	1000	600	LOUVRE	SOUTH WEST	0.60
27	LVR1706	1700	610	LOUVRE	SOUTH WEST	10.20
28	LVR1706	1700	610	LOUVRE	SOUTH WEST	10.20
29	LVR1706	1700	610	LOUVRE	SOUTH WEST	10.20
30	SK0614	1480	600	VELUX	NORTH WEST	0.90


WINDOW SCHEDLUE

NUMBER	MARK	HEIGHT	WIDTH	STYLE	ORIENTATION	AREA
01	2109	2050	1200	ENTRY DOOR	SOUTH EAST	0.00
02	21/48	2100	4800	PANEL LIFT	SOUTH EAST	0.00
03	21/09	2058	820	FULL GLAZED	NORTH WEST	1.20
04	20/15	1931	1450	FRENCH DOOR		


DOOR SCHEDLUE




MARCH 21 0900




MARCH 21 1200




MARCH 21 1500




JUNE 21 0900




JUNE 21 1200




JUNE 21 1500




SEPTEMBER 21 0900



SEPTEMBER 21 1200



SEPTEMBER 21 1500



7Building Designs
TEL: 0490 083 865
EMAIL: OFFICE@7BUILDINGDESIGNS.COM
WEB: WWW.7BUILDINGDESIGNS.COM


GENERAL NOTE:
DO NOT SCALE DRAWINGS. USE FIGURED DIMENSIONS ONLY.
CHECK & VERIFY DIMENSIONS & LEVELS PRIOR TO THE
COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE
NOTED & REPORTED TO 7BUILDING DESIGNS.
COPYRIGHT OF THE DESIGN & OTHER INFORMATION SHOWN
HEREIN IS OWNED BY 7BUILDING DESIGNS. REPRODUCTION OR
USE OF THE DESIGN IN ANY PARTY FOR ANY PURPOSE IS
FORBIDDEN WITHOUT THE WRITTEN PERMISSION OF 7BUILDING
DESIGNS

B	DEVELOPMENT APPLICATION / MODIFICATION (SITE SHED & OFFICE)	09.05.2025	LDS
A	DEVELOPMENT APPLICATION	03.09.2024	LDS
REV NO.	DESCRIPTION	DATE	DRAWN

CLIENT / PROJECT NAME
**PROPOSED NEW RESIDENCE FOR:
FERGUS HOLT**
PROJECT ADDRESS
**3 CAMELLIA CLOSE
TALLWOODS VILLAGE NSW 2430**

DRAWING NAME
SHADOW DIAGRAMS
ISSUE PURPOSE
DEVELOPMENT APPLICATION

SCALE @ A3 1 : 500	DATE 09.05.2025	JOB NO. 1048
DA - 700		B
SHEET NO.		REV NO.



SITE PLAN




SOUTH ELEVATION




NORTH ELEVATION



WEST ELEVATION



EAST ELEVATION



7Building Designs

TEL: 0490 083 865
EMAIL: OFFICE@7BUILDINGDESIGNS.COM
WEB: WWW.7BUILDINGDESIGNS.COM

GENERAL NOTE:
DO NOT SCALE DRAWINGS. USE FIGURED DIMENSIONS ONLY.
CHECK & VERIFY DIMENSIONS & LEVELS PRIOR TO THE
COMMENCEMENT OF ANY WORK. ALL DISCREPANCIES TO BE
NOTED & REPORTED TO 7BUILDING DESIGNS.
COPYRIGHT OF THE DESIGN & OTHER INFORMATION SHOWN
HEREIN IS OWNED BY 7BUILDING DESIGNS. REPRODUCTION OR
USE OF THE DESIGN IN ANY PARTY FOR ANY PURPOSE IS
FORBIDDEN WITHOUT THE WRITTEN PERMISSION OF 7BUILDING
DESIGNS

REV NO.	DESCRIPTION	DATE	DRAWN
B	DEVELOPMENT APPLICATION / MODIFICATION (SITE SHED & OFFICE)	09.05.2025	LDS
A	DEVELOPMENT APPLICATION	03.09.2024	LDS

CLIENT / PROJECT NAME
**PROPOSED NEW RESIDENCE FOR:
FERGUS HOLT**
PROJECT ADDRESS
**3 CAMELLIA CLOSE
TALLWOODS VILLAGE NSW 2430**

DRAWING NAME
NOTIFICATION PLAN

ISSUE PURPOSE
DEVELOPMENT APPLICATION

SCALE @ A3
AS INDICATED

DATE
09.05.2025

JOB NO.
1048

DA - 800

SHEET NO.

B

REV NO.

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.basix.nsw.gov.au

Secretary
Date of issue: Thursday, 30 May 2024
To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



Project summary		
Project name	NEW DWELLING FOR F. HOLT	
Street address	3 CAMELLIA Close TALLWOODS VILLAGE 2430	
Local Government Area	Mid-Coast Council	
Plan type and plan number	Deposited Plan DP1077424	
Lot no.	36	
Section no.	-	
Project type	dwelling house (detached)	
No. of bedrooms	4	
Project score		
Water	✔ 46	Target 40
Thermal Performance	✔ Pass	Target Pass
Energy	✔ 98	Target 70
Materials	✔ -32	Target n/a

Certificate Prepared by	
Name / Company Name: RGR Design	
ABN (if applicable): 57036203236	

Description of project	
Project address	
Project name	NEW DWELLING FOR F. HOLT
Street address	3 CAMELLIA Close TALLWOODS VILLAGE 2430
Local Government Area	Mid-Coast Council
Plan type and plan number	Deposited Plan DP1077424
Lot no.	36
Section no.	-
Project type	
Project type	dwelling house (detached)
No. of bedrooms	4
Site details	
Site area (m²)	656
Roof area (m²)	249
Conditioned floor area (m²)	252.0
Unconditioned floor area (m²)	21.3
Total area of garden and lawn (m²)	220
Roof area of the existing dwelling (m²)	0
Assessor details and thermal loads	
Assessor number	n/a
Certificate number	n/a
Climate zone	n/a
Area adjusted cooling load (MJ/ m²·year)	n/a
Area adjusted heating load (MJ/ m²·year)	n/a
Project score	
Water	✓ 46 Target 40
Thermal Performance	✓ Pass Target Pass
Energy	✓ 98 Target 70
Materials	✓ -32 Target n/a

Schedule of BASIX commitments			
The commitments set out below regulate how the proposed development is to be carried out. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.			
Water Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Fixtures			
The applicant must install showerheads with a minimum rating of 4 star (> 6 but <= 7.5 L/min plus spray force and/or coverage tests) in all showers in the development.		✓	✓
The applicant must install a toilet flushing system with a minimum rating of 4 star in each toilet in the development.		✓	✓
The applicant must install taps with a minimum rating of 4 star in the kitchen in the development.		✓	
The applicant must install basin taps with a minimum rating of 4 star in each bathroom in the development.		✓	
Alternative water			
Rainwater tank			
The applicant must install a rainwater tank of at least 5000 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities.	✓	✓	✓
The applicant must configure the rainwater tank to collect rain runoff from at least 173 square metres of the roof area of the development (excluding the area of the roof which drains to any stormwater tank or private dam).		✓	✓
The applicant must connect the rainwater tank to:			
• all toilets in the development		✓	✓
• the cold water tap that supplies each clothes washer in the development		✓	✓
• at least one outdoor tap in the development (Note: NSW Health does not recommend that rainwater be used for human consumption in areas with potable water supply.)		✓	✓
Swimming Pool			

Water Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
The swimming pool must not have a volume greater than 20 kilolitres.	✓	✓	
The swimming pool must be outdoors.	✓	✓	

Thermal Performance and Materials commitments		Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Do-it-yourself Method				
General features				
The dwelling must be a Class 1 dwelling according to the National Construction Code, and must not have more than 2 storeys.	✓	✓	✓	
The conditioned floor area of the dwelling must not exceed 300 square metres.	✓	✓	✓	
The dwelling must not contain open mezzanine area exceeding 25 square metres.	✓	✓	✓	
The dwelling must not contain third level habitable attic room.	✓	✓	✓	
Floor, walls and ceiling/roof				
The applicant must construct the floor(s), walls, and ceiling/roof of the dwelling in accordance with the specifications listed in the table below.	✓	✓	✓	
The applicant must adopt one of the options listed in the tables below to address thermal bridging in metal framed floor(s), walls and ceiling/roof of the dwelling.	✓	✓	✓	
The applicant must show through receipts that the materials purchased for construction are consistent with the specifications listed in the tables below.			✓	

Construction	Area - m²	Additional insulation required	Options to address thermal bridging	Other specifications
floor - concrete slab on ground, conventional slab.	162.5	nil/not specified	nil	
floor - above habitable rooms or mezzanine, particle board; frame: timber - H2 treated softwood..	110.8	nil/none	nil	
garage floor - concrete - suspended; frame: no frame.	38.8	none	nil	

Construction	Area - m²	Additional insulation required	Options to address thermal bridging	Other specifications
external wall: framed (fibre cement sheet or boards); frame: timber - H2 treated softwood.	all external walls	2.50 (or 3.00 including construction);fibreglass batts or roll + reflective foil in the cavity	nil	wall colour: Light (solar absorptance < 0.48)
internal wall shared with garage: plasterboard; frame: timber - H2 treated softwood.	23.5	nil;none	nil	
internal wall: plasterboard; frame: timber - H2 treated softwood.	203.4	none	nil	
ceiling and roof - flat ceiling / pitched roof, framed - metal roof, timber - H2 treated softwood.	199	ceiling: 4 (up); roof: foil backed blanket ;ceiling: fibreglass batts or roll; roof: foil backed blanket.	nil	roof space ventilation: unventilated; roof colour: light (solar absorptance: 0.38-0.47); ceiling area fully insulated
ceiling and roof - raked ceiling / pitched or skillion roof, framed - metal roof, timber - H2 treated softwood.	50	ceiling: 4 (up); roof: foil backed blanket ;ceiling: fibreglass batts or roll; roof: foil backed blanket.	nil	roof colour: light (solar absorptance: 0.38-0.47); ceiling area fully insulated
Note: • Insulation specified in this Certificate must be installed in accordance with the ABCB Housing Provisions (Part 13.2.2) of the National Construction Code.				
Note: • If the additional ceiling insulation listed in the table above is greater than R3.0, refer to the ABCB Housing Provisions (Part 13.2.3 (6)) of the National Construction Code.				
Note: • In some climate zones, insulation should be installed with due consideration of condensation and associated interaction with adjoining building materials.				
Note: • Thermal breaks must be installed in metal framed walls and applicable roofs in accordance with the ABCB Housing Provisions of the National Construction Code.				

Thermal Performance and Materials commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Ceiling fans			
The applicant must install at least one ceiling fan in at least one daytime habitable space, such as living room.		✓	✓
The applicant must install at least one ceiling fan in each bedroom.	✓	✓	✓
• The minimum number and diameter of ceiling fans in a daytime habitable space must be installed in accordance with the ABCB Housing Provisions (Part 13.5.2) of the National Construction Code .	✓	✓	✓

Thermal Performance and Materials commitments		Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Glazed windows, doors and skylights				
The applicant must install the windows, glazed doors and shading devices described in the table below, in accordance with the specifications listed in the table. Relevant overshadowing specifications must be satisfied for each glazed window and door.		✓	✓	✓
The dwelling may have 1 skylight (<0.7 square metres) which is not listed in the table.		✓	✓	✓
The following requirements must also be satisfied in relation to each window and glazed door:		✓	✓	✓
• The applicant must install windows and glazed doors in accordance with the height and width, frame and glazing types listed in the table.		✓	✓	✓
• Each window and glazed door must have a U- value no greater than that listed and a Solar Heat Gain Coefficient (SHGC) within the range listed. Total system U values and SHGC must be calculated in accordance with National Fenestration Rating Council (NFRC) conditions.			✓	✓
The applicant must install the skylights described in the table below, in accordance with the specifications listed in the table. Total skylight area must not exceed 3 square metres (the 3 square metre limit does not include the optional additional skylight of less than 0.7 square metres that does not have to be listed in the table).		✓	✓	✓

Skylight no.	Maximum area (m²)	Skylight specification	Shading device
S01	0.84	aluminium, double clear (U: <=4.2, SHGC: 0.68 - 0.76)	adjustable awning or blind

Glazed window/door no.	Orientation	Maximum height (mm)	Maximum width (mm)	Frame and glass specification	Shading device (Dimension within 10%)	Overshadowing
W12	NE	600.00	3440.00	not selected	eave 300 mm, 1650 mm above head of window or glazed door	not overshadowed
W13	NE	1800.00	1810.00	aluminium, single glazed (U-value: <=6.5, SHGC: Undecided)	eave 300 mm, 900 mm above head of window or glazed door	not overshadowed

Glazed window/door no.	Orientation	Maximum height (mm)	Maximum width (mm)	Frame and glass specification	Shading device (Dimension within 10%)	Overshadowing
W14	NE	1700.00	610.00	not selected	eave 300 mm, 200 mm above head of window or glazed door	not overshadowed
W15	SE	2100.00	470.00	not selected	solid overhang 2200 mm, 100 mm above head of window or glazed door	not overshadowed
W16	SE	900.00	610.00	not selected	eave 300 mm, 200 mm above head of window or glazed door	not overshadowed
W17	SE	1800.00	1210.00	not selected	eave 300 mm, 200 mm above head of window or glazed door	not overshadowed
W18	SE	1800.00	1210.00	not selected	eave 300 mm, 200 mm above head of window or glazed door	not overshadowed
W19	SE	1800.00	1210.00	not selected	eave 300 mm, 200 mm above head of window or glazed door	not overshadowed
W20	SE	1100.00	610.00	not selected	solid overhang 1900 mm, 600 mm above head of window or glazed door	not overshadowed
W21	SE	1100.00	610.00	not selected	solid overhang 1700 mm, 600 mm above head of window or glazed door	not overshadowed
W22	SE	1500.00	610.00	not selected	solid overhang 1900 mm, 600 mm above head of window or glazed door	not overshadowed
W23	SE	1500.00	610.00	not selected	solid overhang 1900 mm, 600 mm above head of window or glazed door	not overshadowed

Glazed window/door no.	Orientation	Maximum height (mm)	Maximum width (mm)	Frame and glass specification	Shading device (Dimension within 10%)	Overshadowing
W24	SW	1700.00	610.00	not selected	eave 300 mm, 200 mm above head of window or glazed door	not overshadowed
W25	SW	1700.00	610.00	not selected	eave 300 mm, 200 mm above head of window or glazed door	not overshadowed
W26	SW	1000.00	600.00	not selected	eave 300 mm, 200 mm above head of window or glazed door	not overshadowed
W27	SW	1700.00	610.00	not selected	none	not overshadowed
W28	SW	1700.00	610.00	not selected	none	not overshadowed
W29	SW	1700.00	610.00	not selected	none	not overshadowed
W01	NW	1000.00	2110.00	not selected	eave 300 mm, 200 mm above head of window or glazed door	not overshadowed
W02	NW	2035.00	730.00	not selected	solid overhang 3500 mm, 200 mm above head of window or glazed door	not overshadowed
W03	NW	2100.00	2990.00	not selected	solid overhang 3500 mm, 200 mm above head of window or glazed door	not overshadowed
W04	NW	2100.00	2990.00	not selected	solid overhang 3500 mm, 200 mm above head of window or glazed door	not overshadowed
W05	NW	2035.00	730.00	not selected	solid overhang 3500 mm, 200 mm above head of window or glazed door	not overshadowed
W06	NW	2100.00	2110.00	not selected	none	not overshadowed

Glazed window/door no.	Orientation	Maximum height (mm)	Maximum width (mm)	Frame and glass specification	Shading device (Dimension within 10%)	Overshadowing
W07	NW	2100.00	2110.00	not selected	solid overhang 2400 mm, 500 mm above head of window or glazed door	not overshadowed
W08	NW	2100.00	2110.00	not selected	solid overhang 2400 mm, 500 mm above head of window or glazed door	not overshadowed
W09	NW	2100.00	2110.00	not selected	solid overhang 2400 mm, 500 mm above head of window or glazed door	not overshadowed
W10	NW	2100.00	2110.00	not selected	solid overhang 2400 mm, 500 mm above head of window or glazed door	not overshadowed
W11	NW	1800.00	1510.00	not selected	solid overhang 2400 mm, 500 mm above head of window or glazed door	not overshadowed
D03	NW	2058.00	820.00	not selected	solid overhang 2400 mm, 500 mm above head of window or glazed door	not overshadowed

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
Hot water			
The applicant must install the following hot water system in the development, or a system with a higher energy rating: electric boosted solar with a performance of 31 to 35 STCs or better.	✓	✓	✓
Cooling system			
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 living area: 1-phase airconditioning - non ducted; Energy rating: 5 Star (old label)		✓	✓
The applicant must install the following cooling system, or a system with a higher energy rating, in at least 1 bedroom: 1-phase airconditioning - non ducted; Energy rating: 5 Star (old label)		✓	✓
Heating system			
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 living area: 1-phase airconditioning - non ducted; Energy rating: 5 Star (old label)		✓	✓
The applicant must install the following heating system, or a system with a higher energy rating, in at least 1 bedroom: 1-phase airconditioning - non ducted; Energy rating: 5 Star (old label)		✓	✓
Ventilation			
The applicant must install the following exhaust systems in the development: At least 1 Bathroom: individual fan, ducted to façade or roof; Operation control: manual on / timer off		✓	✓
Kitchen: individual fan, ducted to façade or roof; Operation control: manual switch on/off		✓	✓
Laundry: natural ventilation only, or no laundry; Operation control: n/a		✓	✓
Artificial lighting			
The applicant must ensure that a minimum of 80% of light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		✓	✓
Natural lighting			
The applicant must install a window and/or skylight in the kitchen of the dwelling for natural lighting.	✓	✓	✓

Energy Commitments	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
The applicant must install a window and/or skylight in 3 bathroom(s)/toilet(s) in the development for natural lighting.	✓	✓	✓
Swimming pool			
The development must not incorporate any heating system for the swimming pool.		✓	
The applicant must install a pump for the swimming pool in the development.		✓	
The applicant must install a timer for the swimming pool pump in the development.		✓	
Alternative energy			
The applicant must install a photovoltaic system as part of the development. The applicant must connect this system to the development's electrical system.	✓	✓	✓
The photovoltaic system must consist of: • photovoltaic collectors with the capacity to generate at least 6 peak kilowatts of electricity, installed at an angle between 10 degrees and 25 degrees to the horizontal facing north west	✓	✓	✓
Other			
The applicant must install a gas cooktop & electric oven in the kitchen of the dwelling.		✓	
The applicant must install a fixed outdoor clothes drying line as part of the development.		✓	

Legend
In these commitments, "applicant" means the person carrying out the development.
Commitments identified with a ✓ in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
Commitments identified with a ✓ in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
Commitments identified with a ✓ in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate (either interim or final) for the development may be issued.