## **BASIX**™Certificate

Building Sustainability Index www.planningportal.nsw.gov.au/development-and-assessment/basix

## Multi Dwelling

Certificate number: 1789794M

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at www.planningportal.nsw.gov.au/definitions

Secretary

Date of issue: Tuesday, 01 April 2025

To be valid, this certificate must be submitted with a development application or lodged with a complying development certificate application within 3 months of the date of issue.



When submitting this BASIX certificate with a development application or complying development certificate application, it must be accompanied by NatHERS certificate 0011824220.

Project summary		
Project name	Darren Campbell - 39 James Foster	Drive
Street address	39 JAMES FOSTER DRIVE BLACK	HEAD 2430
Local Government Area	MID-COAST	
Plan type and plan number	Deposited Plan 1072968	
Lot No.	57	
Section no.	-	
No. of residential flat buildings	0	
Residential flat buildings: no. of dwellings	0	
Multi-dwelling housing: no. of dwellings	7	
No. of single dwelling houses	0	
Project score		
Water	<b>✓</b> 40	Target 40
Thermal Performance	✓ Pass	Target Pass
Energy	<b>√</b> 71	Target 70
Materials	<b>✓</b> -100	Target n/a

Certificate Prepared by
Name / Company Name: Concept Designs Australia

ABN (if applicable):

# **Description of project**

Project address	
Project name	Darren Campbell - 39 James Foster Drive
Street address	39 JAMES FOSTER DRIVE BLACK HEAD 2430
Local Government Area	MID-COAST
Plan type and plan number	Deposited Plan 1072968
Lot No.	57
Section no.	-
Project type	
No. of residential flat buildings	0
Residential flat buildings: no. of dwellings	0
Multi-dwelling housing: no. of dwellings	7
No. of single dwelling houses	0
Site details	
Site area (m²)	3895
Roof area (m²)	1120.5
Non-residential floor area (m²)	0
Residential car spaces	14
Non-residential car spaces	0

Common area landscape					
Common area lawn (m²)	650				
Common area garden (m²)	650				
Area of indigenous or low water use species (m²)	0				
Assessor details and therma	al loads				
Assessor number	10137				
Certificate number	0011824220				
Climate zone	15				
Project score					
Water	<b>✓</b> 40	Target 40			
Thermal Performance	✓ Pass	Target Pass			
Energy	✓ 71	Target 70			
Materials	<b>✓</b> -100	Target n/a			

Version: 4.03 / EUCALYPTUS\_03\_01\_0

## **Description of project**

The tables below describe the dwellings and common areas within the project

## **Multi-dwelling houses**

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
1	3	158.3	7.1	141	0
5	3	150.2	15.5	89.1	0.0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
2	3	158.3	7.1	125.2	0
6	3	150.0	15.5	59.0	0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
3	3	150.2	15.5	119	0
7	3	154.4	15.1	87.5	0

Dwelling no.	No. of bedrooms	Conditioned floor area (m²)	Unconditioned floor area (m²)	Area of garden & Iawn (m²)	Indigenous species (min area m²)
4	3	150.2	15.5	92.1	0

BASIX

Version: 4.03 / EUCALYPTUS\_03\_01\_0



## Schedule of BASIX commitments

- 1. Commitments for multi-dwelling housing
  - (a) Dwellings
    - (i) Water
    - (ii) Energy
    - (iii) Thermal Performance and Materials
- 2. Commitments for single dwelling houses
  - (a) Dwellings
    - (i) Water
    - (ii) Energy
    - (iii) Thermal Performance and Materials
- 3. Commitments for common areas and central systems/facilities for the development (non-building specific)
  - (b) Common areas and central systems/facilities
    - (i) Water
    - (ii) Energy

BASIX

#### **Schedule of BASIX commitments**

The commitments set out below regulate how the proposed development is to be carriedout. It is a condition of any development consent granted, or complying development certificate issued, for the proposed development, that BASIX commitments be complied with.

#### 1. Commitments for multi-dwelling housing

#### (a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	>	<b>&gt;</b>	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		~	>
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		~	~
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		_	<b>-</b>
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		-	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	V	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		>	
(g) The pool or spa must be located as specified in the table.	V	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

Version: 4.03 / EUCALYPTUS\_03\_01\_0

Department of Planning, Housing and Infrastructure

	Fixtures			Appliances		Individual pool			Individual spa					
Dwelling no.	All shower- heads	All toilet flushing systems	All kitchen taps	All bathroom taps	HW recirculation or diversion	All clothes washers	All dish- washers	Volume (max volume)	Pool cover	Pool location	Pool shaded	Volume (max volume)	Spa cover	Spa shaded
	4 star (> 6 but <= 7.5 L/min)	4 star	4 star	4 star	-	-	-	-	-	-	-	-	-	-

	Alternative water source								
Dwelling no.	Alternative water supply systems	Size	Configuration	Landscape connection	Toilet connection (s)	Laundry connection	Pool top- up	Spa top-up	
All dwellings	Individual water tank (No. 1)	Tank size (min) 3000 liters	To collect run-off from at least: 150 square metres of roof area; 0 square metres of impervious area; 0 square metres of garden and lawn area; and 0 square metres of planter box area.	yes	yes	yes	no	no	

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	>	~	>
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		<b>~</b>	>
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	•
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	~

page 7/20

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check	
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	~	
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:				
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and				
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		-		
(h) The applicant must install in the dwelling:				
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;				
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and			~	
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.				
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		~		
(j) The applicant must install the photovoltaic system specified for the dwelling under the "Photovoltaic system" heading of the "Alternative energy" column of the table below, and connect the system to that dwelling's electrical system.	V	~	~	

	Hot water	Bathroom ven	tilation system	Kitchen venti	lation system	Laundry ventilation system		
Dwelling no.	Hot water system Each bathroom Operation control		Operation control	Each kitchen	Operation control	Each laundry	Operation control	
All dwellings	heat pump - 26 to 30 STCs	individual fan, ducted to façade or roof		individual fan, ducted to façade or roof	manual switch on/off	individual fan, ducted to façade or roof	manual switch on/off	

	Cooling		Hea	ting	Natural lighting		
Dwelling no.	living areas	bedroom areas	living areas	bedroom areas	No. of bathrooms or toilets	Main kitchen	
1, 2	-	-	-	-	2	yes	
All other dwellings	-	-	-	-	3	yes	

	Individual pool			Individual sp	Individual spa Appliances other efficier			ner efficiency	cy measures		
Dwelling no.	Pool heating system	Pool Pump	Timer	Spa heating system	Timer	Kitchen cooktop/oven	Dishwasher	Clothes dryer	Indoor or sheltered clothes drying line	Private outdoor or unsheltered clothes drying line	
All dwellings	-	-	-	-		electric cooktop & electric oven	-	-	no	yes	

		Alternative energy	
Dwelling no.	Photovoltaic system (min rated electrical output in peak kW)	Photovoltaic collector installation	Orientation inputs
All dwellings	-	-	-

(iii) Thermal Performance and Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	,		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		~	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		~	>
(g) Where there is an in-slab heating or cooling system, the applicant must:	~	~	~
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or			

(iii) Thermal Performance and Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	V	<b>~</b>	~
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	•		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		<b>~</b>	

		Thermal loads	
Dwelling no.	Area adjusted heating load (in MJ/m²/yr)	Area adjusted cooling load (in MJ/m²/yr)	Area adjusted total load (in MJ/m²/yr)
1	25.5	25.5	51.000
2	26.0	24.9	50.900
3	20.4	29.8	50.200
4	29.1	20.7	49.800
5	27.0	23.7	50.700
6	24.1	25.6	49.700
All other dwellings	27.6	22.6	50.200

		Construction of floors and walls								
Dwelling no.	Concrete slab on ground (m²)	Suspended floor with open subfloor (m²)	Suspended floor with enclosed subfloor (m²)	Suspended floor above garage (m²)	Primarily rammed earth or mudbrick walls					
7	70.5	-	-	37.2	no					
1, 2	68.1	-	-	36.3	no					
All other dwellings	69.6	-	-	34.8	no					

	Floor types									
		Concrete	slab on ground	d	Suspended flo	or above encl	osed subfloor	Suspended f	loor above op	en subfloor
Dwelling no.	Area (m²)	Insulation	Low emissions option	Dematerialisation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation
7	70.5	polystyrene	-	waffle pod slab	-	-	-	-	-	-
1, 2	68.1	polystyrene	-	waffle pod slab	-	-	-	-	-	-
All other dwellings	69.6	polystyrene	-	waffle pod slab	-	-	-	-	-	-

	Floor types											
		First floor above habitable rooms or mezzanine			Suspended floor above garage			Garage floor				
Dwelling no.	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Low emissions option	Dematerialisation	
6	particle board, frame: timber - H2 treated softwood	61.1	-	particle board, frame: timber - H2 treated softwood	34.8	fibreglass batts or roll	concrete slab on ground	34.8	polystyrene	-	waffle pod slab	
7	particle board, frame: timber - H2 treated softwood	61.8	-	particle board, frame: timber - H2 treated softwood	37.2	fibreglass batts or roll	concrete slab on ground	37.2	polystyrene	-	waffle pod slab	
1, 2	particle board, frame: timber - H2 treated softwood	61.0	-	particle board, frame: timber - H2 treated softwood	36.3	fibreglass batts or roll	concrete slab on ground	36.3	polystyrene	-	waffle pod slab	
All other dwellings	particle board, frame: timber - H2 treated softwood	61.3	-	particle board, frame: timber - H2 treated softwood	34.8	fibreglass batts or roll	concrete slab on ground	34.8	polystyrene	-	waffle pod slab	

BASIX

	External walls									
		External	wall type 1		External wall type 2					
Dwelling no.	Wall type	Area (m²)	Insulation	Low emissions option	Wall type	Area (m²)	Insulation	Low emissions option		
4	brick veneer, frame : timber - H2 treated softwood	138.6	fibreglass batts or roll	-	-	-	-	-		
6	brick veneer, frame : timber - H2 treated softwood	99.6	fibreglass batts or roll	-	-	-	-	-		
7	brick veneer, frame : timber - H2 treated softwood	147.8	fibreglass batts or roll	-	-	-	-	-		
1, 2	brick veneer, frame : timber - H2 treated softwood	130.0	fibreglass batts or roll	-	-	-	-	-		
All other dwellings	brick veneer, frame : timber - H2 treated softwood	132.9	fibreglass batts or roll	-	-	-	-	-		

	External walls	xternal walls									
		External v	vall type 3		External wall type 4						
Dwelling no.	Wall type	Area (m²)	Insulation	Low emissions option	Wall type	Area (m²)	Insulation	Low emissions option			
All dwellings	-	-	-	-	-	-	-	-			

	Internal walls	nternal walls								
Internal walls shared with garage				Internal wall type 1 Internal wall type 2			2			
Dwelling no.	Wall type	Area (m²)	Insulation	Wall type	Area (m²)	Insulation	Wall type	Area (m²)	Insulation	
6	plasterboard, frame: timber	28.7	fibreglass batts or roll	plasterboard, frame: timber	82.2	-	plasterboard, frame: timber	105.2	fibreglass batts or roll	

BASIX

	Internal walls								
	Interna	ıl walls shared wi	th garage		Internal wall type 1			Internal wall typ	e 2
Dwelling no.	Wall type	Area (m²)	Insulation	Wall type	Area (m²)	Insulation	Wall type	Area (m²)	Insulation
	- H2 treated softwood			- H2 treated softwood			- H2 treated softwood	1	
7	plasterboard, frame: timber - H2 treated softwood	29.7	fibreglass batts or roll	plasterboard, frame: timber - H2 treated softwood	58.2	fibreglass batts or roll	plasterboard, frame: timber - H2 treated softwood	82.4	-
1, 2	plasterboard, frame: timber - H2 treated softwood	31.2	fibreglass batts or roll	plasterboard, frame: timber - H2 treated softwood	84.0	-	plasterboard, frame: timber - H2 treated softwood	47.2	fibreglass batts or roll
All other dwellings	plasterboard, frame: timber - H2 treated softwood	28.7	fibreglass batts or roll	plasterboard, frame: timber - H2 treated softwood	80.9	-	plasterboard, frame: timber - H2 treated softwood	63.9	fibreglass batts or roll

	Ceiling and roo	Ceiling and roof								
	Fla	Flat ceiling / pitched roof			Raked ceiling / pitched or skillion roof			Flat ceiling / flat roof		
Dwelling no.	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	
6	framed - metal roof, frame: timber - H2 treated softwood	156.4	Ceiling:fibreglass batts or roll,Roof: foil backed blanket	-	-	Ceiling:,Roof:	-	-	Ceiling:,Roof:	
7	framed - metal roof, frame: timber - H2 treated softwood	165.9	Ceiling:fibreglass batts or roll,Roof: foil backed blanket	-	-	Ceiling:,Roof:	-	-	Ceiling:,Roof:	
1, 2	framed - metal roof, frame: timber - H2 treated softwood	158.8	Ceiling:fibreglass batts or roll,Roof: foil backed blanket	-	-	Ceiling:,Roof:	-	-	Ceiling:,Roof:	

	Ceiling and roof								
	Flat	t ceiling / pitched	roof	Raked cei	ling / pitched or s	killion roof	F	lat ceiling / flat ro	of
Dwelling no.	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation	Construction type	Area (m²)	Insulation
All other dwellings	framed - metal roof, frame: timber - H2 treated softwood	160.2	Ceiling:fibreglass batts or roll,Roof: foil backed blanket	-	-	Ceiling:,Roof:	-	-	Ceiling:,Roof:

		Glazing type			Frame types					
Dwelling no.	Single glazing (m²)	Double glazing (m²)	Triple glazing (m²)	Aluminium frames (m²)	Timber frames (m²)	uPVC frames (m²)	Steel frames (m²)	Composite frames (m²)		
1	6.4	33.0	-	39.4	-	-	<u> </u> -	]-		
2	18.3	21.1	-	39.4	-	-	-	-		
3	41.0	-	-	41.0	-	-	-	-		
4	28.5	6.9	-	35.4	-	-	-	-		
5	29.7	11.3	-	41.0	-	-	-	-		
6	33.2	-	-	33.2	-	-	-	-		
All other dwellings	27.8	6.9	-	34.7	-	-	-	-		

## 2. Commitments for single dwelling houses

#### (a) Dwellings

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must plant indigenous or low water use species of vegetation throughout the area of land specified for the dwelling in the "Indigenous species" column of the table below, as private landscaping for that dwelling. (This area of indigenous vegetation is to be contained within the "Area of garden and lawn" for the dwelling specified in the "Description of Project" table).	>	>	
(c) If a rating is specified in the table below for a fixture or appliance to be installed in the dwelling, the applicant must ensure that each such fixture and appliance meets the rating specified for it.		>	>
(d) The applicant must install an on demand hot water recirculation system which regulates all hot water use throughout the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below.		~	V
(e) The applicant must install:			
(aa) a hot water diversion system to all showers, kitchen sinks and all basins in the dwelling, where indicated for a dwelling in the "HW recirculation or diversion" column of the table below; and		_	~
(bb) a separate diversion tank (or tanks) connected to the hot water diversion systems of at least 100 litres. The applicant must connect the hot water diversion tank to all toilets in the dwelling.		-	~
(e) The applicant must not install a private swimming pool or spa for the dwelling, with a volume exceeding that specified for it in the table below.	V	~	
(f) If specified in the table, that pool or spa (or both) must have a pool cover or shading (or both).		~	
(g) The pool or spa must be located as specified in the table.	V	~	
(h) The applicant must install, for the dwelling, each alternative water supply system, with the specified size, listed for that dwelling in the table below. Each system must be configured to collect run-off from the areas specified (excluding any area which supplies any other alternative water supply system), and to divert overflow as specified. Each system must be connected as specified.	~	~	~

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must comply with the commitments listed below in carrying out the development of a dwelling listed in a table below.			
(b) The applicant must install each hot water system specified for the dwelling in the table below, so that the dwelling's hot water is supplied by that system. If the table specifies a central hot water system for the dwelling, then the applicant must connect that central system to the dwelling, so that the dwelling's hot water is supplied by that central system.	>	~	>
(c) The applicant must install, in each bathroom, kitchen and laundry of the dwelling, the ventilation system specified for that room in the table below. Each such ventilation system must have the operation control specified for it in the table.		~	•

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(d) The applicant must install the cooling and heating system/s specified for the dwelling under the "Living areas" and "Bedroom areas" headings of the "Cooling" and "Heating" columns in the table below, in/for at least 1 living/bedroom area of the dwelling. If no cooling or heating system is specified in the table for "Living areas" or "Bedroom areas", then no systems may be installed in any such areas. If the term "zoned" is specified beside an air conditioning system, then the system must provide for day/night zoning between living areas and bedrooms.		~	~
(e) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Artificial lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that the "primary type of artificial lighting" for each such room in the dwelling is fluorescent lighting or light emitting diode (LED) lighting. If the term "dedicated" is specified for a particular room or area, then the light fittings in that room or area must only be capable of being used for fluorescent lighting or light emitting diode (LED) lighting.		~	•
(f) This commitment applies to each room or area of the dwelling which is referred to in a heading to the "Natural lighting" column of the table below (but only to the extent specified for that room or area). The applicant must ensure that each such room or area is fitted with a window and/or skylight.	~	~	>
(g) This commitment applies if the applicant installs a water heating system for the dwelling's pool or spa. The applicant must:			
(aa) install the system specified for the pool in the "Individual Pool" column of the table below (or alternatively must not install any system for the pool). If specified, the applicant must install a timer, to control the pool's pump; and		<b>-</b>	
(bb) install the system specified for the spa in the "Individual Spa" column of the table below (or alternatively must not install any system for the spa). If specified, the applicant must install a timer to control the spa's pump.		<b>✓</b>	
(h) The applicant must install in the dwelling:			
(aa) the kitchen cook-top and oven specified for that dwelling in the "Appliances & other efficiency measures" column of the table below;		<b>~</b>	
(bb) each appliance for which a rating is specified for that dwelling in the "Appliances & other efficiency measures" column of the table, and ensure that the appliance has that minimum rating; and		<b>~</b>	~
(cc) any clothes drying line specified for the dwelling in the "Appliances & other efficiency measures" column of the table.		<b>→</b>	
(i) If specified in the table, the applicant must carry out the development so that each refrigerator space in the dwelling is "well ventilated".		<b>~</b>	
(j) The applicant must install the photovoltaic system specified for the dwelling under the "Photovoltaic system" heading of the "Alternative energy" column of the table below, and connect the system to that dwelling's electrical system.	V	~	V
(iii) Thermal Performance and Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) The applicant must attach the certificate referred to under "Assessor details" on the front page of this BASIX certificate (the "Assessor Certificate") to the development application and construction certificate application for the proposed development (or, if the applicant is applying for a complying development certificate for the proposed development, to that application). The applicant must also attach the Assessor Certificate to the application for a final occupation certificate for the proposed development.			

Department of Planning, Housing and Infrastructure

(iii) Thermal Performance and Materials	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(b) The Assessor Certificate must have been issued by an Accredited Assessor in accordance with the Thermal Comfort Protocol.			
(c) The details of the proposed development on the Assessor Certificate must be consistent with the details shown in this BASIX Certificate, including the details shown in the "Thermal Loads" table below.			
(d) The applicant must show on the plans accompanying the development application for the proposed development, all matters which the Thermal Comfort Protocol requires to be shown on those plans. Those plans must bear a stamp of endorsement from the Accredited Assessor, to certify that this is the case.	>		
(e) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), all thermal performance specifications set out in the Assessor Certificate, and all aspects of the proposed development which were used to calculate those specifications.		<b>&gt;</b>	
(f) The applicant must construct the development in accordance with all thermal performance specifications set out in the Assessor Certificate, and in accordance with those aspects of the development application or application for a complying development certificate which were used to calculate those specifications.		<b>,</b>	~
(g) Where there is an in-slab heating or cooling system, the applicant must:	>	~	•
(aa) Install insulation with an R-value of not less than 1.0 around the vertical edges of the perimeter of the slab; or	Ï		
(bb) On a suspended floor, install insulation with an R-value of not less than 1.0 underneath the slab and around the vertical edges of the perimeter of the slab.			
(h) The applicant must construct the floors and walls of the development in accordance with the specifications listed in the table below.	V	~	>
(i) The applicant must show on The plans accompanying The development application for The proposed development, The locations of ceiling fans set out in The Assessor Certificate.	V		
(j) The applicant must show on the plans accompanying the application for a construction certificate (or complying development certificate, if applicable), the locations of ceiling fans set out in the Assessor Certificate.		~	

BASIX

### 3. Commitments for common areas and central systems/facilities for the development (non-building specific)

#### (b) Common areas and central systems/facilities

(i) Water	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a showerhead, toilet, tap or clothes washer into a common area, then that item must meet the specifications listed for it in the table.		•	V
(b) The applicant must install (or ensure that the development is serviced by) the alternative water supply system(s) specified in the "Central systems" column of the table below. In each case, the system must be sized, be configured, and be connected, as specified in the table.	>	~	<b>\</b>
(c) A swimming pool or spa listed in the table must not have a volume (in kLs) greater than that specified for the pool or spa in the table.	~	<b>&gt;</b>	
(d) A pool or spa listed in the table must have a cover or shading if specified for the pool or spa in the table.		~	
(e) The applicant must install each fire sprinkler system listed in the table so that the system is configured as specified in the table.		~	V
(f) The applicant must ensure that the central cooling system for a cooling tower is configured as specified in the table.		~	V

Common area	Showerheads rating	Toilets rating	Taps rating	Clothes washers rating
All common areas	no common facility	no common facility	3 star	no common laundry facility

(ii) Energy	Show on DA plans	Show on CC/CDC plans & specs	Certifier check
(a) If, in carrying out the development, the applicant installs a ventilation system to service a common area specified in the table below, then that ventilation system must be of the type specified for that common area, and must meet the efficiency measure specified.		>	>
(b) In carrying out the development, the applicant must install, as the "primary type of artificial lighting" for each common area specified in the table below, the lighting specified for that common area. This lighting must meet the efficiency measure specified. The applicant must also install a centralised lighting control system or Building Management System (BMS) for the common area, where specified.		>	>
(c) The applicant must install the systems and fixtures specified in the "Central energy systems" column of the table below. In each case, the system or fixture must be of the type, and meet the specifications, listed for it in the table.		<b>&gt;</b>	•

Version: 4.03 / EUCALYPTUS\_03\_01\_0

Department of Planning, Housing and Infrastructure

Certificate No.: 1789794M

page 18/20

Central energy systems	Туре	Specification
Other	-	-

#### **Notes**

- 1. In these commitments, "applicant" means the person carrying out the development.
- 2. The applicant must identify each dwelling, building and common area listed in this certificate, on the plans accompanying any development application, and on the plans and specifications accompanying the application for a construction certificate / complying development certificate, for the proposed development, using the same identifying letter or reference as is given to that dwelling, building or common area in this certificate.
- 3. This note applies if the proposed development involves the erection of a building for both residential and non-residential purposes (or the change of use of a building for both residential and non-residential purposes). Commitments in this certificate which are specified to apply to a "common area" of a building or the development, apply only to that part of the building or development to be used for residential purposes.
- 4. If this certificate lists a central system as a commitment for a dwelling or building, and that system will also service any other dwelling or building within the development, then that system need only be installed once (even if it is separately listed as a commitment for that other dwelling or building).
- 5. If a star or other rating is specified in a commitment, this is a minimum rating.
- 6. All alternative water systems to be installed under these commitments (if any), must be installed in accordance with the requirements of all applicable regulatory authorities. NOTE:

  NSW Health does not recommend that stormwater, recycled water or private dam water be used to irrigate edible plants which are consumed raw, or that rainwater be used for human consumption in areas with potable water supply.

#### Legend

**BASIX** 

- 1. Commitments identified with a "" in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
- 2. Commitments identified with a "" in the "Show on CC/CDC plans and specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
- 3. Commitments identified with a "" in the "Certifier check" column must be certified by a certifying authority as having been fulfilled. (Note: a certifying authority must not issue an occupation certificate (either interim or final) for a building listed in this certificate, or for any part of such a building, unless it is satisfied that each of the commitments whose fulfillment it is required to monitor in relation to the building or part, has been fulfilled).

Tuesday, 01 April 2025

page 20/20

Department of Planning, Housing and www.basix.nsw.gov.au Version: 4.03 / EUCALYPTUS\_03\_01\_0 Certificate No.: 1789794M