

**NOTES:**  
*MIDCOAST COUNCIL (MCC) HAS BEEN REFERENCED HERE WITH RELATION TO PLANNING CONTROLS RELEVANT TO THESE PLANS. SHOULD THESE PLANS BE LODGED WITH AN ALTERNATE COUNCIL OR AUTHORITY, IT BECOMES THE APPLICANT'S RESPONSIBILITY TO OBTAIN & COMPLY WITH THE RELEVANT RULES, CODES & POLICIES PERTAINING TO THAT BODY.*

**GENERAL**  
\* ADHERENCE TO MIDCOAST COUNCIL'S LOCAL ENVIRONMENT PLAN (LEP), DEVELOPMENT CONTROL PLAN (DCP), & MIDCOAST COUNCIL'S ADOPTED 'PLANNING RULES' MUST BE MET UNLESS A SPECIFIC EXEMPTION HAS BEEN APPROVED.  
\* STATE ENVIRONMENTAL PLANNING POLICIES (SEPP) OVERRIDE LEP & DCP POLICIES. Refer: <https://www.midcoast.nsw.gov.au/Development/Plans-policies-and-controls/Local-planning-rules/Current-planning-rules-for-the-MidCoast>  
\* WORKS MUST COMPLY WITH THE NSW BUILDING CODE OF AUSTRALIA, NSW HOME BUILDING ACT, & CURRENT AUSTRALIAN STANDARDS REFERENCED IN THE NATIONAL CONSTRUCTION CODES (NCC). **ALWAYS REFER TO LATEST RELEASE EDITION OF THE NCC.** Refer: [ncc.abca.gov.au](http://ncc.abca.gov.au)  
\* ALL CONSTRUCTION WORK IS TO COMPLY WITH SUPPLIED BASIX/ NatHERS CERTIFICATES & REMAINS THE BUILDER'S RESPONSIBILITY TO ENSURE CONTRACTORS RECEIVE COPIES.  
\* THIS PLAN IS TO BE READ IN CONJUNCTION WITH, BUT NOT LIMITED TO, OTHER PERTINENT DOCUMENTS SUCH AS CONTRACTS, EXTERNALLY SOURCED REPORTS & CERTIFICATES, ENGINEERING DETAIL & DRAWINGS, & COUNCIL APPROVALS.  
\* ALL DIMENSIONS ARE IN MILLIMETRES (mm).  
\* DIMENSIONS TAKE PRECEDENCE OVER SCALE.  
\* ALL SITE & PLAN MEASUREMENTS, DETAIL & NOTATIONS SHOULD BE REVIEWED BY THE BUILDER/ FOREMAN IN CHARGE, FOR THEIR ACCURACY PRIOR TO COMMENCING ORDERS & SITE WORKS.  
\* CINZ 3D DRAFTING & GRAPHICS, JB3D DRAFTING, NOR THEIR CONTRACTORS WILL NOT BE RESPONSIBLE FOR ANY COSTS WHATSOEVER FOR ALTERATIONS OR REPARATIONS ARISING FROM PLAN ERRORS OR OMMISSIONS.  
\* DRAWINGS SUPPLIED TO CLIENTS, & SUBSEQUENTLY PASSED ONTO BUILDERS OR CONTRACTORS, REMAIN THE PROPERTY OF CINZ 3D DRAFTING & GRAPHICS/ JB3D DRAFTING, UNTIL SUCH TIME FULL PAYMENT HAS BEEN RECEIVED.

**SITE PREPARATION & WORKS**  
\* NO EARTHWORKS TO COMMENCE WITHOUT SEEKING VERIFICATION OF UNDERGROUND TELECOMMUNICATION LINES (TELSTRA/ NBN).  
\* SITE PREPARATION MUST COMPLY BY THE RELEVANT PROVISIONS AS SETOUT IN THE NCC H1D3.  
\* CONCRETE SLABS & FOOTINGS TO COMPLY WITH ENGINEER'S SPECIFICATIONS & MUST COMPLY BY THE RELEVANT PROVISIONS AS SETOUT IN THE NCC H1D4.  
\* SUBFLOOR AREAS ARE TO BE KEPT CLEAN WITH DRAINAGE INSTALLED WHERE NECESSARY TO AVOID POOLING OF WATERS.  
\* RETAINING WALLS TO BE BUILT TO ENGINEER'S SPECIFICATIONS & MUST COMPLY WITH REVELANT COUNCIL'S PLANNING RULES ie. MIDCOAST COUNCIL PLANNING RULES '5 - SINGLE DWELLINGS, DUAL OCCUPANCIES, VILLA & TOWNHOUSES'. Section 5.7 CUT & FILL.  
\*\* TERMITE RISK MANAGEMENT - TERMITE MANAGEMENT SYSTEM TO BE PROVIDED IN ACCORDANCE WITH HP PART 3.5 AND AS 3660.1 AND/OR AS 3660.3.  
\*\* DRAINAGE - DRAINAGE TO SITE TO COMPLY WITH HP PART 3.3 OR AS/NZS 3500.3 IN ACCORDANCE WITH NCC 2022 H2D2.  
\* ALL WORKS MUST COMPLY WITH, BUT LIMITED TO, THE FOLLOWING AUSTRALIAN STANDARDS:  
AS 2807:2011 RESIDENTIAL SLABS & FOOTINGS  
AS 3600:2018 CONCRETE STRUCTURES  
AS 3660.2:2000 TERMITE MANAGEMENT

**CONSTRUCTION & DESIGN LOADS**  
\* STRUCTURAL RELIABILITY PROVISIONS MUST COMPLY BY THE RELEVANT GUIDELINES SETOUT IN THE NCC H1V1(1)(2)(3).  
\* STRUCTURAL PROVISIONS MUST COMPLY BY THE RELEVANT GUIDELINES SETOUT IN THE NCC H1D2.  
\* FRAMING PROVISIONS MUST COMPLY BY THE RELEVANT GUIDELINES SETOUT IN THE NCC H1D6.  
\*\* FRAMING - TIMBER FRAMES & TRUSSES – DESIGNED AND CONSTRUCTED TO AS/NZS 1170.1 – 2002, AS/NZS 1170.2 – 2021, AS1684.2 – 2021, AS 1720.1 – 2010, AS 1720.5 – 2015 AND AS 4440 -2004 -INSTALLATION OF NAILPLATED TIMBER ROOF TRUSSES.  
\*\* FRAMING - STEEL FRAMES – DESIGNED AND CONSTRUCTED TO NASH PART 1 & 2, AS 4100 & AS/NZS 4600. SUBFLOOR VENTILATION - SUB-FLOOR VENTILATION AND CLEARANCE COMPLIANCE WITH NCC HOUSING PROVISIONS PART 6.2.  
\* MASONARY/ BRICK LAYING PROVISIONS MUST COMPLY BY THE RELEVANT GUIDELINES SETOUT IN THE NCC H1D5.  
\*\* MASONRY/ VERTICAL ARTICULATION JOINTS - MASONRY ARTICULATION JOINTS TO BE PROVIDED AS SPECIFIED IN HP 5.6.8 OR AS 4773.2 OR AS 3700.  
\*\* TIMBER AND COMPOSITE WALL CLADDING - CLADDING MATERIAL TO BE IN ACCORDANCE WITH HP PART 7.5 OR FOR AAC-AS 5146.1 OR FOR METAL WALL CLADDING AS 1562.1  
\*\* GUTTERS & DOWNPIPES - DOWNPIPES & GUTTERS TO COMPLY WITH NCC HOUSING PROVISIONS PART 7.4 OR AS/NZS 3500.3  
\* ROOF & WALL CLADDING PROVISIONS MUST COMPLY BY THE RELEVANT GUIDELINES SETOUT IN THE NCC H1D6a & H1D6b.  
\*\* ROOF AND WALL CLADDING – ALL ROOF AND WALL CLADDING TO BE DESIGNED AND INSTALLED IN ACCORDANCE WITH NCC 2022 H1D7.  
\* ALL ROOFING WATER IS TO BE DIRECTED NEAREST KERB & GUTTERING, OR TO COUNCIL SPECIFICATIONS.  
\* GROUND WATER FROM ABOVE THE BUILDING ENVELOPE TO BE DIVERTED AROUND DWELLING BY SPOON DRAINS.  
\* SWIMMING POOL DETAIL AND ENGINEERING SPECIFICATIONS PROVIDED BY POOL SUPPLIER OR BUILDER TO MUST MEET AS 1926.1, AS 1926.2, AND ABCB H7P1 (NSW).  
\* ALL WORKS MUST COMPLY WITH, BUT LIMITED TO, THE FOLLOWING AUSTRALIAN STANDARDS:  
AS 1684.2:2010 ALL TIMBER WORK & RESIDENTIAL TIMBER FRAMING CONSTRUCTION  
AS 3700:2018 MASONARY STRUCTURES  
AS 3786:2014 SMOKE ALARMS FUNCTIONAL CRITERIA  
AS 3959:2018 CONSTRUCTION OF BUILDINGS IN A BUSHFIRE PRONE AREA

**WET AREAS**  
\* BUILDING ELEMENTS IN 'WET AREAS' WITHIN A BUILDING MUST BE PROTECTED WITH A WATERPROOFING SYSTEM AS SETOUT IN THE NCC 10.2  
\*\* WET AREA WATERPROOFING - WET AREA IN ACCORDANCE WITH H4D1, H4D2 & H4D3 OF THE NCC VOLUME TWO AND PART 10.2 OF THE HOUSING PROVISIONS OR CLAUSES 10.2.1 TO 10.2.6 & 10.2.12 AND AS 3740.  
\*\* FLOOR WASTE - WET AREA – ALL PROVIDED FLOOR WASTE TO HAVE FLOOR FALLS TO THEM BETWEEN 1:50 – 1:80 AS PER NCC HOUSING PROVISIONS CLAUSE 10.2.12.  
\*\* EXTERNAL WATERPROOFING - EXTERNAL WATERPROOFING FOR ROOFING SYSTEMS ON FLAT ROOFS, ROOF TERRACES, BALCONIES AND TERRACES AND OTHER SIMILAR HORIZONTAL SURFACES LOCATED ABOVE INTERNAL SPACES OF A BUILDING COMPLIANT WITH NCC VOLUME 2 H2D8 & AS 4654.1 & 2.  
\* ALL WORKS MUST COMPLY WITH, BUT LIMITED TO, THE FOLLOWING AUSTRALIAN STANDARDS:  
AS 3740:2021 WATERPROOFING OF WET AREAS IN RESIDENTIAL BUILDINGS  
AS 4858:2004 WET AREA MEMBRANES

**WINDOWS & GLAZING**  
\* GLAZING PROVISIONS MUST COMPLY BY THE RELEVANT GUIDELINES SETOUT IN THE NCC H1D8.  
\* GLAZING PERFORMANCE REQUIREMENTS MUST COMPLY BY THE RELEVANT GUIDELINES SETOUT IN THE NCC H1P1.  
\*\* GLAZING – ALL GLAZING TO BE IN ACCORDANCE WITH H1D8 & H2D7 OF THE NCC VOLUME TWO, SECTION 8 OF THE HOUSING PROVISIONS & AUSTRALIAN STANDARDS AS 1288, 2047, 4055. (BASIX REQUIREMENTS TO BE ADDRESSED ALSO)  
\* ALL WORKS MUST COMPLY WITH, BUT LIMITED TO, THE FOLLOWING AUSTRALIAN STANDARDS:  
AS 1288:2021 GLASS IN BUILDING - SELECTION & INSTALLATION  
AS 2047:1999 WINDOWS IN BUILDINGS - SELECTION & INSTALLATION  
AS 4055:2012 WIND LOADS FOR HOUSING  
AS 1170.2 Part 2:2021 WIND ACTIONS

**CONDENSATION MANAGEMENT**  
\*\* EXTERNAL WALL CONSTRUCTION – WHERE PLIABLE BUILDING MEMBRANE IN INSTALLED IN AN EXTERNAL WALL IT IS COMPLY WITH HP 10.8.1 AND AS 4200.1 & 2.  
\*\* EXHAUST SYSTEMS - THE BATHROOM &/OR SANITY COMPARTMENT/S WITH AN EXHAUST SYSTEM AND NOT PROVIDED WITH COMPLAINT NATURAL VENTILATION MUST BE INTERLOCKED TO ROOMS LIGHT SWITCH AND HAVE OFF TIMER SET FOR 10 MINUTES AFTER THE LIGHT IS SWITCHED OFF.  
\*\* EXHAUST SYSTEMS -THE ROOM/S WITH AN EXHAUST SYSTEM AND NOT PROVIDED WITH COMPLIANT NATURAL VENTILATION MUST BE PROVIDED WITH MAKE-UP AIR FROM ADJACENT ROOM OF 14,000MM2 WHICH IS APPROX. A 20MM UNDERCUT OF A 700MM DOOR OR 18MM FROM AN 820MM DOOR.  
\*\* EXHAUST SYSTEMS - THE EXHAUST SYSTEM INSTALLED IN A KITCHEN, BATHROOM, SANITARY COMPARTMENT OR LAUNDRY MUST HAVE A MINIMUM FLOW RATE OF— (A) 25 L/S FOR A BATHROOM OR SANITARY COMPARTMENT; AND (B) 40 L/S FOR A KITCHEN OR LAUNDRY.  
\*\* VENTILATION OF ROOF SPACES – IN CLIMATE ZONES 6, 7 & 8 A ROOF SPACE MUST BE VENTILATED IN ACCORDANCE WITH HP PART 10.8.3.

**SAFE MOVEMENT AND ACCESS**  
\*\* STAIRWAY AND RAMP CONSTRUCTION – STAIRWAYS/ RAMPS TO BE CONSTRUCTED TO HP PART 11.2.  
\*\*\* STAIRWAY SLIP RESISTANCE - INTERNAL STAIR SURFACES AND NOSING MUST COMPLY WITH AS 4586 SLIP RESISTANCE CLASSIFICATION - DRY SURFACE= P3 OR R10. - WET SURFACE= P4 OR R11.  
\*\* BARRIER AND HANDRAILS - BARRIER AND HANDRAILS TO BE CONSTRUCTED TO HP PART 11.3.  
\*\* BARRIER AND HANDRAILS - HANDRAIL TO STAIRS HAVING A CHANGE IN ELEVATION EXCEEDING 1M REQUIRED TO BE PROVIDED AT A HEIGHT NOT LESS THAN 865MM TO NCC HOUSING PROVISIONS CLAUSE 11.3.5.  
\*\* BARRIER AND HANDRAILS - BEDROOM WINDOWS WHERE THE FFL IS 2M OR MORE ABOVE THE SURFACE BENEATH ARE TO HAVE WINDOW RESTRICTORS OR SCREENS (CRIM-SAFE STYLE MESH) INSTALLED AS PER NCC HOUSING PROVISIONS CLAUSE 11.3.7.  
\*\* BARRIER AND HANDRAILS - WINDOWS OTHER THAN BEDROOM WITH FFL 4M OR MORE ABOVE ADJACENT SURFACE TO HAVE SILL OR BARRIER MINIMUM 865MM ABOVE FFL AS PER NCC HOUSING PROVISIONS CLAUSE 11.3.8.  
\* BARRIERS AND SWIMMING POOL BARRIERS - MUST BE ERECTED IN ACCORDANCE WITH THE SWIMMING POOL ACT 1992, AS 1926.1 AND ABCB H7P1

# Ken and Kath Oldfield

## Additions to Dwelling and New Pool

### 44 Green Point Drive, GREEN POINT

### LOT 130 / DP 31825



**NOTE:** THESE 3D IMAGES ARE ARTISTIC IMPRESSIONS ONLY AND MAY NOT REPRESENT THE FINAL MATERIALS OR COLOUR SCHEME.  
DO NOT RELY FOR ANY PURPOSE.

## BASIX™Certificate

Building Sustainability Index  
[www.planningportal.nsw.gov.au/development-and-assessment/basix](http://www.planningportal.nsw.gov.au/development-and-assessment/basix)  
**Alterations and Additions**  
Certificate number: A1794107

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at [www.planningportal.nsw.gov.au/definitions](http://www.planningportal.nsw.gov.au/definitions)

Secretary  
Date of issue: Tuesday, 06 May 2025  
To be valid, this certificate must be lodged within 3 months of the date of issue.



14 Wallis St  
Tuncurry NSW 2428

Cindy Schilpzand  
Mb. 0401 952 291  
[cinz3ddrafting@live.com](mailto:cinz3ddrafting@live.com)



Jamie Brislane  
Mb. 0488 722 113  
[jb3ddrafting@outlook.com](mailto:jb3ddrafting@outlook.com)



DOCUMENT DATE  
**20/05/2025**

JOB #  
**24-014**

SITE DESIGNATION  
**LOT 130**  
**DP 31825**



**Ken and Kath Oldfield**  
**44 Green Point Drive, GREEN POINT**  
**Additions to Dwelling and New Pool**

ISSUE HISTORY	
A01	06/ 03/ 2025
A02	14/ 03/ 2025
A03	05/ 05/ 2025
A04	08/ 05/ 2025


THIS ISSUE PREFIX  
**A05**  
PAGE  
**A05.1**



The use of these plans and specifications is restricted to the original site for which they were prepared. Re-use, reproduction or publication by any method in whole or in part is prohibited unless written authorisation has been provided by Cinz 3D & JB 3D Drafting and Design.



MCC INTRAMAP



**SURVEY**  
SCALE 1:200 (PRINTED ON A3 PAPER)

**BASIX<sup>TM</sup> Certificate**  
Building Sustainability Index  
www.planningportal.nsw.gov.au/development-and-assessment/basix  
Alterations and Additions  
Certificate number: A1794107  
Date of issue: Tuesday, 05 May 2025

14 Wallis St  
Tuncurry NSW 2428

Cindy Schilpzand  
Mb. 0401 952 291  
cinz3ddrafting@live.com

Jamie Brislane  
Mb. 0488 722 113  
jb3ddrafting@outlook.com.com

DOCUMENT DATE  
**20/05/2025**

JOB #  
**24-014**

SITE DESIGNATION  
**LOT 130  
DP 31825**

**Ken and Kath Oldfield**  
**44 Green Point Drive, GREEN POINT**  
**Additions to Dwelling and New Pool**

The use of these plans and specifications is restricted to the original site for which they were prepared. Re-use, reproduction or publication by any method in whole or in part is prohibited unless written authorisation has been provided by Cinz 3D & JB 3D Drafting and Design.


ISSUE HISTORY


A01	06/03/2025
A02	14/03/2025
A03	05/05/2025
A04	08/05/2025

THIS ISSUE PREFIX  
**A05**  
PAGE  
**A05.2**

DIAL BEFORE YOU DIG  
www.1100.com.au

COMPLIES WITH FSR ☒

 HATCH REPRESENTING EXISTING SPLIT LEVEL HOUSE.

 HATCH REPRESENTING PROPOSED UPPER STOREY ADDITION, & NEW POOL & POOL DECK.



**CINZ & JB3D**  
DRAFTING & DESIGN

Cindy Schilpzand  
Mb. 0401 952 291  
cinz3ddrafting@live.com



**SITE DESIGNATION**  
**LOT 130**  
**DP 31825**



prepared. Re-use, reproduction or publication by any method in whole or in part is prohibited unless written authorisation has been provided by Cinz 3D & JB 3D Drafting and Design.

## THIS ISSUE PREFIX



**DIAL BEFORE  
YOU DIG**  
www.1100.com.au

NOTE: THIS PROPERTY HAS BEEN  
DEEMED TO BE IN A BUSHFIRE PRONE  
AREA. REFER **MCC IntraMaps** FOR  
CLASSIFICATION. REFER TO BUSHFIRE  
REPORT FOR **BAL** RATING (if applicable).



14 Wallis St  
Tuncurry NSW 2428

Cindy Schilpzand  
Mb. 0401 952 291  
cinz3ddrafting@live.com



Jamie Brislane  
Mb. 0488 722 113  
jb3ddrafting@outlook.com.com



DOCUMENT DATE  
**20/05/2025**

JOB #  
**24-014**

SITE DESIGNATION  
**LOT 130  
DP 31825**





**Ken and Kath Oldfield**  
**44 Green Point Drive, GREEN POINT**  
**Additions to Dwelling and New Pool**

ISSUE HISTORY	
A01	06/ 03/ 2025
A02	14/ 03/ 2025
A03	05/ 05/ 2025
A04	08/ 05/ 2025

THIS ISSUE PREFIX

**A05**  
PAGE  
**A05.4**




**EXISTING FLOOR PLAN** (Grey areas)  
**INLAID WITH PROPOSED  
ADDITIONS & POOL** (Black areas)  
SCALE 1:100 ( PRINTED ON A3 PAPER)



SITE INFORMATION	
LAND AREA	581.7 Sq/M
FLOOR SPACE RATIO	0.4 (40%)
MAXIMUM LIVING AREA	232.7 Sq/M
PROPOSED LIVING AREA	205.3 Sq/M


**COMPLIES WITH FSR** ☒

AREA SCHEDULE	
<u>COMBINED AREAS</u>	
LIVING AREAS (EXISTING)	164.2 Sq/M
<b>LIVING AREAS (ADDITIONS)</b>	<b>41.1 Sq/M</b>
COMBINED LIVING AREAS	205.3 Sq/M
<u>GROUND FLOOR</u>	
LIVING (EXISTING)	91.3 Sq/M
GARAGE (EXISTING)	40.1 Sq/M
ALFRESCO (EXISTING)	18.0 Sq/M
<b>ALFRESCO (ADDITION)</b>	<b>13.4 Sq/M</b>
PORCH (EXISTING)	2.5 Sq/M
<u>UPPER LEVEL</u>	
LIVING (EXISTING)	72.9 Sq/M
<b>LIVING (ADDITION)</b>	<b>41.1 Sq/M</b>
BALCONY (EXISTING)	31.4 Sq/M
<u>POOL</u>	
<b>SURFACE AREA (ADDITION)</b>	<b>18.0 Sq/M</b>



## POOL SECTION

SCALE 1:100 ( PRINTED ON A3 PAPER)



**NOTE:** THIS PROPERTY HAS BEEN DEEMED TO BE IN A BUSHFIRE PRONE AREA. REFER **MCC IntraMaps** FOR CLASSIFICATION. REFER TO BUSHFIRE REPORT FOR **BAL** RATING (if applicable).



14 Wallis St  
Tuncurry NSW 2428

Cindy Schilpzand  
Mb. 0401 952 291  
cinz3ddrafting@live.com



Jamie Brislane  
Mb. 0488 722 113  
jb3ddrafting@outlook.com.com



DOCUMENT DATE

**20/05/2025**

**JOB #**

**24-014**

### SITE DESIGNATION

**LOT 130**  
**DP 31825**



Ken and Kath Oldfield

**44 Green Point Drive, GREEN POINT  
Additions to Dwelling and New Pool**

prepared. Re-use, reproduction or publication by any method in whole or in part is prohibited unless written authorisation has been provided by Cinz 3D & JB 3D Drafting and Design.

## ISSUE HISTORY

**A01      06/ 03/ 2025**

A02 14/ 03/ 2025

**A03      05/ 05/ 2025**

**A04 08/ 05/ 2025**

**THIS ISSUE PREFIX**

A05

PAGE


## A05.5



### PLAN VIEW

SCALE 1:150 ( PRINTED ON A3 PAPER)

THE RAISED ROOF AREA, ABOVE THE PROPOSED UPPER LEVEL ADDITION, RETAINS THE SAME SQ/M OF RAINWATER CATCHMENT, AND MUST BE RECONNECTED TO THE EXISTING STORMWATER DRAINAGE SYSTEM FOR DISPERSAL.



NOTE: THIS PROPERTY HAS BEEN DEEMED TO BE IN A BUSHFIRE PRONE AREA, REFER **MCC IntraMaps** FOR CLASSIFICATION, REFER TO BUSHFIRE REPORT FOR **BAL** RATING (if applicable).



14 Wallis St  
Tuncurry NSW 2428

Cindy Schilpzand  
Mb. 0401 952 291  
cinz3ddrafting@live.com



Jamie Brislane  
Mb. 0488 722 113  
jb3ddrafting@outlook.com.com



DOCUMENT DATE

20/05/2025

JOB #

24-014

SITE DESIGNATION

LOT 130  
DP 31825



Ken and Kath Oldfield  
44 Green Point Drive, GREEN POINT  
Additions to Dwelling and New Pool

ISSUE HISTORY	
A01	06/ 03/ 2025
A02	14/ 03/ 2025
A03	05/ 05/ 2025
A04	08/ 05/ 2025

THIS ISSUE PREFIX

A05

PAGE

A05.6



ROOF PLAN

SCALE 1:100 ( PRINTED ON A3 PAPER)



Cindy Schilpzand  
Mb. 0401 952 291  
cinz3ddrafting@live.com



**LOT 130**  
**DP 31825**



prepared. Re-use, reproduction or publication by any method in whole or in part is prohibited unless written authorisation has been provided by Cinz 3D & JB 3D Drafting and Design.

## A05.7



NOTE: THIS PROPERTY HAS BEEN  
DEEMED TO BE IN A BUSHFIRE PRONE  
AREA, REFER **MCC IntraMaps** FOR  
CLASSIFICATION, REFER TO BUSHFIRE  
REPORT FOR **BAL** RATING (if applicable).



14 Wallis St  
Tuncurry NSW 2428

Cindy Schilpzand  
Mb. 0401 952 291  
cinz3ddrafting@live.com



Jamie Brislane  
Mb. 0488 722 113  
jb3ddrafting@outlook.com



DOCUMENT DATE  
**20/05/2025**

JOB #  
**24-014**

SITE DESIGNATION  
**LOT 130  
DP 31825**




**Ken and Kath Oldfield**  
**44 Green Point Drive, GREEN POINT**  
**Additions to Dwelling and New Pool**


ISSUE HISTORY	
A01	06/ 03/ 2025
A02	14/ 03/ 2025
A03	05/ 05/ 2025
A04	08/ 05/ 2025

THIS ISSUE PREFIX

**A05**  
PAGE  
**A05.8**



**EAST ELEVATION - BACK**  
SCALE 1:100 ( PRINTED ON A3 PAPER)



**NORTH ELEVATION - LEFT SIDE**  
SCALE 1:100 ( PRINTED ON A3 PAPER)



NOTE: THIS PROPERTY HAS BEEN  
DEEMED TO BE IN A BUSHFIRE PRONE  
AREA, REFER **MCC IntraMaps** FOR  
CLASSIFICATION, REFER TO BUSHFIRE  
REPORT FOR **BAL** RATING (if applicable).



14 Wallis St  
Tuncurry NSW 2428

Cindy Schilpzand  
Mb. 0401 952 291  
cinz3ddrafting@live.com



Jamie Brislane  
Mb. 0488 722 113  
jb3ddrafting@outlook.com.com



DOCUMENT DATE  
**20/05/2025**

JOB #  
**24-014**

SITE DESIGNATION  
**LOT 130  
DP 31825**




**Ken and Kath Oldfield**  
**44 Green Point Drive, GREEN POINT**  
**Additions to Dwelling and New Pool**


ISSUE HISTORY	
A01	06/ 03/ 2025
A02	14/ 03/ 2025
A03	05/ 05/ 2025
A04	08/ 05/ 2025

THIS ISSUE PREFIX

**A05**  
PAGE  
**A05.9**



**SECTION A:A**  
SCALE 1:100 ( PRINTED ON A3 PAPER)



**SECTION B:B**  
SCALE 1:100 ( PRINTED ON A3 PAPER)



## SEDIMENT CONTROL INFORMATION


GEOTEXTILE FABRIC FENCES ARE TO BE INSTALLED WHERE SPECIFIED AS PER 'DEPT OF CONVERSATION & LAND MANAGEMENT' SPECIFICATIONS.

GEOTEXTILE FENCES & OTHER EROSION & SEDIMENT CONTROL DEVICES ARE TO BE CHECKED ON A WEEKLY BASIS & AFTER HEAVY FALLS OF RAIN, & REPAIRS UNDERTAKEN WHERE REQUIRED.


OVERSIZED GRAVEL IS TO BE PLACED IN THE ENTRANCES DRIVEWAY & ALL VEHICLES ARE TO USE THIS ENTRANCE ONLY.

SAND STORAGE AREA HAS BEEN SPECIFIED & MUST BE ADHERED TO. ON SITE STORAGE OF MATERIALS ARE TO BE KEPT TO THE SPECIFIED AREA & WHERE POSSIBLE STORED ABOVE GROUND LEVEL AS TO NOT INTERFERE OR REDIRECT THE NATURAL FLOW OF GROUND WATERS.

## SEDIMENT CONTROL DETAIL




FRONT VIEW



SIDE VIEW

## LEGEND

- DASHED LINE DENOTES APPROXIMATE LOCATION OF SEDIMENT CONTROL BARRIER.
- MATERIAL STORAGE AREA  
DELIVERED MATERIALS TO BE STORED IN A DRY, SAFE, EASILY ACCESSIBLE AREA.
- SAND  
DELIVERED SAND PILE TO BE STORED IN A SAFE, EASILY ACCESSIBLE AREA. SEDIMENT CONTROL BARRIER TO BE ERECTED WHEN NECESSARY.



## DOCUMENT DATE

20/05/2025

## JOB #

24-014

## SITE DESIGNATION

LOT 130  
DP 31825



Ken and Kath Oldfield  
44 Green Point Drive, GREEN POINT  
Additions to Dwelling and New Pool

ISSUE HISTORY	
A01	06/ 03/ 2025
A02	14/ 03/ 2025
A03	05/ 05/ 2025
A04	08/ 05/ 2025


## THIS ISSUE PREFIX

A05


## PAGE

A05.10






WINTER SOLSTICE - 9am June 21st



WINTER SOLSTICE - 12 noon June 21st



WINTER SOLSTICE - 3pm June 21st



## BASIX™ Certificate

Building Sustainability Index  
www.planningportal.nsw.gov.au/development-and-assessment/basix

### Alterations and Additions

Certificate number: A1794107

This certificate confirms that the proposed development will meet the NSW government's requirements for sustainability, if it is built in accordance with the commitments set out below. Terms used in this certificate, or in the commitments, have the meaning given by the document entitled "BASIX Definitions" dated 10/09/2020 published by the Department. This document is available at [www.planningportal.nsw.gov.au/definitions](http://www.planningportal.nsw.gov.au/definitions)

Secretary  
Date of issue: Tuesday, 06 May 2025  
To be valid, this certificate must be lodged within 3 months of the date of issue.



BASIX Certificate number:A1794107

page 1/8

Project address	
Project name	Ken and Kath Oldfield
Street address	44 GREEN POINT Drive GREEN POINT 2428
Local Government Area	Mid-Coast Council
Plan type and number	Deposited Plan DP31825
Lot number	130
Section number	-
Project type	
Dwelling type	Dwelling house (detached)
Type of alteration and addition	The estimated development cost for my renovation work is \$50,000 or more, and includes a pool (and/or spa).
N/A	N/A
Certificate Prepared by <small>(please complete before submitting to Council or PCA)</small>	
Name / Company Name: ABAC Group Pty Ltd	
ABN (if applicable): 75630374060	

page 2/8

Pool and Spa	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
<b>Rainwater tank</b>			
The applicant must install a rainwater tank of at least 795.71 litres on the site. This rainwater tank must meet, and be installed in accordance with, the requirements of all applicable regulatory authorities.	✓	✓	✓
The applicant must configure the rainwater tank to collect rainwater runoff from at least 50 square metres of roof area.		✓	✓
The applicant must connect the rainwater tank to a tap located within 10 metres of the edge of the pool.		✓	✓
<b>Outdoor swimming pool</b>			
The swimming pool must be outdoors.	✓	✓	✓
The swimming pool must not have a capacity greater than 20.1 kilolitres.	✓	✓	✓
The swimming pool must have a pool cover.		✓	✓
The applicant must install a pool pump timer for the swimming pool.		✓	✓
The applicant must install the following heating system for the swimming pool that is part of this development: solar (electric boosted).		✓	✓

Planning Industry And Environment

Building Sustainability Index [www.basix.nsw.gov.au](http://www.basix.nsw.gov.au)

BASIX Certificate number:A1794107

page 3/8

Fixtures and systems	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
<b>Lighting</b>			
The applicant must ensure a minimum of 40% of new or altered light fixtures are fitted with fluorescent, compact fluorescent, or light-emitting-diode (LED) lamps.		✓	✓
<b>Fixtures</b>			
The applicant must ensure new or altered showerheads have a flow rate no greater than 9 litres per minute or a 3 star water rating.		✓	✓
The applicant must ensure new or altered toilets have a flow rate no greater than 4 litres per average flush or a minimum 3 star water rating.		✓	✓
The applicant must ensure new or altered taps have a flow rate no greater than 9 litres per minute or minimum 3 star water rating.		✓	

Planning Industry And Environment

Building Sustainability Index [www.basix.nsw.gov.au](http://www.basix.nsw.gov.au)

BASIX Certificate number:A1794107

page 4/8

Construction	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Insulation requirements			
The applicant must construct the new or altered construction (floor(s), walls, and ceilings/roofs) in accordance with the specifications listed in the table below, except that a) additional insulation is not required where the area of new construction is less than 2m2, b) insulation specified is not required for parts of altered construction where insulation already exists.	✓	✓	✓
Construction	Additional insulation required (R-value)	Other specifications	
floor above existing dwelling or building.	nil	N/A	
external wall: framed (weatherboard, fibro, metal clad)	R1.30 (or R1.70 including construction)		
flat ceiling, pitched roof	ceiling: R1.45 (up), roof: foil backed blanket (55 mm)	dark (solar absorbance > 0.70)	

Planning Industry And Environment

Building Sustainability Index [www.basix.nsw.gov.au](http://www.basix.nsw.gov.au)

BASIX Certificate number:A1794107

page 5/8

Glazing requirements	Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
<b>Windows and glazed doors</b>			
The applicant must install the windows, glazed doors and shading devices, in accordance with the specifications listed in the table below. Relevant overshadowing specifications must be satisfied for each window and glazed door.	✓	✓	✓
The following requirements must also be satisfied in relation to each window and glazed door:		✓	✓
Each window or glazed door with standard aluminium or timber frames and single clear or toned glass may either match the description, or, have a U-value and a Solar Heat Gain Coefficient (SHGC) no greater than that listed in the table below. Total system U-values and SHGCs must be calculated in accordance with National Fenestration Rating Council (NFRC) conditions.		✓	✓
Each window or glazed door with improved frames, or pyrolytic low-e glass, or clear/air gap/clear glazing, or toned/air gap/clear glazing must have a U-value and a Solar Heat Gain Coefficient (SHGC) no greater than that listed in the table below. Total system U-values and SHGCs must be calculated in accordance with National Fenestration Rating Council (NFRC) conditions. The description is provided for information only. Alternative systems with complying U-value and SHGC may be substituted.		✓	✓
For projections described as a ratio, the ratio of the projection from the wall to the height above the window or glazed door sill must be at least that shown in the table below.	✓	✓	✓

Planning Industry And Environment

Building Sustainability Index [www.basix.nsw.gov.au](http://www.basix.nsw.gov.au)

BASIX Certificate number:A1794107

page 6/8

Glazing requirements							Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Windows and glazed doors glazing requirements									
Window/door number	Orientation	Area of glass including frame (m2)	Overshadowing height (m)	Overshadowing distance (m)	Shading device	Frame and glass type			
W1	NE	0.72	0	0	projection/ height above sill ratio >=0.43	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
W2	NE	2.88	0	0	projection/ height above sill ratio >=0.43	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
W3	NE	1.08	0	0	projection/ height above sill ratio >=0.29	standard aluminium, single pyrolytic low-e, (U- value: 5.7, SHGC: 0.47)			
W4	SW	3.78	0	0	projection/ height above sill ratio >=0.43	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			
W5	SW	2.7	0	0	projection/ height above sill ratio >=0.43	standard aluminium, single clear, (or U-value: 7.63, SHGC: 0.75)			

Planning Industry And Environment

Building Sustainability Index [www.basix.nsw.gov.au](http://www.basix.nsw.gov.au)

BASIX Certificate number:A1794107

page 7/8

Glazing requirements							Show on DA Plans	Show on CC/CDC Plans & specs	Certifier Check
Window/door number	Orientation	Area of glass including frame (m2)	Overshadowing height (m)	Overshadowing distance (m)	Shading device	Frame and glass type			
W6	NW	2.55	0	0	projection/ height above sill ratio >=0.23	standard aluminium, single pyrolytic low-e, (U-value: 5.7, SHGC: 0.47)			

Planning Industry And Environment

Building Sustainability Index [www.basix.nsw.gov.au](http://www.basix.nsw.gov.au)

BASIX Certificate number:A1794107

page 8/8

Legend
In these commitments, "applicant" means the person carrying out the development.
Commitments identified with a ✓ in the "Show on DA plans" column must be shown on the plans accompanying the development application for the proposed development (if a development application is to be lodged for the proposed development).
Commitments identified with a ✓ in the "Show on CC/CDC plans & specs" column must be shown in the plans and specifications accompanying the application for a construction certificate / complying development certificate for the proposed development.
Commitments identified with a ✓ in the "Certifier check" column must be certified by a certifying authority as having been fulfilled, before a final occupation certificate for the development may be issued.

Planning Industry And Environment

Building Sustainability Index [www.basix.nsw.gov.au](http://www.basix.nsw.gov.au)



14 Wallis St  
Tuncurry NSW 2428

Cindy Schilpzand  
Mb. 0401 952 291  
[cinz3ddrafting@live.com](mailto:cinz3ddrafting@live.com)



Jamie Brislane  
Mb. 0488 722 113  
[jb3ddrafting@outlook.com](mailto:jb3ddrafting@outlook.com)



DOCUMENT DATE

20/05/2025

JOB #

24-014

SITE DESIGNATION

LOT 130  
DP 31825



Ken and Kath Oldfield  
44 Green Point Drive, GREEN POINT  
Additions to Dwelling and New Pool

ISSUE HISTORY

A01	06/ 03/ 2025
A02	14/ 03/ 2025
A03	05/ 05/ 2025
A04	08/ 05/ 2025

THIS ISSUE PREFIX

A05

PAGE

A05.12



The use of these plans and specifications is restricted to the original site for which they were prepared. Re-use, reproduction or publication by any method in whole or in part is prohibited unless written authorisation has been provided by Cinz 3D & JB 3D Drafting and Design.