





POOL	LENGTH (m)	300 AS	300 BS	300 CS	370 AS	370 BS	340-370 CS	470 BS	600 AS	750 AS	900 AS
CONTEMPORARY	8.30		✓	✓	✓	✓	✓	✓	✓	✓	✓
	9.50			✓		✓	✓	✓	✓	✓	✓
	10.90					✓	✓	✓	✓	✓	✓
X-TRAINER	5.80 / 5.80 SLIMLINE	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	7.20 / 7.15 SLIMLINE		✓	✓	✓	✓	✓	✓	✓	✓	✓
	8.20 / 8.20 SLIMLINE			✓		✓	✓	✓	✓	✓	✓
	9.40					✓	✓	✓	✓	✓	✓
	10.20						✓	✓	✓	✓	✓
	11.80						* ✓	✓	✓	✓	✓
FAST LANE	10.30 / 12.30						* ✓	✓	✓	✓	✓
CUSTOM LENGTH POOLS	< 12.30	USE X-TRAINER COPING SPECIFICATIONS FOR EQUIVALENT LENGTH									
	> 12.30	COPING WIDTH TO BE APPROVED AT URN TO SUIT INDIVIDUAL SITE CONDITIONS *									
VOGUE	7.15 / 7.15 SLIMLINE		✓	✓	✓	✓	✓	✓	✓	✓	✓
	8.20 / 8.20 NARROW			✓		✓	✓	✓	✓	✓	✓
	9.40					✓	✓	✓	✓	✓	✓
	10.20						✓	✓	✓	✓	✓
PLUNGE POOL	2.80 / 3.80 / 5.00 / 6.20	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SANCTUARY	4.80 / 6.00 NARROW	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
	6.00 / 7.00 / 7.00 NARROW		✓	✓	✓	✓	✓	✓	✓	✓	✓
	8.20 / 8.20 NARROW			✓		✓	✓	✓	✓	✓	✓
	9.40					✓	✓	✓	✓	✓	✓
	10.60						* ✓	✓	✓	✓	✓
RELAX	4.00 / 5.20 / 6.30	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
REFRESH / REFRESH MAX.	6.10	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓
SPAS & WADERS		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓



- COPING 'TYPE 'AS'' 110mm WITH MEMBRANE
125mm WITHOUT MEMBRANE
- COPING 'TYPE 'BS'' 150mm WITH MEMBRANE
150mm WITHOUT MEMBRANE
- COPING 'TYPE 'CS'' 250mm WITH MEMBRANE
250mm WITHOUT MEMBRANE






MINIMUM WIDTH OF COPING TO BE MAINTAINED AROUND SKIMMER BOX

FOR POSSIBLE VARIATIONS SEE RICKARD ENGINEERING

'*' NEED TO USE N16 BARS INSTEAD OF N12/S12 FOR CONCRETE SPEC. SEE 100 SERIES NOTES.

ENGINEERING RECOMMENDATIONS TO BE READ IN CONJUNCTION WITH THE 800 SERIES DRAWINGS



COPYRIGHT
These drawings, plans and specifications and the copyright therein are the property of Compass Pools Australia Pty. Ltd. and must not be used, reproduced or copied wholly or in part without the written permission of Compass Pools Australia Pty. Ltd.

All rights reserved.



COMPASS POOLS AUSTRALIA PTY LTD
ESTABLISHED 1980 ACN 086 874 222
19 School Drive, Tomago N.S.W. 2322
Telephone: + 612 49648692
Fax: + 612 49648693

**RICKARD
ENGINEERING**

Specialist Civil & Structural Engineering Services
Suite 5, 121 Military Road, Neutral Bay, Sydney, NSW 2089, Australia
Phone: (+61) 2 9904 5610 www.rickardengineering.com ABN 47 164 127 468

STRUCTURAL DETAILS APPROVED BY CE RICKARD, M.Sc, FStruct.E, FIE(Aust), MIPENZ
QLD: RPEQ 2485 VIC: PE0003927 NSW: NPER 73285 NZ: PSA3584

STANDARD COPINGS

Designed CER
Drawn AES

202U

CLIENT: _____
ADDRESS: _____

Date _____
Approved _____
Job No. _____