


GUTTER SELECTED: LYSAGHT QUAD 115 HI FRONT NSW SLOTTED;
AREA = 5225 SQ.MM

ALL DOWNPIPES TO BE 90 Ø MIN

ROOF & GROUND FLOOR LAYOUT


SCALE 1:200/A3




ENSURE ALL CONNECTIONS WITHIN CHARGED SYSTEM ARE SOLVENT WELDED

ALL DOWNPIPES ARE TO BE ENTIRELY PVC. PIPES ARE TO BE SEALED UP TO U/S OF ROOF GUTTERS


ROOF GUTTERS I.L. 26.10
TANK INLET I.L. 25.06
HEAD PRESSURE - 1040mm



EVOLUTION MkIII RAINWATER TANK CONFIGURATION BY KINGSPAN



NOTE, ALL PIT SIZES SHOWN ON PLAN REFLECT THE REQUIRED GRATE DIMENSION




TYPICAL PIT DETAIL

IN TRAFFICABLE AREAS


BRICKWORK/BLOCKWORK WALLS OR PRECAST CONCRETE PITS MAY BE USED
SUBJECT TO APPROVAL

IN NON-TRAFFICABLE AREAS

FIBRE-GLASS OR HARD-PLASTIC PITS MAY BE USED
SUBJECT TO APPROVAL



TYPICAL SECTION A



alwdesign

CIVIL ENGINEERING CONSULTANTS

P: 02 9802 5509 E: admin@alwdesign.com.au
M: 0413 763 432 69 DELANGE ROAD, PUTNEY NSW 2112

JOB NUMBER:
SW25223
DRAWING NUMBER:
SW25223 - S2

PROJECT: PROPOSED RESIDENTIAL DWELLING AT LOT 70, # 38 WILBUR STREET, GREENACRE NSW

DRAWING: ROOF LAYOUT & GENERAL DETAILS

DESIGNED: A.W. DRAWN: N.W. CHECKED: ANDREW L WAHBE - BE (CIVIL) MIEAUST PENG

ISSUED FOR DEVELOPMENT APPLICATION

11/06/25

APPR. DATE