




APPROXIMATE LOCATIONS OF EXISTING SERVICES SHOWN ON LONGITUDINAL SECTION. EXACT LOCATIONS & DEPTHS TO BE ACCURATELY LOCATED BY THE BUILDING CONTRACTOR BY CONTACTING THE RELEVANT AUTHORITIES BEFORE COMMENCEMENT OF ANY WORKS



1. ALL PIPES 100 DIA. PVC UNO
2. ALL DOWNPIPE CONNECTIONS 100 DIA PVC UNO.
3. ALL PITS 450x450 U.N.O.
4. MIN GRADE 1%
5. GRATES 150 WIDE U.N.O.
6. SURFACE LEVELS TO BE VERIFIED BY ARCHITECT
7. ALL PIPES SEWER GRADE
8. FOR LEVELS, REFER TO ARCHITECTS DRAWINGS
9. PITS AND PIPELINE ARE SHOWN  
DIAGRAMMATICALLY ONLY AND ARE NOT  
RECESSIVELY IN THEIR PRECISE LOCATIONS
10. GRATES AND COVERS IN LANDSCAPE AREAS TO  
BE LINT DUTY U.N.O., AND THOSE IN DRIVEWAYS  
AND PARKING AREAS TO BE MEDIUM DUTY U.N.O.
11. ALL PLUMBING WORKS TO THE REQUIREMENTS  
OF THE APPROPRIATE SECTION OF THE CURRENT  
EDITION OF AS 3500



					ARCH			CONGINEERING PTY LTD A.C.N 633 383 374	PROJECT  PROPOSED ALTERATIONS AND ADDITIONS 2A WOODS ROAD SEFTON 2162	SHEET SUBJECT  SITE STORMWATER DRAINAGE PLAN AND DETAIL	PROJECT 2A WOODS ROAD SEFTON 2162					
											DATE APR 30	DRAWN Y.K.	DESIGNED H.K.	CHECKED H.K.		
											SCALE @ A1 1:100		JOB No CNGR25117			
A	ISSUE FOR DA APPROVAL			H.K.							Y.K.	30/04/25				
No	AMENDMENT			ENG							DRAFT	DATE				
												AUTHORISED H.K.		DWG No SW01		REV A