

STATEMENT OF ENVIRONMENTAL EFFECTS

SECTION 4.55 Modifications involving minimal environmental impact, of the Environmental Planning and Assessment Act 1979 (Changes to the Dwelling 1 - Ground & First Floor Plans, and Roof)

PROPOSED DEMOLITION OF EXISTING STRUCTURES AND REMOVAL OF EXISTING TREES. PROPOSED BATTLE AXE SUBDIVISION INTO 2 LOTS AND CONSTRUCTION OF A TWO STOREY DWELLING AT THE FRONT AND REAR LOT

Changes to the Dwelling 1 - Ground & First Floor Plans, and Roof, under S4.55_2

**@ 8 Hillview Avenue, Bankstown
NSW 2200**

Prepared by:

Date:

24/03/2026 **(S4.55_2)**



NEMCODESIGN
Pty. Ltd.

Contents

1. Introduction	3
2. Site Analysis	3
2.1. Site Description	3
2.2. Existing Site	4
3. Surrounding Area	4
4. Proposed Development	4
4.1. Subdivision Proposal.....	4
4.2. Design Proposal	5
4.3. Residential Character	5
4.4. Design Features	6
4.5. Preferred configuration for new dwellings	6
4.6. Floor Space Ratio	6
4.7. Private Open Space	6
4.8. Solar Planning	6
4.9. Stormwater.....	6
5. Compliance Table	7
6. Urban Design Details.....	8
6.1. Significant Landscapes	8
6.2. Energy Efficiency	8
6.3. Garden Design & Fences	8
7. Construction & Site Management	8
7.1. Construction Management / Demolition.....	8
7.2. Noise Reduction	8
7.3. Building Services	8
7.4. S4.55 Statement & Amendments Request	9
8. Conclusion	14

1. Introduction

This Statement of Environmental Effects accompanies a Development Application for:

- 1. Demolition of All Existing Structures**
- 2. Trees Removal**
- 3. Proposed Torrens Title Subdivision**
- 4. Construction of a Two Storey Dwelling on front lot and at the rear lot**

at 8 Hillview Avenue, Bankstown NSW 2200.

It should be read in conjunction with the architectural drawings prepared by Nemco Design Pty Ltd.

This statement provides an outline of the subject and surrounding sites, a description of the proposal and an assessment under:

- Bankstown Local Environmental Plan 2015
- Bankstown Development Control Plan 2015
- Bankstown Council Design Guidelines

2. Site Analysis

2.1. Site Description

The sites at 8 Hillview Avenue, Bankstown NSW 2200 are registered as Lot 16 in DP 30757. They are located in a residential area; zoning R2 – Low Density Residential. This site has an irregular shape with a frontage of 10.394 m and site area of 1151 sqm.




Figure 1. Map View (source: Google Maps)



Figure 2. Site location & context (source: Six Maps)

2.2. Existing Site

Site at 8 Hillview Avenue, Bankstown NSW 2200 currently contains a single storey bricked house with terracotta tiled roof and also multiple metal sheds.

3. Surrounding Area

Surrounding developments consist primarily of detached single or two-storey dwelling houses.

4. Proposed Development

4.1. Subdivision Proposal

Subdivide lot into 2 Torrens title lots.

Subdivision proposal is shown in the below plan.




Figure 3. Proposed Subdivision

The total existing lot size is approx. (as per survey plan):

Lot 16: 1151 m²

Proposed lot sizes will be approx. (as per subdivision plan):

Lot 1: 511 m²

Lot 2: 517.8 m²

The proposal is meeting Council requirement of each Lot size of not less than 250 sqm for attached dual occupancy. The proposal is therefore put forward for council approvals.

4.2. Design Proposal

The designs of all dwellings are based on energy efficiency principles with windows to living areas. The simple design of the proposed new houses provides adequate solar and wind access to all dwellings in all habitable areas. The ceiling height in all dwellings increases the overall look of the rooms giving the house openness from inside and making it look more spacious. The front, rear and side setbacks of all dwellings are as per the DCP requirements.

The front facades of the proposed dwellings are designed to have a non-symmetrical look when viewed from the street.

4.3. Residential Character

The proposal is consistent with the existing residential character regarding setbacks to the proposed house, locations of the private open space to the rear of the site and location of driveway. The house façade is well articulated with the overall design. All care has been taken to ensure the privacy of neighbouring properties. Windows are well designed to allow enough sunlight to pass through and enlighten both houses during most of the daytime. All the areas are well ventilated and serve openness to both houses.

4.4. Design Features

Various design features complement the houses such as variations in height, balcony and variety of structural elements in front and pergolas in rear.

4.5. Preferred configuration for new dwellings

The proposed house complies with the preferred configuration for new dwellings, by windows to the principal living room facing the street and private courtyards facing the front and rear boundary. Both carports are architecturally integrated within the building form.

4.6. Floor Space Ratio

The proposal complies with the Design Guidelines and the relevant sections of the DCP for Floor Space Ratio

Proposed FSR for each lot:

Lot 1: 202.0 m² (39.59%)

Lot 2: 182.3 m² (35.2%)

4.7. Private Open Space

The proposal complies with the Design Guidelines and the relevant sections of the DCP for Private Open Space.

4.8. Solar Planning

Shadow diagrams have been provided. The designs of new dwellings are prepared to ensure neighbouring properties get adequate solar access as per council requirement. We thus believe that the proposal satisfies most solar planning requirements.

4.9. Stormwater

Drainage will be linked to council stormwater system, as per Planning Diagrams.

5. Compliance Table

As per Bankstown Local Environmental Plan 2015 and Development Control Plan 2015

	Required	Provided	Compliance
DESIGN GUIDELINES			
FSR	Max. Allowable FSR = 0.50 of Site Area	Lot 1: 202.0 m ² (39.59%) Lot 2: 182.3 m ² (35.21%)	YES
PRIVATE OPEN SPACE	Minimum 80 m ² - Per Dwelling with a minimum dimension of 5 m	Each Lot – 80 m ²	YES
DWELLING SETBACKS			
FRONT SETBACK	Primary frontage (to primary road) - 5.5 or 6.0 m to Garage 5.5 m to Ground Floor 6.5 m to First Floor	Lot 1: Min. 2.574 m to CARPORT Min. 6.502m to GF & FF Lot 2: Not Required.	YES
SIDE SETBACK	0.9M to GF & FF for Wall Height < 7.0m 1.5M to GF & FF for Wall Height > 7.0m	WALL HEIGHT < 7M Lot 1: Min. 0.906m to GF, FF & ALF Lot 2: Min. 1.009m to GF & FF	YES
REAR SETBACK	-	Lot 1: Min. 19.362 m to GF & FF Min. 15.762 m to ALF Min. 5.362m to CARPORT Lot 2: Min. 4.317 m to GF Min. 1.009 m to ALF & FF	YES
WALL HEIGHT	Max. 7.0 m for 0.9 Side Setback for House	Wall height < 7 m - Houses	YES
BUILDING HEIGHT	Maximum of 2 storeys	2 storeys provided	YES
	Max. 9.0 m	Building height < 9 m	YES
DESIGN ESSENTIALS CHECKLIST			
ROOF	-	9 & 10 degrees colorbond flat roof for houses 18 degrees colorbond roof for carport All eaves as per BASIX	YES
FENCE TYPE	Rear & side boundaries fencing 1.8 m high	Rear & side fencing to be 1.8 m high	YES

6. Urban Design Details

6.1. Significant Landscapes

The site is not situated in an area of any significant and landscape precincts. Proposed Landscaping Plan is attached.

6.2. Energy Efficiency

Development proposal is compliant with the requirements of the Basix Certificate. Basix Certificate is attached.

6.3. Garden Design & Fences

Rear and side boundaries fencing shall generally be 1.8m high fence. Front fence as per architectural plans.

7. Construction & Site Management

7.1. Construction Management / Demolition

Waste Management Plan and Sediment & Erosion Control Plan details have been shown on the drawings.

All care will be taken to avoid unnecessary disturbance to the site and/or adjoining properties throughout the construction and demolition process.

There will be a skip bin on site for all construction rubbish to collect in. Rubbish produced from any demolition works will be transported to council waste disposal site. Any asbestos or old fibro disturbed will be treated as an asbestos hazard and handled and disposed of according to regulation. All new construction materials will be ordered accordingly so as to reduce the limit of waste on site.

7.2. Noise Reduction

Site works, building works and demolition works, including the delivery of materials or equipment to and from the property will be carried out between the hours of 7 am and 6 pm only from Mondays to Fridays and between 8 am and 4 pm only on Saturdays. No construction works or deliveries for the construction will take place on Sundays or public holidays.

7.3. Building Services

All appliances will be as per the BASIX requirements. Clothes Drying Line and Rainwater Tanks will be installed as per BASIX Certificate.

7.4. S4.55 Statement & Amendments Request


We are seeking approval under Section 4.55 for amendments made to the Architectural plans. The application is still in conjunction with the initial DA Approval with some minor amendments. The below list outlines the changes,

FRONT DWELLING (Dwelling 1)


- Small changes to roof design
- Small Ground Floor internal layout changes made to stairs, laundry and butler kitchen. Addition of a guest bedroom.
- Small First Floor internal layout changes made to stairs and rumpus.
- First Floor rear extension to allow for a master bedroom second walk-in-robe.
- Increase in total floor space area.

Below are a few images of the changes clouded on the plan.

Roof Plan:



Floor Plans:




FSR Calculation:

MODIFICATION TO
DW1 - TOTAL FLOOR AREA
CALCULATION

SITE CALCULATIONS FOR DW1	
FLOOR AREA CALCULATIONS	
SITE AREA:	511.0m ²
AREA OF THE PROPOSED GROUND FLOOR:	105.9m ²
AREA OF THE PROPOSED FIRST FLOOR:	110.7m ²
MAX. TOTAL FLOOR AREA	255.5m ²
50% OF SITE AREA = 0.5 x 511m ²	
PROPOSED TOTAL FLOOR AREA:	216.6m ² < 255.5m ²
SITE COVERAGE CALCULATIONS	
PROPOSED SITE COVERAGE:	197.2m ² = (38.5%)
LANDSCAPING CALCULATIONS	
MIN. LANDSC. FORWARD OF BUILDING LINE:	22.2m ²
45% OF THE FORWARD AREA = 0.45 x 49.4m ²	
PROPOSED LANDSCAPING AT FRONT:	53.3m ² > 22.2m ²
PROPOSED LANDSCAPING AT REAR:	204.6m ²
PROPOSED TOTAL LANDSCAPED AREA:	257.9m ² = (50.5%)


SITE CALCULATIONS FOR DW2	
FLOOR AREA CALCULATIONS	
SITE AREA:	517.8m ²
AREA OF THE PROPOSED GROUND FLOOR:	82.6m ²
AREA OF THE PROPOSED FIRST FLOOR:	99.7m ²
MAX. TOTAL FLOOR AREA	258.9m ²
50% OF SITE AREA = 0.5 x 517.8m ²	
PROPOSED TOTAL FLOOR AREA:	182.3m ² < 258.9m ²
SITE COVERAGE CALCULATIONS	
PROPOSED SITE COVERAGE:	248.9m ² = (48.1%)
LANDSCAPING CALCULATIONS	
MIN. LANDSC. FORWARD OF BUILDING LINE:	53.3m ²
45% OF THE FORWARD AREA = 0.45 x 118.1m ²	
PROPOSED LANDSCAPING AT FRONT:	188.0m ² > 53.3m ²
PROPOSED LANDSCAPING AT REAR:	90.0m ²
PROPOSED TOTAL LANDSCAPED AREA:	278.0m ² = (53.7%)

MODIFICATION TO
DW1 - GF FLOOR AREA





1 FSR - Ground Floor
1 : 200


MODIFICATION TO
DW1 - FF FLOOR AREA




2 FSR - First Floor
1 : 200

Elevations:





Section:



8. Conclusion

Nemco Design is pleased to submit this Statement of Environmental Effects and accompanying information for a proposed Torrens Title Subdivision into 2 Lots for Double Storey at 8 Hillview Avenue, Bankstown NSW 2200.

This Statement of Environmental Effects for the proposed development has considered:

- The circumstances of the case;
- An analysis of the subject site and the surrounding locality;
- An analysis of the proposal against the provisions of Bankstown LEP2015, as well as DCP2015, and any other relevant statutory controls that apply to the site.

It can be seen that the proposed development satisfies all of the requirements set up in Bankstown LEP & DCP.

The proposed development at 8 Hillview Avenue, Bankstown NSW 2200 will be in keeping with the strategic aims of the Bankstown LEP and be sympathetic to the existing residential developments providing aesthetic continuity.

The conclusion of this report is that the proposal is suitable for development in this location.

Under all the circumstances of the case, it is therefore recommended to Council for favourable consideration.