# 5-11 HOLLYWOOD AVENUE, BONDI JUNCTION IGLU

# LANDSCAPE DOCUMENTATION

# **S4.55 APPLICATION**


### **DRAWING REGISTER**

Dwg No. Drawing Title		Size	Scale	
General				
L-DA-01	Cover Page	A1	N/A	
L-DA-02	Introduction	A1	N/A	
L-DA-03	Design Statement	A1	N/A	
Plans				
L-DA-04	Landscape Plan - Ground Floor	A1	1:100	
L-DA-05	Landscape Plan - Level 01	A1	1:100	
L-DA-06	Landscape Plan - Level 02	A1	1:100	
L-DA-07	Landscape Plan - Roof Terrace (Level 10)	A1	1:100	
Sections + Perspectiv	es			
L-DA-08	Landscape Section 1	A1	1:50	
L-DA-09	Landscape Section 2	A1	1:50	
L-DA-10	Landscape Perspectives	A1	N/A	
Palettes				
L-DA-11	Planting Palette (sheet 1)	A1	N/A	
L-DA-12	Planting Palette (sheet 2)	A1	N/A	
L-DA-13	Irrigation + Maintenance Notes	A1	N/A	
Additional Plans	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	~~~~		
L-DA-14	Landscape Plan - Levels 3,5,7,9	A1	N/A	
L-DA-15	Landscape Plan - Level 4,6,8	A1	N/A	

### **GENERAL NOTES**

- \* FOR DEVELOPMENT APPLICATION ONLY
- \* Do not scale from drawings
- \* Larger scale drawings and written dimensions take preference
- \* All dimensions in mm unless otherwise stated.
- \* All tree dimensions and RLs in metres.
- \* Use figured dimensions only.
- \* Verify all dimensions on site before the commencement of any works.
- \* Contractors shall locate and protect all services prior to construction.
- \* All work shall be carried out in accordance with ASA, BCA and Local Government Regulations.
- \* Structural Details shall be subject to Engineer's Specifications.
- \* Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.
- \* All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and Engineer's Specifications.
- \*Protect all adjoining property building, walls and paving. Damaged elements are to be replaced.
- \* No responsibility will be taken by 360 degrees. for any variations in design, construction method, materials specified, and general specifications without permission from the Project Engineer or Landscape Architect.
- \*Service location on plans are indicative only . 360 accepts no responsibility for the accuracy of service location. it is the responsibility of the contractor to determine service locations prior to the commencement of work. Any damages remains the responsibility of the contractor.

### **LOCATION PLAN**



IMPORTANT NOTES:	CLIENT	ARCHITECT	CHECKED
Do not scale from drawings All discrepancies to be brought to the attention of the Landscape Architect Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated. All tree dimensions and Rt.s in metres. Use figured dimensions only.	Iglu Pty Ltd	BATESSMART.	LB
Verify all dimensions on site before the commencement of any works.  Contractors shall locate and protect all services prior to construction.  All work shall be carried out in accordance with ASA, BCA and Local Covernment Regulations.  Structural Details shall be subject to Engineer's Specifications.  Drainage & Watter Feature Details shall be subject to Hydraulic Engineer's Specifications and All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and			
An work shall be Carried out in a procession in name by Cuanieur in adestinating according to Language Dawings and Engineer's Specifications.  No responsibility will be taken by 360 degrees. For any variations in design, construction method, materials specified, and general specifications without permission from the Project Engineer or Landscape Architect.	SCALE N/A	DRAWN	ISSUE

<sup>\*</sup> This Drawing is copyright to 360 degrees.

- 1 NEW FOOTPATH AS PER WAVERLEY COUNCIL DESIGN
  GUIDLINES AND BONDI JUNCTION COMPLETE STREETS
  MANUAL
- 2 STREET PARKING / SETDOWN BAYS, REFER TO CIVIL ENGINEER DRAWING
- 3 BASEMENT VEHICLE ENTRY RAMP AND FOOTPATH CROSS OVER AS PER WAVERLEY COUNCIL DESIGN GUIDLINES AND BONDI JUNCTION COMPLETE STREETS MANUAL
- 4 EXISTING WESTFIELD PLANT
- 5 PRAM RAMP TO WAVERLEY COUNCIL GUIDELINES AND CIVIL DOCUMENTATION
- 6 2 X NEW 6M CLEAR TRUNK LIVISTONA AUSTRALIS PALMS AT ROADWAY EDGE INCLUDING UNDERPLANTING AS PER THE WAVERLEY COUNCIL BONDI JUNCTION COMPLETE STREETS MANUAL
- 7 INTERIOR PLANTING BEDS INCLUDING DRACENA MARGINATA AND PEPEROMIA OBTUSIFOLIA.


REFER TO PLANTING PALETTE INTERIOR PLANTING ON GROUND LEVEL, LEVEL 1 AND LEVEL 2 L-DA-012 AND PLANT SCHEDULE ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.


- 8 LOOSE FURNITURE (TABLES AND CHAIRS) BY ARCHITECT
- 9 CRAZY PAVING TO COURTYARD
- 950MM HIGH RAISED PLANTER IN COURTYARD WITH 2 X
  NEW 6M CLEAR TRUNK LIVISTONA AUSTRALIS PALMS, UNDER
  PLANTERD WITH VIOLA HEDERACEA AND NEOMARICA
  GRACILIS
- 11 1100MM HIGH RAISED PLANTERS IN COURTYARD WITH PHILODENDRON MARTIANUM, UNDER PLANTERD WITH BLECHNUM GIBBUM "SILVER LADY" AND PEPEROMIA OBTUSIFOLIA
- 950MM HIGH RAISED PLANTER IN COURTYARD WITH PLANT MIX OF MONSTERA DELICIOSA, NEOMARICA GRACILIS, VIOLA HEDERACEA, BLECHNUM GIBBUM "SILVER LADY".


REFER TO PLANT SCHEDULE AND PLANTING PALETTE GROUND LEVEL AND LEVEL 1 ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.

13 AWNING OVER

VESTEIELD









ES:	CLIENT	ARCHITECT	CHECKED
pht to the attention of the Landscape Architect ritten dimensions take preference. All dimensions in mm unless otherwise stated. In metres.  before the commencement of any works, before the commencement of any works, protect all services prior to construction. In accordance with ASA, BCA and Local Government Regulations. bight of Engineer's Specifications, setalls shall be subject to Hydraulic Engineer's Specifications, in a professional manner by Qualified Tradesman according to Landscape Drawings and	Iglu Pty Ltd	BATESSMART.	LB
n by 360 degrees. For any variations in design, construction method, materials specified, and ut permission from the Project Engineer or Landscape Architect.	SCALE 1:100@A1	DRAWN HTS	ISSUE DA

Landscape Plan - Ground Floor

PROJECT
5-11 HOLLYWOOD AVENUE, BONDI JUNCTION \_ IGLU



1 AWNING GARDEN BED WITH WESTRINGIA FRUITICOSA "MUNDI", LOMANDRA NYALLA, LAMPRATHUS PINK EXPLOSION.

REFER TO PLANT SCHEDULE AND PLANTING PALETTE BALCONY/ROOF PLANTERS (LEVEL 01 & LEVEL 03) ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.

2 2 X EX GROUND PANDANUS TECTORIUS TREES TO LEVEL 1 GARDENS. UNDERPLANTED WITH MONSTERA DELICIOSA, ALPINIA NUTANS, ZAMIA FURFACEA AND ZOYSIA TENUIFOLIA.

REFER TO PLANT SCHEDULE AND PLANTING PALETTE GROUND LEVEL AND LEVEL 1 ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.


3 ELEVATED PLANTERS WITH TRAILING PLANTS TO OVERHANG COURTYARD BELOW. PLANTERS INCLUDE MONSTERA DELICIOSA, MICROSORUM DIVERSIFOLIUM, PHILODENDRON CONGO.

REFER TO PLANT SCHEDULE AND PLANTING PALETTE GROUND LEVEL AND LEVEL 1 ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.

- 4 METAL MESH SCREEN WITH CLIMBING PLANTS TO CREATE VERTICAL SCREENING INCLUDING THUNBERGIA GRANDIFLORA.
- 5 LEVEL 1 OUTDOOR SEATING TERRACE

SITE BOUNDARY SITE BOUNDARY

DATE BY 05.10.18 LB ISS. AMENDMENT A DEVELOPMENT APPLICATION DEVELOPMENT APPLICATION 11.10.18 LB 09.03.21 LB



IMPORTANT NOTES:
Do not scale from drawings All discrepancies to be brought to the attention of the Landscape Architect
Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated.  All tree dimensions and RLs in metres.
Use figured dimensions only.  Verify all dimensions on site before the commencement of any works.
Contractors shall locate and protect all services prior to construction.  All work shall be carried out in accordance with ASA. BCA and Local Government Regulations.
Structural Details shall be subject to Engineer's Specifications.
Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.  All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and
Engineer's Specifications.  No responsibility will be taken by 360 degrees. For any variations in design, construction method, materials specified, and
general specifications without permission from the Project Engineer or Landscape Architect.
This Drawing is copyright to 360 degrees.

BATESSMART, LB Iglu Pty Ltd 1:100@A1

Landscape Plan - Level 01 5-11 HOLLYWOOD AVENUE, BONDI JUNCTION \_ IGLU




1 PLANTERS INTEGRATED WITHIN FACADE WINDOW BOXES. PLANTING TO COMPRISE MONSTERA DELICIOSA, SOLANDRA GRANDIFLORA.


REFER TO PLANTING PALETTE WINDOW PLANTER BOXES ON LEVEL 2 TO LEVEL 9 ON L-DA-012 AND PLANT SCHEDULE ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.

2 INTERIOR PLANTING BED INCLUDING MONSTERA DELICIOSA, NEPHROLEPIS EXALTATA AND PHILODENDRON SCANDENS.

REFER TO PLANTING PALETTE INTERIOR PLANTING ON GROUND LEVEL, LEVEL 1 AND LEVEL 2 L-DA-012 AND PLANT SCHEDULE ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.

SITE BOUNDARY





IMPORTANT NOTES:	Ī
Do not scale from drawings All discrepancies to be brought to the attention of the Landscape Architect	
Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated.	ı
All tree dimensions and RLs in metres.	ı
Use figured dimensions only.  Verify all dimensions on site before the commencement of any works.	ı
Contractors shall locate and protect all services prior to construction.	ı
All work shall be carried out in accordance with ASA, BCA and Local Government Regulations.  Structural Details shall be subject to Engineer's Specifications.	ı
Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.	ı
All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and	L
Engineer's Specifications.  No responsibility will be taken by 360 degrees. For any variations in design, construction method, materials specified, and	Γ
general specifications without permission from the Project Engineer or Landscape Architect.	ı
This Drawing is copyright to 360 degrees.	ı

	CLIENT	ARCHITECT	CHECKED
	Iglu Pty Ltd	BATESSMART.	LB
ind			
ed, and	SCALE	DRAWN	ISSUE
	1:100@A1	HTS	DA

Landscape Plan - Level 02 5-11 HOLLYWOOD AVENUE, BONDI JUNCTION \_ IGLU


- 1 INTERNAL GYM AND EVENT SPACE (REFER ARCHITECTS PLANS)
- 2 450MM HIGH SEATING/ PLANTER WALLS. GARDEN CONSISTS OF 3 X EX GROUND PANDANUS TECTORIUS TREES (SOIL MOUNDED AT TREES TO ACHIEVE SOIL COMPLIANCE DEPTH) WITH MIX OF NATIVE AND EXOTIC UNDERSTORY PLANTING.

REFER TO PLANTING PALETTE ROOF TERRACE ON L-DA-012 AND PLANT SCHEDULE ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.

- 3 ADAPTABLE LOOSE FURNITURE TO FACILITATE SMALL OR LARGE GROUP GATHERINGS
- 4 SEATING AREAS NESTED WITHIN GARDEN CORNER TO PROVIDE LEISURE SPACES ORIENTED TOWARDS THE VIEWS
- 5 TIMBER DECKING
- 6 WEATHER PROTECTION SOLID AWNING OVER
- 7 BALUSTRADE AND PARAPET TO ARCHITECT DETAIL
- 8 PLANTERS INTEGRATED WITHIN FACADE WINDOW BOXES. PLANTING TO COMPRISE MONSTERA DELICIOSA, SOLANDRA GRANDIFLORA.

REFER TO PLANTING PALETTE WINDOW PLANTER BOXES ON LEVEL 2 TO LEVEL 9 ON L-DA-012 AND PLANT SCHEDULE ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.

SITE BOUNDARY 1





Do not scale from drawings  All discrepancies to be brought to the attention of the Landscape Architect Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated.  All tree dimensions and RLs in metres.  Use figured dimensions only.  Verify all dimensions on site before the commencement of any works.  Contractors shall locate and protect all services prior to construction.  All work shall be carried out in accordance with ASA, BCA and Local Government Regulations.  Structural Details shall be subject to Engineer's Specifications.  Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications.  All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and Engineer's Specifications.  No responsibility will be taken by 360 degrees. For any variations in design, construction method, materials specified, and general specifications without permission from the Project Engineer or Landscape Architect.  This Drawing is conyright to 360 degrees.


Iglu Pty Ltd BATESSMART, LB 1:100@A1

**Landscape Plan - Roof Terrace** 5-11 HOLLYWOOD AVENUE, BONDI JUNCTION \_ IGLU



### PLANTING PALETTE GROUNDFLOOR COURTYARD AND LEVEL I







Pandanus tectorius Screw Pine





Monstera deliciosa Fruit Salad Plant



Philodendron martianum Flask Philodendron



*Peperomia obtusifolia* Rubber Plant



Philodendron scandens
Heart Leaved Philodendron



Dwarf Cardamom Ginger



PLANT SCHEDULE

Zamia furfuracea Cardboard palm



Neomarica gracilis Walking Iris



Sansevieria trifasciata Snake Plant



Blechnum gibbum "Silver Lady" Leopard Plant



*Nephrolepis exaltata*Boston fern



Microsorum diversifolium Kangaroo fern



Ficus pumila Creeping fig



*Viola hederacea* Native Violet



Thunbergia grandiflora
Blue trumpet vine



*Zoysia tenuifolia* Velvet Grass

# PLANTING PALETTE BALCONY/ROOF PLANTERS (LEVEL 01 & LEVEL 03)





Casuarina "Cousin It" Cousin It Casuarina





Lamprathus "Pink Explosion"
Pink Explosion



Lomandra Nyalla Nyalla Matt Rush



Westringia fruiticosa "Mundi" Coastal Rosemary "Mundi"

ISS.	AMENDMENT	DATE	BY
Α	DEVELOPMENT APPLICATION	05.10.18	LB
В	DEVELOPMENT APPLICATION	11.10.18	LB
С	S4.55	09.03.21	LB

IMPORTANT NOTES:	CLIENT
Do not scale from drawings All discrepancies to be brought to the attention of the Landscape Architect Larger scale drawings and written dimensions take preference. All dimensions in mm unless otherwise stated. All tree dimensions and RLs in metres. Use figured dimensions only. Verify all dimensions on site before the commencement of any works. Contractors shall locate and protect all services prior to construction. All work shall be carried out in accordance with ASA, BCA and Local Government Regulations. Structural Details shall be subject to Engineer's Specifications. Drainage & Water Feature Details shall be subject to Hydraulic Engineer's Specifications. All work shall be carried out in a professional manner by Qualified Tradesman according to Landscape Drawings and	Iglu Pty L
Engineer's Specifications.  No responsibility will be taken by 360 degrees. For any variations in design, construction method, materials specified, and general specifications without permission from the Project Engineer or Landscape Architect.  This Drawing is copyright to 360 degrees.	SCALE N/A

$\sim$	$\sim\sim$	$\sim\sim$
	ARCHITECT	CHECKED
Ltd	BATESSMART.	LB
	DRAWN	ISSUE
	HTS	DΔ

DWG. TITLE
Planting Palette (sheet 1)
PROJECT 5-11 HOLLYWOOD AVENUE, BONDI JUNCTION IGLU
0-11 HOLLI WOOD AVENUE, DONDI GONO HON_ 1010

T LANT OOTILDOLL		
Botanical Name	Common Name	Pot Size
Trees, Palms & Bamboo		
Livistona australis	Cabbage Palm	ex ground
Pandanus tectorius	Screw Pine	ex ground
Yucca filamentosa	Yucca	300mm
Shrubs & Perennials		
Acacia cognata 'Limelight'	Limelight Dwarf Wattle	200mm
Alpinia nutans	Dwarf Cardamom Ginger	200mm
Peperomia obtusifolia	Rubber Plant	150mm
Peperomia rotundifolia	Rubber Plant	150mm
Philodendron martianum	Flask Philodendron	200mm
Scaevola humilis	Scaevola humilis	200mm
Westringia fruticosa 'Mundi'	Coastal Rosemary Mundi	200mm
Grasses, Lilies	·	
Aloe "Bush Baby Yellow"	Aloe "Bush Baby Yellow"	200mm
Dracaena marginata	Dracaena	300mm
Lomandra 'Nyalla'	Nyalla Mat Rush	150mm
Neomarica gracilis	Walking Iris	200mm
Philodendron 'Congo'	Congo	200mm
Ground Covers		
Casuarina glauca 'Cousin It'	Cousin It Sheoak	200mm
Lamprathus "Pink Explosion"	Pink Explosion	150mm
Myoporum parvifolium	Creeping Boobiala	150mm
Rosmarinus officinalis 'Irene'	Prostrate Rosemary	200mm
Viola hederacea	Native Violet	150mm
Zoysia tenuifolia	Velvet grass	150mm
Climbers		
Ficus pumila	Creeping Fig	150mm
Monstera deliciosa	Fruit Salad Plant	300mm
Philodendrom scandens	Heart Leafed Philodendron	150mm
Solandra maxima	Cup of Gold Vine	200mm
Thunbergia grandiflora	Blue Trumpet	200mm
Ferns, Cycads & Bromeliads	·	
Blechnum gibbum 'Silver Lady'	Silver Lady Fern	200mm
Microsorum diversifolium	Kangaroo Fern	150mm
Nephrolepis exaltata	Boston Fern	200mm
Zamia furfuracea	Cardboard Palm	200mm
Succulents & Cactus		
	Snake Plant	200mm
Sansevieria trifasciata		

w www.360.net.au ABN: 90 146 901 328

### PLANTING PALETTE **ROOF TERRACE**





Pandanus tectorius Screw Pine



Lomandra Nyalla Nyalla Matt Rush



Westringia fruiticosa "Mundi" Coastal Rosemary "Mundi"



Acacia cognata "Limelight"
Limelight Dwarf Wattle



Scaevola humulis Blue Fan Flower



*Zamia furfuracea* Cardboard palm

### PLANTING PALETTE INTERIOR PLANTING GROUND LEVEL, LEVEL 1, LEVEL 2



Dracaena



*Peperomia obtusifolia* Rubber plant

Boston Fern





Monstera deliciosa Fruit Salad Plant



Philodendron scandens
Heart Leaved Philodendron





Yucca filamentosa



*Lomandra Nyalla* Nyalla Matt Rush



Aloe "Bush Baby Yellow" Bush Baby Yellow



Zoysia tenuifolia Velvet Grass



Myoporum parvifolium
Creeping Boobiala



Rosmarinus officinalis 'Irene' Prostrate Rosemary

## PLANTING PALETTE WINDOW PLANTER BOXES LEVEL 2 TO LEVEL 9





Monstera deliciosa Fruit Salad Plant



Solandra maxima
Cup of Gold Vine


REFER TO PLANT SCHEDULE AND PLANTING PALETTE BALCONY/ROOF PLANTERS (LEVEL 01 & LEVEL 03) ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.

2 PLANTERS INTEGRATED WITHIN FACADE WINDOW BOXES. PLANTING TO COMPRISE MONSTERA DELICIOSA, SOLANDRA GRANDIFLORA.

REFER TO PLANTING PALETTE WINDOW PLANTER BOXES ON LEVEL 2 TO LEVEL 9 ON L-DA-012 AND PLANT SCHEDULE ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.

SITE BOUNDARY 1 1

DATE BY 09.03.21 LB ISS. AMENDMENT



Iglu Pty Ltd BATESSMART, LB

Landscape Plan - Level 3, 5 7,9 5-11 HOLLYWOOD AVENUE, BONDI JUNCTION \_ IGLU



WES


REFER TO PLANTING PALETTE WINDOW PLANTER BOXES ON LEVEL 2 TO LEVEL 9 ON L-DA-012 AND PLANT SCHEDULE ON L-DA-011 FOR COMPLETE SCHEDULE OF SPECIES.

SITE BOUNDARY

IOLLYWOOD AVENI (BELOW)

VESTFIELD

ISS.	AMENDMENT	DATE	BY
Α	S4.55	09.03.21	LB



	IMPORTANT NOTES:
5m 	Do not scale from drawings All discrepancies to be brought to the attention of the Landscape Archit Larger scale drawings and written dimensions take preference. All dim All tree dimensions and RLs in metres. Use figured dimensions only. Verify all dimensions on size before the commencement of any works.
	Contractors shall locate and protect all services prior to construction.  All work shall be carried out in accordance with ASA, BCA and Local G  Structural Details shall be subject to Engineer's Specifications.
	Drainage & Water Feature Details shall be subject to Hydraulic Engine All work shall be carried out in a professional manner by Qualified Trad Engineer's Specifications.
	No responsibility will be taken by 360 degrees. For any variations in de general specifications without permission from the Project Engineer or

	CLIENT	ARCHITECT	CHECKED
otherwise stated.	Iglu Pty Ltd	BATESSMART.	LB
S.			
andscape Drawings and			
hod, materials specified, and	SCALE	DRAWN	ISSUE
	1:100@A1	HTS	DA

DWG. TITLE

Landscape Plan - Level 4,6,8

PROJECT

5-11 HOLLYWOOD AVENUE, BONDI JUNCTION \_ IGLU