



**Land and Environment
Court**
of New South Wales

Level 4 225 Macquarie Street SYDNEY NSW 2000
Level 4 GPO Box 3565 SYDNEY NSW 2001
DX 264, Sydney


Telephone: 02 9113 8200
Facsimile:
02 91138208

Email: lecourt@justice.nsw.gov.au
Website: <https://www.lec.nsw.gov.au>

ABN: 52 659 114 436

ANDREW PETER GOUGH
andrew@sglaw.com.au

Your Ref:



D0001K104T

27 April 2022

NOTICE OF ORDERS MADE

Case number 2021/00300078
Case title BPG Holdings (No. 5) Pty Limited v Northern Beaches Council

On 27 April 2022 the following orders (and/or directions) were made:

The Court orders that:

- (1) The application is granted.
- (2) Pursuant to section 4.55(8) of the Environmental Planning and Assessment Act 1979, Modification application No. MOD2021/0873 for amendments to the footprint and setbacks of units G03 and G04, the roof form of the development and the replacement of the pedestrian refuge island with kerb ramps at 54 Bardo Road, Newport in the terms set out in Annexure A is approved.
- (3) The terms of the consolidated Development Consent No, DA2020/1172 are set out in Annexure B.

For the Registrar

Annexure A

DETERMINATION OF APPLICATION FOR MODIFICATION OF DEVELOPMENT CONSENT

Modification Application No:	MOD2021/0873
Development Consent Modified:	DA2020/1172
Development:	Demolition works and construction of a seniors housing development to accommodate six units including associated car parking and landscape works
Address and particulars of title of land on which development to be carried out:	Lot 42 , Section 2, DP 4689 , 54 Bardo Road NEWPORT NSW 2106
Description of modification to the development consent	<ul style="list-style-type: none">(a) Amendments to the footprint and setbacks of units G03 and G04;(b) Amendments to the roof form of the development; and(c) Replacement of the pedestrian refuge island with kerb ramps

The development consent is modified as follows:

- a) Amend condition 1(a) by deleting the table relating to architectural plans and engineering plans and inserting the following:

Architectural Plans		
Drawing No.	Dated	Prepared By
DA002 - Demolition Plan - Rev M	28/03/2022	Giles Tribe
DA003 - Site Analysis - Rev O	28/03/2022	Giles Tribe
DA005 - Site Plan - Rev O	28/03/2022	Giles Tribe
DA006 - Basement Plan - Rev X	28/03/2022	Giles Tribe
DA007 - Ground Floor Plan - Rev Y	28/03/2022	Giles Tribe
DA008 - Level 1 Plan - Rev V	28/03/2022	Giles Tribe
DA009 - Roof Plan - Rev P	28/03/2022	Giles Tribe
DA010 - North and West Elevations- Rev Q	28/03/2022	Giles Tribe
DA011 - South and East Elevations- Rev P	28/03/2022	Giles Tribe
DA012 - Section AA & BB - Rev O	28/03/2022	Giles Tribe
DA013 - Section CC & DD - Rev O	28/03/2022	Giles Tribe
DA015 - Deep Soil Plan - Rev Q	28/03/2022	Giles Tribe
DA019 - Window Schedule- Rev L	28/03/2022	Giles Tribe
DA000 – Cover Sheet – Rev G	29/03/2022	Site Image
DA101 – Landscape Plan – Rev G	29/03/2022	Site Image
DA501 – Landscape Details – Rev A	29/09/2021	Site Image
DA502 – Maintenance Schedule – Rev A	29/09/2021	Site Image

Engineering Plans		
Drawing No.	Dated	Prepared By
D03 - Ground Floor/ Site Stormwater Drainage Plan - Rev O	29/03/2022	Loka Consulting Engineers
D04 - Site Stormwater Drainage Details- Rev K	8/03/2022	Loka Consulting Engineers

- b) Delete condition 9.
- c) Delete condition 32 and insert the following:

32. Construction of pram ramps

The applicant shall construct pram ramps on either side of Bardo Road east of the King Street intersection to provide a continuous, convenient and safe pedestrian access route to the designated bus stops on Gladstone St for seniors and people with disabilities.

A plan demonstrating the construction of the pram ramps in accordance with Australian

Standards AS1742 and relevant RMS supplements shall be prepared by a suitably qualified person and submitted to and approved by the Council prior to the issue of Construction Certificate.

The above tram ramps and any associated footpath modifications are to be constructed by the applicant at no cost to Council.

Reason: To provide a safe and convenient pedestrian access to public transport in compliance with the SEPP requirements (DACTRCPPC1)

- d) Delete condition 54 and insert the following:

54. Landscape Completion

Landscape works are to be completed in accordance with the approved Landscape Plans listed in Condition 1.

Prior to the issue of an Occupation Certificate, details from a landscape architect or landscape designer shall be submitted to the Certifying Authority, and shall certify that the landscape works have been completed in accordance with the approved Landscape Plans and any conditions of consent.

Reason: Environmental amenity.

Annexure B**DETERMINATION OF DEVELOPMENT APPLICATION BY GRANT OF
CONSENT**

Development Application No: DA2020/1172

Development: Demolition works and construction of a seniors housing development to accommodate six units including associated car parking and landscape works

Site: Lot 42 , Section 2, DP 4689 , 54 Bardo Road NEWPORT NSW 2106

Date Approved	Modification Application Number	Decision Maker	Proceedings Name and Number
27 April 2022	MOD2021/0873	Land & Environment Court	2021/300078

The above development application has been determined by the granting of consent subject to the conditions specified in this consent.

Date of determination: 18 June 2021

Date from which consent takes effect: 18 June 2021

TERMINOLOGY

In this consent:

- (a) Any reference to a Construction, Compliance, Occupation or Subdivision Certificate is a reference to such a certificate as defined in the *Environmental Planning and Assessment Act 1979*.
- (b) Any reference to the “applicant” means a reference to the applicant for development consent or any person who may be carrying out development from time to time pursuant to this consent.
- (c) Any reference to the “site”, means the land known as 54 Bardo Road, Newport.

The conditions of consent are as follows:

Detail of Conditions

The conditions, which have been applied to the consent, aim to ensure that the Environmental Impacts of Development are minimised and the Health and Safety of the community is maintained in accordance with the relevant standards and the Building Code of Australia.

Note:

If the works are to be certified by a Private Certifying Authority, then it is the certifier's responsibility to ensure all outstanding fees and bonds have been paid to Council prior to the issue of the Construction Certificate or as otherwise specified by Consent conditions.

DEVELOPMENT CONSENT OPERATIONAL CONDITIONS

1. Approved Plans and Supporting Documentation

The development must be carried out in compliance (except as amended by any other condition of consent) with the following:

a) Approved Plans

Architectural Plans - Endorsed with Council's stamp		
Drawing No.	Dated	Prepared By
DA002 - Demolition Plan - Rev M	28/03/2022	Giles Tribe
DA003 - Site Analysis - Rev O	28/03/2022	Giles Tribe
DA005 - Site Plan - Rev O	28/03/2022	Giles Tribe
DA006 - Basement Plan - Rev X	28/03/2022	Giles Tribe
DA007 - Ground Floor Plan - Rev Y	28/03/2022	Giles Tribe
DA008 - Level 1 Plan - Rev V	28/03/2022	Giles Tribe
DA009 - Roof Plan - Rev P	28/03/2022	Giles Tribe
DA010 - North and West Elevations- Rev Q	28/03/2022	Giles Tribe
DA011 - South and East Elevations- Rev P	28/03/2022	Giles Tribe
DA012 - Section AA & BB - Rev O	28/03/2022	Giles Tribe
DA013 - Section CC & DD - Rev O	28/03/2022	Giles Tribe
DA015 - Deep Soil Plan - Rev Q	28/03/2022	Giles Tribe
DA019 - Window Schedule- Rev L	28/03/2022	Giles Tribe
DA000 – Cover Sheet – Rev G	29/03/2022	Site Image
DA101 – Landscape Plan – Rev G	29/03/2022	Site Image
DA501 – Landscape Details – Rev A	29/09/2021	Site Image
DA502 – Maintenance Schedule – Rev A	29/09/2021	Site Image

Engineering Plans		
Drawing No.	Dated	Prepared By
D03 - Ground Floor/ Site Stormwater Drainage Plan - Rev O	29/03/2022	Loka Consulting Engineers
D04 - Site Stormwater Drainage Details- Rev K	8/03/2022	Loka Consulting Engineers

Reports / Documentation – All recommendations and requirements contained within:		
Report No. / Page No. / Section No.	Dated	Prepared By
BASIX Certificate. Cert Number:1130450M_02	17 March2021	BASIX
Geotechnical Investigation	11 August 2020	White Geotechnical group
Access Report	1 September 2020	Accessibility Solutions

National Construction Code Report	7 September 2020	CCG
Traffic Management Report	3 September 2020	Loka Consulting Engineers
Flora and Fauna Assessment Report	October 2020	Narla Environmental
Biodiversity Management Plan	October 2020	Narla Environmental
Arboricultural Impact Assessment Report	16 March 2021	Jacksons Nature Works
Addendum to Arborist Report	6 April 2021	Jacksons Nature Works

b) Any plans and / or documentation submitted to satisfy the Conditions of this consent.

c) The development is to be undertaken generally in accordance with the following:

Waste Management Plan		
Drawing No/Title.	Dated	Prepared By
Waste Management Plan	17/08/2020	Applicant

In the event of any inconsistency between conditions of this consent and the drawings/documents referred to above, the conditions of this consent will prevail.

Reason: To ensure the work is carried out in accordance with the determination of Council and approved plans.

2. **Compliance with Other Department, Authority or Service Requirements**

The development must be carried out in compliance with all recommendations and requirements, excluding general advice, within the following:

Other Department, Authority or Service	EDMS Reference	Dated
Ausgrid	Response Ausgrid Referral	26/11/2020

(NOTE: For a copy of the above referenced document/s, please see Application Tracking on Council's website www.northernbeaches.nsw.gov.au)

Reason: To ensure the work is carried out in accordance with the determination and the statutory requirements of other departments, authorities or bodies.

3. **Prescribed Conditions**

- (a) All building works must be carried out in accordance with the requirements of the Building Code of Australia (BCA).
- (b) BASIX affected development must comply with the schedule of BASIX commitments specified within the submitted BASIX Certificate (demonstrated compliance upon plans/specifications is required prior to the issue of the Construction Certificate);
- (c) A sign must be erected in a prominent position on any site on which building work, subdivision work or demolition work is being carried out:
 - (i) showing the name, address and telephone number of the Principal Certifying Authority for the work, and
 - (ii) showing the name of the principal contractor (if any) for any building work and a telephone number on which that person may be contacted outside working hours, and

(iii) stating that unauthorised entry to the work site is prohibited.

Any such sign is to be maintained while the building work, subdivision work or demolition work is being carried out, but must be removed when the work has been completed.

(d) Residential building work within the meaning of the Home Building Act 1989 must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the following information:

(i) in the case of work for which a principal contractor is required to be appointed:

- A. the name and licence number of the principal contractor, and
- B. the name of the insurer by which the work is insured under Part 6 of that Act,

(ii) in the case of work to be done by an owner-builder:

- A. the name of the owner-builder, and
- B. if the owner-builder is required to hold an owner-builder permit under that Act, the number of the owner-builder permit.

If arrangements for doing the residential building work are changed while the work is in progress so that the information notified under becomes out of date, further work must not be carried out unless the Principal Certifying Authority for the development to which the work relates (not being the Council) has given the Council written notice of the updated information.

(e) Development that involves an excavation that extends below the level of the base of the footings of a building on adjoining land, the person having the benefit of the development consent must, at the person's own expense:

- (i) protect and support the adjoining premises from possible damage from the excavation, and
- (ii) where necessary, underpin the adjoining premises to prevent any such damage.
- (iii) must, at least 7 days before excavating below the level of the base of the footings of a building on an adjoining allotment of land, give notice of intention to do so to the owner of the adjoining allotment of land and furnish particulars of the excavation to the owner of the building being erected or demolished.
- (iv) the owner of the adjoining allotment of land is not liable for any part of the cost of work carried out for the purposes of this clause, whether carried out on the allotment of land being excavated or on the adjoining allotment of land.

In this clause, allotment of land includes a public road and any other public place.

Reason: Legislative requirement.

4. General Requirements

(a) Unless authorised by Council:

Building construction and delivery of material hours are restricted to:

- 7.00 am to 5.00 pm inclusive Monday to Friday,
- 8.00 am to 1.00 pm inclusive on Saturday,
- No work on Sundays and Public Holidays.

Demolition and excavation works are restricted to:

- 8.00 am to 5.00 pm Monday to Friday only.

(Excavation work includes the use of any excavation machinery and the use of

jackhammers, rock breakers, excavators, loaders and the like, regardless of whether the activities disturb or alter the natural state of the existing ground stratum or are breaking up/removing materials from the site).

- (b) Should any asbestos be uncovered on site, its demolition and removal must be carried out in accordance with WorkCover requirements and the relevant Australian Standards.
- (c) At all times after the submission the Notice of Commencement to Council, a copy of the Development Consent and Construction Certificate is to remain onsite at all times until the issue of a final Occupation Certificate. The consent shall be available for perusal of any Authorised Officer.
- (d) Where demolition works have been completed and new construction works have not commenced within 4 weeks of the completion of the demolition works that area affected by the demolition works shall be fully stabilised and the site must be maintained in a safe and clean state until such time as new construction works commence.
- (e) Onsite toilet facilities (being either connected to the sewer or an accredited sewer management facility) for workers are to be provided for construction sites at a rate of 1 per 20 persons.
- (f) Prior to the release of the Construction Certificate, payment of the Long Service Levy is required. This payment can be made at Council or to the Long Services Payments Corporation. Payment is not required where the value of the works is less than \$25,000. The Long Service Levy is calculated on 0.35% of the building and construction work. The levy rate and level in which it applies is subject to legislative change. The applicable fee at the time of payment of the Long Service Levy will apply.
- (g) The applicant shall bear the cost of all works associated with the development that occurs on Council's property.
- (h) No skip bins, building materials, demolition or excavation waste of any nature, and no hoist, plant or machinery (crane, concrete pump or lift) shall be placed on Council's footpaths, roadways, parks or grass verges without Council Approval.
- (i) Demolition materials and builders' wastes are to be removed to approved waste/recycling centres.
- (j) No trees or native shrubs or understorey vegetation on public property (footpaths, roads, reserves, etc.) or on the land to be developed shall be removed or damaged during construction unless specifically approved in this consent including for the erection of any fences, hoardings or other temporary works.
- (k) Prior to the commencement of any development onsite for:
 - i) Building/s that are to be erected
 - ii) Building/s that are situated in the immediate vicinity of a public place and is dangerous to persons or property on or in the public place
 - iii) Building/s that are to be demolished
 - iv) For any work/s that is to be carried out
 - v) For any work/s that is to be demolished

The person responsible for the development site is to erect or install on or around the development area such temporary structures or appliances (wholly within the development site) as are necessary to protect persons or property and to prevent unauthorised access to the site in order for the land or premises to be maintained in a safe or healthy condition. Upon completion of the development, such temporary structures or appliances are to be removed within 7 days.

- (l) A "Road Opening Permit" must be obtained from Council, and all appropriate charges paid, prior to commencement of any work on Council property. The owner/applicant

shall be responsible for all public utilities and services in the area of the work, shall notify all relevant Authorities, and bear all costs associated with any repairs and/or adjustments as those Authorities may deem necessary.

- (m) The works must comply with the relevant Ausgrid Network Standards and SafeWorkNSW Codes of Practice.
- (n) Deleted

Reason: To ensure that works do not interfere with reasonable amenity expectations of residents and the community.

FEES / CHARGES / CONTRIBUTIONS

5. Policy Controls

Northern Beaches 7.12 Contributions Plan 2019

A monetary contribution of \$32,397.51 is payable to Northern Beaches Council for the provision of local infrastructure and services pursuant to section 7.12 of the Environmental Planning & Assessment Act 1979 and the Northern Beaches Section 7.12 Contributions Plan 2019. The monetary contribution is based on a development cost of \$3,239,751.00.

The monetary contribution is to be paid prior to the issue of the first Construction Certificate or Subdivision Certificate whichever occurs first, or prior to the issue of the Subdivision Certificate where no Construction Certificate is required. If the monetary contribution (total or in part) remains unpaid after the financial quarter that the development consent is issued, the amount unpaid (whether it be the full cash contribution or part thereof) will be adjusted on a quarterly basis in accordance with the applicable Consumer Price Index. If this situation applies, the cash contribution payable for this development will be the total unpaid monetary contribution as adjusted.

The proponent shall provide to the Certifying Authority written evidence (receipt/s) from Council that the total monetary contribution has been paid.

The Northern Beaches Section 7.12 Contributions Plan 2019 may be inspected at 725 Pittwater Rd, Dee Why and at Council's Customer Service Centres or alternatively, on Council's website at www.northernbeaches.nsw.gov.au

This fee must be paid prior to the issue of the Construction Certificate. Details demonstrating compliance are to be submitted to the Principal Certifying Authority.

Reason: To provide for contributions in accordance with the Contribution Plan to fund the provision of new or augmented local infrastructure and services.

6. Security Bond

A bond (determined from cost of works) of \$10,000 and an inspection fee in accordance with Council's Fees and Charges paid as security are required to

ensure the rectification of any damage that may occur to the Council infrastructure contained within the road reserve adjoining the site as a result of construction or the transportation of materials and equipment to and from the development site.

An inspection fee in accordance with Council adopted fees and charges (at the time of payment) is payable for each kerb inspection as determined by Council (minimum (1) one inspection).

All bonds and fees shall be deposited with Council prior to Construction Certificate or demolition work commencing, and details demonstrating payment are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

To process the inspection fee and bond payment a Bond Lodgement Form must be completed with the payments (a copy of the form is attached to this consent and alternatively a copy is located on Council's website at www.northernbeaches.nsw.gov.au).

Reason: To ensure adequate protection of Council's infrastructure.

7. **Construction, Excavation and Associated Works Security Bond (Road works)**

A bond of \$20000 as security against damage to Council's roads fronting the site caused by the transport and disposal of materials and equipment to and from the site.

Details confirming payment of the bond are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: Protection of Council's infrastructure.

8. **Construction, Excavation and Associated Works Bond (Footpath drainage works)**

The applicant is to lodge a bond of \$10000 as security against any damage or failure to complete the construction of a stormwater kerb inlet pit in Bardo Road as part of this consent.

Details confirming payment of the bond are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: Protection of Council's infrastructure.

CONDITIONS TO BE SATISFIED PRIOR TO THE ISSUE OF THE CONSTRUCTION CERTIFICATE

9. **(DELETE)**

10. **On Slab Landscape Works**

Details shall be submitted to the Certifying Authority prior to the issue of the Construction Certificate indicating the proposed method of waterproofing and drainage to all planters over slab, over which soil and planting is being provided.

Landscape treatment details shall also be submitted to the Certifying Authority prior to the issue of the Construction Certificate indicating the proposed soil type, planting, automatic irrigation, services connections, and maintenance activity schedule.

The following soil depths are required to support landscaping as proposed:

- i) 300mm for lawn
- ii) 600mm for shrubs
- iii) 1m for small trees

Design certification shall be submitted to the Certifying Authority by a qualified Structural Engineer that the planters are designed structurally to support the 'wet' weight of landscaping (soil, materials and established planting).

For all new residential works with two or more dwellings and mixed use developments the maintenance activity schedule shall incorporate an on-going maintenance plan that shall be submitted to the Certifying Authority outlining a program to monitor and replenish soil levels as a result of soil shrinkage over time.

Reason: To ensure appropriate soil depth for planting and secure waterproofing and drainage is installed.

11. Geotechnical Report Recommendations

The recommendations of the risk assessment required to manage the hazards as identified in the Geotechnical Report prepared by White Geotechnical Group dated 11/8/20 are to be incorporated into the construction plans.

Prior to issue of the Construction Certificate, Form 2 of the Geotechnical Risk Management Policy for Pittwater (Appendix 5 of P21 DCP) is to be completed and submitted to the Accredited Certifier. Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure geotechnical risk is mitigated appropriately.

12. Preparation of a Tree Removal Protocol

The Project Ecologist is to prepare a Tree Removal Protocol which includes the provision of (at a minimum):

- i a pre-clearance survey
- i direct supervision of tree removal
- i protocol for rescue of fauna and relocation of log hollow sections onsite to provide fauna habitat

The Tree Removal Protocol must also include procedures for stop work and formal impact assessment in the event that threatened fauna species are found during the pre-clearance survey.

The Tree Removal Protocol is to be submitted to the Certifying Authority prior to issue of Construction Certificate.

Reason: To protect native wildlife.

13. **Fencing for Wildlife Passage**

Any new permanent fencing (with the exception of swimming pool fencing) is to be made passable to native fauna through the provision of access gaps or raised fencing to provide appropriate ground clearance. Any access gaps are to be a minimum of 150mm wide x 100mm high at ground level and spaced at a minimum of 6m intervals.

Plans are to be certified as complying with this condition and provided to the Certifying Authority prior to issue of the Construction Certificate.

Reason: To preserve wildlife corridors.

14. **Traffic Management and Control**

The Applicant is to submit an application for Traffic Management Plan to Council for approval prior to issue of the Construction Certificate. The Traffic Management Plan shall be prepared to RMS standards by an appropriately certified person.

Reason: To ensure appropriate measures have been considered for site access, storage and the operation of the site during all phases of the construction process.

15. **Car Parking Standards**

The driveway/access ramp grades, access and car parking facilities must comply with the Australian/New Zealand Standard AS/NZS 2890.1:2004 - Parking facilities - Off-street car parking. The dimensions of car parking bays and aisle widths in the car park are to comply with Australian/New Zealand Standard for Off-Street Parking AS/NZS 2890.1:2004.

Details demonstrating compliance with this condition are to be submitted to the Certifying Authority prior to the issue of a construction certificate.

Reason: To ensure compliance with Australian Standards relating to manoeuvring, access and parking of vehicles.

16. **Car Parking Finishes**

All driveways, car parking areas and pedestrian paths are to be surfaced and sealed. Details of treatment to these areas are to be submitted to the Certifying Authority prior to issue of the Construction Certificate.

Reason: To provide suitable stormwater disposal and to prevent soil erosion and runoff.

17. **Construction Traffic Management Plan**

As a result of the site constraints, limited vehicle access and parking, a Construction Traffic Management Plan (CTMP) and report shall be prepared by an RMS accredited person and submitted to and approved by the Northern Beaches Council Traffic Team prior to issue of any Construction Certificate.

Due to heavy traffic congestion throughout the town centre, truck movements will be restricted during the major commuter peak times being 8.00-9.30am and 4.30-6.00pm. Truck movements must be agreed with Council's Traffic and

Development Engineer prior to submission of the CTMP.

The CTMP must address following:

- i The proposed phases of construction works on the site, and the expected duration of each construction phase
- i The proposed order in which works on the site will be undertaken, and the method statements on how various stages of construction will be undertaken
- i Make provision for all construction materials to be stored on site, at all times
- i The proposed areas within the site to be used for the storage of excavated materials, construction materials and waste containers during the construction period
- i The proposed method of access to and egress from the site for construction vehicles, including access routes and truck routes through the Council area and the location and type of temporary vehicular crossing for the purpose of minimising traffic congestion and noise in the area, with no access across public parks or reserves being allowed
- i The proposed method of loading and unloading excavation and construction machinery, excavation and building materials, formwork and the erection of any part of the structure within the site. Wherever possible mobile cranes should be located wholly within the site
- i Make provision for parking on site. All Staff and Contractors are to use the basement parking once available
- i Temporary truck standing/ queuing locations in a public roadway/ domain in the vicinity of the site are not permitted unless approved by Council prior
- i Include a Traffic Control Plan prepared by a person with suitable RMS accreditation for any activities involving the management of vehicle and pedestrian traffic
- i The proposed manner in which adjoining property owners will be kept advised of the timeframes for completion of each phase of development/construction process. It must also specify that a minimum Fourteen (14) days notification must be provided to adjoining property owners prior to the implementation of any temporary traffic control measure
- i Include a site plan showing the location of any site sheds, location of requested Work Zones, anticipated use of cranes and concrete pumps, structures proposed on the footpath areas (hoardings, scaffolding or shoring) and any tree protection zones around Council street trees
- i Take into consideration the combined construction activities of other development in the surrounding area. To this end, the consultant preparing the CTMP must engage and consult with developers undertaking major development works within a 250m radius of the subject site to ensure that appropriate measures are in place to prevent the combined impact of construction activities, such as (but not limited to) concrete pours, crane lifts and dump truck routes. These communications must be documented and submitted to Council prior to work commencing on site
- i The proposed method/device to remove loose material from all vehicles and/or machinery before entering the road reserve, any run-off from the washing down of vehicles shall be directed to the sediment control system within the site
- i Specify that the roadway (including footpath) must be kept in a

serviceable condition for the duration of construction. At the direction of Council, undertake remedial treatments such as patching at no cost to Council

- i The proposed method of support to any excavation adjacent to adjoining properties, or the road reserve. The proposed method of support is to be designed and certified by an appropriately qualified and practising Structural Engineer, or equivalent
- i Proposed protection for Council and adjoining properties
- i The location and operation of any on site crane

The CTMP shall be prepared in accordance with relevant sections of Australian Standard 1742

– “Manual of Uniform Traffic Control Devices”, RMS’ Manual – “Traffic Control at Work Sites”.

All fees and charges associated with the review of this plan is to be in accordance with Council’s Schedule of Fees and Charges and are to be paid at the time that the Construction Traffic Management Plan is submitted.

Reason: To ensure public safety and minimise any impacts to the adjoining pedestrian and vehicular traffic systems.

18. **Boundary Identification Survey**

A boundary identification survey, prepared by a Registered Surveyor, is to be prepared in respect of the subject site.

The plans submitted for the Construction Certificate are to accurately reflect the property boundaries as shown on the boundary identification survey, with setbacks between the property boundaries and the approved works consistent with those nominated on the Approved Plans of this consent.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of any Construction Certificate.

Reason: To ensure all approved works are constructed within the subject site and in a manner anticipated by the development consent.

19. **BCA Assessment Report**

The fire safety measures as detailed and recommended in the NCC Assessment Report prepared by the Construction Certification Group, dated 7 September 2020, Report Ref No.202015 are to be taken into consideration as part of the assessment of the Construction Certificate.

Details demonstrating compliance are to be provided to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure adequate provision is made for fire safety and for building occupant safety.

20. Building Code of Australia Access requirements

The measures as detailed and recommended in the Access Report prepared by AccessibilitySolutions, dated 1 September 2020, are to be taken into consideration as part of the assessment of the Construction Certificate. Details demonstrating compliance are to be provided to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure adequate provision is made for Access for building occupant safety.

21. On-site Stormwater Detention Details

The Applicant is to provide a certification of drainage plans detailing the provision of on-site stormwater detention in accordance with Northern Beaches Council's WATER MANAGEMENT POLICY FOR DEVELOPMENT, and generally in accordance with the concept drainage plans prepared by LOKA Consulting Engineers, drawing number D03F, D04 D, dated April 2021.

Detailed drainage plans are to be prepared by a suitably qualified Civil Engineer, who has membership to the Institution of Engineers Australia, National Professional Engineers Register (NER) or RPENG (Registered with Professionals Australia) and registered in the General Area of Practice for civil engineering. The drainage plans must address the following:

- i. A catch drain /grass swale is to be provided at the rear boundary to intercept upstream overland and piped to bypass the on site stormwater detention system.
- ii. A stormwater inlet pit minimum lintel size 1200mm is to be constructed in Bardo Road over Council's existing stormwater line. The site discharge line and any flows from a basement pumpout (collecting driveway flows only) is to be directly connected into the new pit. The pit construction is to be in accordance with Council's engineering details.
- iii. Detailed drainage plans, including engineering certification, are to be submitted to the Certifying Authority for approval prior to the issue of the Construction Certificate. Reason: To ensure appropriate provision for the disposal of stormwater and stormwater management arising from the development.

22. Vehicle Driveway Gradients

The Applicant is to ensure driveway gradients within the private property are not to exceed a gradient of 1 in 4 (25%) with a transition gradient of 1 in 10 (10%) for 1.5 metres prior to a level parking facility. Access levels across the road reserve are to comply with the allocated vehicle profile detailed in this consent.

Details demonstrating compliance are to be submitted to the Certifying Authority for approval prior to the issue of the Construction Certificate.

Reason: To ensure suitable vehicular access to private property.

23. Tanking of Basement Level

The basement area is to be permanently tanked. The Applicant is to submit structural details of the tanking, prepared by a suitably qualified Engineer. Where temporary dewatering works are required on the development site during construction, the developer/applicant must apply for and obtain a bore license

from the NSW Office of Environment and Heritage. The bore license must be obtained prior to commencement of dewatering works. All requirements of the NSW Office of Water are to be complied with and a copy of the approval must be submitted to the Certifying Authority. Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To prevent ingress of sub-surface flows into the basement area and to comply with State Government Requirements.

24. **STORMWATER DRAINAGE APPLICATION (FOOTPATH DRAINAGE WORKS)**

The applicant is to provide a stormwater drainage application under Section 68 of the Local Government Act 1993 to Council for approval. The submission is to include four (4) copies of Civil Engineering plans for the design of the stormwater outlet pipe and required new kerb inlet pit (over Councils existing 375mm stormwater line) within the Bardo Road street frontage which are to be generally in accordance with the civil design approved with the Development Application and Council's specification for engineering works - AUS-SPEC #1. The form can be found on Council's website at www.northernbeaches.nsw.gov.au > Council Forms > StormwaterDrainage Application Form. The fee associated with the assessment and approval of the application is to be in accordance with Council's Fees and Charges.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To ensure appropriate provision for disposal and maintenance stormwater management and compliance with the BASIX requirements, arising from the development.

25. **Vehicle Crossings Application**

The Applicant is to submit an application for driveway levels with Council in accordance with Section 138 of the Roads Act 1993. The fee associated with the assessment and approval of the application is to be in accordance with Council's Fee and Charges.

An approval is to be submitted to the Certifying Authority prior to the issue of the Construction Certificate.

Reason: To facilitate suitable vehicular access to private property.

26. **Tree Protection Plan**

a) A Tree Protection Plan shall be submitted to the Certifying Authority for approval prior to the issue of a Construction Certificate, demonstrating tree protection measures to protect the following trees:

- i) tree 2 - Turpentine and tree 3 - Red Ironbark, within the road verge,
- ii) tree 4 - Grey Gum, tree 7 - Turpentine, and tree 8 - Turpentine, within the frontage,
- iii) tree 11 - Turpentine, and tree 12 - Swamp Mahogany, within the proposed central courtyard.

b) The Tree Protection Plan / Tree Management Plan shall be prepared by an Arborist with minimum AQF Level 5 in arboriculture, and in accordance with the Addendum Arborist Report prepared by Jacksons Nature Works dated 6 April 2021, section 4. Recommendations, part 4f, 4g, 4h, and 4i, incorporating the following:

- i) layout of the development, including existing and proposed underground services,
- ii) location of all trees identified for retention, including extent of canopy,
- iii) access routes throughout the site for construction activity,
- iv) location of tree protection fencing / barriers,
- v) root protection in the form of mulching or boards proposed within the tree protection zone,
- vi) trunk and branch protection within the tree protection zone,
- vii) location of stockpile areas and materials storage,
- viii) inspection hold points,
- ix) other general tree protection measures.

c) Tree protection methods are to be in accordance with AS4970-2009 Protection of Trees on Development Sites.

Reason: Tree protection.

27. Driveway Design near trees to be retained

The driveway design shall comply with the recommendations of the Addendum Arborist Report prepared by Jacksons Nature Works dated 6 April 2021, in accordance with the recommendations as listed in section 3 Discussions, part A, item 5 Conclusions, to be undertaken in the design and construction of the driveway.

Driveway structural layout plans and details shall be developed in co-ordination with an Arborist with AQF minimum Level 5 qualifications in arboriculture, and a qualified Structural Engineer.

The Arborist shall review, comment, recommend design revision as required and approve the design, to ensure the structural design will be manageable in terms of tree protection measures.

The Arborist shall submit certification to the Certifying Authority, that the driveway design is accepted, prior to the issue of a Construction Certificate.

Reason: Existing Turpentine (tree 7) protection.

28. Pier footing design near trees to be retained

Pier footing structural design shall be utilised to support wall construction for apartments G01 and 101 where the building works are within the structural root zone of existing tree 8 - Turpentine.

Pier footing structural layout plans and details shall be developed in co-ordination with an Arborist with AQF minimum Level 5 qualifications in arboriculture, and a qualified Structural Engineer. The Arborist shall review, comment, recommend design revision as required and approve the pier footing layout, to ensure the locations of piers will be manageable in terms of tree protection measures.

The Arborist shall submit certification to the Certifying Authority, that the location(s) of the pierfooting(s) is accepted. The agreed pier footing structural layout plans shall be submitted to the Certifying Authority for approval prior to the issue of a Construction Certificate. Reason: Existing Turpentine (tree 8) protection.

29. **Pre-commencement Dilapidation Report**

The applicant must prepare and submit a pre-commencement dilapidation report providing an accurate record of the existing condition of adjoining public property and public infrastructure (including roads, gutter, footpaths, etc). A copy of the report must be provided to Council, any other owners of public infrastructure and the owners of adjoining and affected private properties.

The pre-construction / demolition dilapidation report must be submitted to Council for written approval and the written approval is then to be submitted to the Certifying Authority prior to the issue of the any Construction Certificate and the commencement of any works including demolition.

Reason: Protection of Council's infrastructure during construction.

30. **Project Ecologist**

A Project Ecologist is to be employed for the duration of the approved works to ensure all biodiversity protection measures are carried out according to these conditions of consent. The Project Ecologist must have one of the following memberships/accreditation:

- Practising member of the NSW Ecological Consultants Association OR
- Biodiversity Assessment Method assessor accreditation under the NSW Biodiversity Conservation Act 2016

Evidence of engagement is to be provided to the Certifying Authority prior to issue of the Construction Certificate.

Reason: To ensure compliance with biodiversity-related conditions of consent.

31. **Sydney Water "Tap In"**

The approved plans must be submitted to the Sydney Water Tap in service, prior to works commencing, to determine whether the development will affect any Sydney Water assets and/or easements. The appropriately stamped plans must then be submitted to the Certifying Authority demonstrating the works are in compliance with Sydney Water requirements.

Please refer to the website www.sydneywater.com.au for:

- i "Tap in" details - see <http://www.sydneywater.com.au/tapin>
- i Guidelines for Building Over/Adjacent to Sydney Water Assets.

Or telephone 13 000 TAP IN (1300 082 746).

Reason: To ensure compliance with the statutory requirements of Sydney Water.

32. **Construction of pram ramps**

The applicant shall construct pram ramps on either side of Bardo Road east of the

King Street intersection to provide a continuous, convenient and safe pedestrian access route to the designated bus stops on Gladstone St for seniors and people with disabilities.

A plan demonstrating the construction of the pram ramps in accordance with Australian Standards AS1742 and relevant RMS supplements shall be prepared by a suitably qualified person and submitted to and approved by the Council prior to the issue of Construction Certificate.

The above pram ramps and any associated footpath modifications are to be constructed by the applicant at no cost to Council.

Reason: To provide a safe and convenient pedestrian access to public transport in compliance with the SEPP requirements (DACTRCPC1)

33. Bus stops upgrade

The designated bus stops in Gladstone Street are to be upgraded to DDA bus stops for convenient utilisation by seniors and people with disabilities. Plans demonstrating the details in compliance with the relevant standards is to be submitted and approved by Council prior to the issue of Construction Certificate. The applicant is to implement the bus stops upgrade at no cost to Council.

Reason: To provide a convenient access to public transport (DACTRCPC2)

34. Waste and Recycling Requirements

Details demonstrating compliance with Northern Beaches Waste Management Guidelines, are to be submitted to and approved by the Certifying Authority prior to the issue of any Construction Certificate.

Note: If the proposal, when compliant with the Northern Beaches Waste Management Guidelines, causes inconsistencies with other parts of the approval i.e. architectural or landscaped plans, a modification(s) to the development may be required.

Reason: To ensure adequate and appropriate waste and recycling facilities are provided.

CONDITIONS THAT MUST BE ADDRESSED PRIOR TO ANY COMMENCEMENT

35. Project Arborist

A Project Arborist with minimum AQF Level 5 in arboriculture shall be engaged to provide tree protection measures in accordance with Australian Standard 4970-2009 Protection of Trees on Development Sites. The Project Arborist is to specify and oversee all tree protection measures such as tree protection fencing, trunk and branch protection, and ground protection.

The Project Arborist is to supervise all demolition, excavation and construction works near all trees to be retained, including construction methods near the existing trees to protect tree roots, trunks, branches and canopy. Where required, manual excavation is to occur ensuring no tree root at or >25mm (Ø) is damaged by works, unless approved by the Project Arborist.

Existing ground levels shall be maintained within the tree protection zone of trees to be retained, unless authorised by the Project Arborist.

All tree protection measures specified must:

- a) be in place before work commences on the site, and
- b) be maintained in good condition during the construction period, and
- c) remain in place for the duration of the construction works.

Note: i) A separate permit or development consent may be required if the branches or roots of a protected tree on the site or on an adjoining site are required to be pruned or removed.

ii) Any potential impact to trees as assessed by the Project Arborist will require redesign of any approved component to ensure existing trees upon the subject site and adjoining properties are preserved and shall be the subject of a modification application where applicable.

Reason: Tree protection.

36. Tree Removal Within the Property

This consent approves the removal of the following tree(s) within the property (as recommended in the Arboricultural Impact Assessment prepared by Jacksons Nature Works dated 16 March 2021):

- i) tree 1 - Evergreen Ash, tree 5 - Turpentine, tree 9 - Swamp Mahogany, tree 11 - Turpentine, tree 14 - Turpentine, and tree 15 – Turpentine.

Note: Exempt Species as listed in the Development Control Plan or the Arboricultural Impact Assessment do not require Council consent for removal, including:

- ii) tree 6 - Maple (exempt by height), and tree 10 - Old Man Banksia (exempt by height).

Reason: To enable authorised building works.

37. Dead or Injured Wildlife

If construction activity associated with this development results in injury or death of a native mammal, bird, reptile or amphibian, a registered wildlife rescue and rehabilitation organisation must be contacted for advice.

Reason: To protect native wildlife.

38. Protection of Natural Features

All natural landscape features, including any rock outcrops, native vegetation and/or watercourses, are to remain undisturbed during the construction works, except where affected by necessary works detailed on approved plans.

Reason: To protect wildlife habitat.

39. **Tree Hollow Inspection by Ecologist**

All tree hollows proposed for clearing are to be inspected by the Project Ecologist prior to removal. Inspection of tree hollows is to be facilitated by a qualified tree climber or arborist with the use of an elevated work platform where necessary.

The Project Ecologist is to provide written certification of compliance to the Principal Certifying Authority prior to commencement of tree removals.

Reason: To protect native wildlife.

40. **Fauna and Tree Hollow Relocation**

The Project Ecologist is to be present to:

- a) relocate any displaced fauna that may be disturbed during any tree clearance and/or construction works; and
- b) direct the project arborist to salvage any tree hollows within the development area and place them within areas of retained native vegetation on the site.

Reason: To protect native wildlife.

41. **Pre-Construction Dilapidation Report**

Dilapidation reports, including photographic surveys, of the following adjoining properties must be provided to the Principal Certifying Authority prior to any works commencing on the site (including demolition or excavation). The reports must detail the physical condition of those properties listed below, both internally and externally, including walls, ceilings, roof, structural members and other similar items.

Property / Properties: 52 & 56 Bardo Road, Newport.

The dilapidation report is to be prepared by a suitably qualified person. A copy of the report must be provided to Council, the Principal Certifying Authority and the owners of the affected properties prior to any works commencing.

In the event that access for undertaking the dilapidation report is denied by an adjoining owner, the applicant must demonstrate, in writing that all reasonable steps have been taken to obtain access. The Principal Certifying Authority must be satisfied that the requirements of this condition have been met prior to commencement of any works.

Note: This documentation is for record keeping purposes and may be used by an applicant or affected property owner to assist in any action required to resolve any civil dispute over damage arising from the works.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the commencement of any works on site.

Reason: To maintain proper records in relation to the proposed development.

42. Ecologist to Induct Site Manager

Prior to commencement of construction works, the project ecologist is to meet with the site manager to:

- a) advise of conditions to be implemented for protection of relevant threatened species and endangered ecological communities;
- b) ensure that all workers are appropriately briefed on required protective measures; and
- c) inspect protective measures to confirm their adequacy and advise the proponent and site manager of the inspection results and their implications.

Reason: To prevent impacts to threatened species, endangered ecological communities and their habitats in accordance with the Biodiversity Conservation Act 2016.

CONDITIONS TO BE COMPLIED WITH DURING DEMOLITION AND BUILDING WORK**43. Protection of Existing Street Trees**

All existing street trees in the vicinity of the works shall be retained during all construction stages and the street trees fronting the development site shall be protected by tree protection fencing in accordance with Australian Standard 4687-2007 Temporary Fencing and Hoardings and in accordance with Section 4 of Australian Standard 4970-2009 Protection of Trees on Development Sites.

As a minimum, the tree protection fencing for street tree(s) fronting the development site shall consist of standard 2.4m panel length to four sides unless otherwise directed by an Arborist with minimum AQF Level 5 in arboriculture.

All fencing shall be located to allow for unrestricted and safe pedestrian access upon the road verge.

Should any problems arise with regard to the existing or proposed trees on public land during construction, Council's Tree Services section is to be contacted immediately to resolve the matter to Council's satisfaction and at the cost of the applicant.

Reason: Tree protection.

44. Tree and Vegetation Protection

a) Existing trees and vegetation shall be retained and protected, including:

- i) all trees and vegetation within the site not approved for removal,
- ii) all trees and vegetation located on adjoining properties,
- iii) all road reserve trees and vegetation.

b) Tree protection shall be undertaken as follows:

- i) tree protection shall be in accordance with Australian Standard 4970-2009 Protection of Trees on Development Sites, including the provision of temporary fencing to protect existing trees within 5 metres of development,

- ii) existing ground levels shall be maintained within the tree protection zone of trees to be retained, unless authorised by an Arborist with minimum AQF Level 5 in arboriculture,
 - iii) removal of existing tree roots at or >25mm (Ø) diameter is not permitted without consultation with an Arborist with minimum AQF Level 5 in arboriculture,
 - iv) no excavated material, building material storage, site facilities, nor landscape materials are to be placed within the canopy dripline of trees and other vegetation required to be retained,
 - v) structures are to bridge tree roots at or >25mm (Ø) diameter unless directed by an Arborist with minimum AQF Level 5 in arboriculture on site,
 - vi) excavation for stormwater lines and all other utility services is not permitted within the tree protection zone, without consultation with an Arborist with minimum AQF Level 5 in arboriculture including advice on root protection measures,
 - vii) should either or all of v) or vi) occur during site establishment and construction works, an Arborist with minimum AQF Level 5 in arboriculture shall provide recommendations for tree protection measures. Details including photographic evidence of works undertaken shall be submitted by the Arborist to the Certifying Authority,
 - viii) any temporary access to, or location of scaffolding within the tree protection zone of a protected tree or any other tree to be retained during the construction works is to be undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of Australian Standard 4970-2009 Protection of Trees on Development Sites,
 - ix) the activities listed in section 4.2 of Australian Standard 4970-2009 Protection of Trees on Development Sites shall not occur within the tree protection zone of any tree on the lot or any tree on an adjoining site,
 - x) tree pruning from within the site to enable approved works shall not exceed 10% of any tree canopy, and shall be in accordance with Australian Standard 4373-2007 Pruning of Amenity Trees,
 - xi) the tree protection measures specified in this clause must: i) be in place before work commences on the site, and ii) be maintained in good condition during the construction period, and iii) remain in place for the duration of the construction works.
- c) Tree protection shall specifically be undertaken in accordance with the recommendations in the Arboricultural Impact Assessment prepared by Jacksons Nature Works dated 16 March 2021, and the Addendum Arborist Report prepared by Jacksons Nature Works dated 6 April 2021.

The Certifying Authority must ensure that:

- d) The arboricultural works listed in c) are undertaken and certified by an Arborist as compliant to the recommendations of the Arboricultural Impact Assessment.
- e) The activities listed in section 4.2 of Australian Standard 4970-2009 Protection of Trees on Development Sites, do not occur within the tree protection zone of any tree, and any temporary access to, or location of scaffolding within the tree protection zone of a protected tree, or any other tree to be retained on the site during the construction, is undertaken using the protection measures specified in sections 4.5.3 and 4.5.6 of that standard.

Note: All street trees within the road verge and trees within private property are protected under Northern Beaches Council development control plans, except where Council's written consent for removal has been obtained. The felling,

lopping, topping, ringbarking, or removal of any tree (s) is prohibited.

Reason: Tree and vegetation protection.

45. Condition of Trees

During the construction period the applicant is responsible for ensuring all existing trees required to be retained are maintained in a healthy and vigorous condition. This is to be done by ensuring that all identified tree protection measures are adhered to or by seeking arboricultural advice from an Arborist with minimum AQF Level 5 in arboriculture during the works.

In this regard all protected trees shall not exhibit:

- i) a general decline in health and vigour,
- ii) damaged, crushed or dying roots due to poor pruning techniques,
- iii) more than 10% loss or dieback of roots, branches and foliage,
- iv) mechanical damage or bruising of bark and timber of roots, trunk and branches,
- v) yellowing of foliage or a thinning of the canopy untypical of its species,
- vi) an increase in the amount of deadwood not associated with normal growth,
- vii) an increase in kino or gum exudation,
- viii) inappropriate increases in epicormic growth that may indicate that the plants are in a stressed condition,
- ix) branch drop, torn branches and stripped bark not associated with natural climatic conditions.

Any mitigating measures and recommendations required by the Arborist are to be implemented.

The owner of the adjoining allotment of land is not liable for the cost of work carried out for the purpose of this clause.

Reason: Protection of trees.

46. Survey Certificate

A survey certificate prepared by a Registered Surveyor at the following stages of construction:

(a) Commencement of perimeter walls columns and or other structural elements to ensure the wall or structure, to boundary setbacks are in accordance with the approved details.

(b) At ground level to ensure the finished floor levels are in accordance with the approved levels, prior to concrete slab being poured/flooring being laid.

(c) At completion of the roof frame confirming the finished roof/ridge height is in accordance with levels indicated on the approved plans.

Details demonstrating compliance are to be submitted to the Principal Certifying

Authority.

Reason: To determine the height of buildings under construction comply with levels shown on approved plans.

47. **Footpath Construction**

The applicant shall reconstruct the concrete footpath for the full frontage of the site. The works shall be in accordance with the following:

- (a) Council's standard engineering details,
- (b) Council is to inspect the formwork prior to pouring of concrete to ensure the works are in accordance with Council's standard details. Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to issue of the occupation certificate.

Reason: To ensure compliance of footpath works with Council's specification for engineering works.

48. **Notification of Inspections (infrastructure works to be handed over to Council)** Council's Development Engineer is to be given 48 hours notice when the works reach the following stages:

- (a) Prior to backfilling of pipelines within the footpath area.
- (b) Prior to pouring of stormwater gully pits
- (c) Prior to pouring of new footpath/kerb and gutter

NOTE: Any inspections carried out by Council do not imply Council approval or acceptance of the work, and do not relieve the developer/applicant from the requirement to provide an engineer's certification.

Reason: To ensure new Council infrastructure is constructed in accordance with Auspec 1 Council's design and specification standards.

49. **Traffic Control During Road Works**

Lighting, fencing, traffic control and advanced warning signs shall be provided for the protection of the works and for the safety and convenience of the public and others in accordance with RMS Traffic Control At Work Sites Manual (<http://www.rms.nsw.gov.au/business-industry/partners-suppliers/documents/technical-manuals/tcws-version-4/tcwsv4i2.pdf>) and to the satisfaction of the Roads Authority. Traffic movement in both directions on public roads, and vehicular access to private properties is to be maintained at all times during the works

Reason: Public Safety.

50. **Vehicle Crossings**

The Applicant is to construct one vehicle crossing 4.5 metres wide in accordance with Northern Beaches Council Drawing No A4-3330/ Normal/Low and the driveway levels application

approval. An Authorised Vehicle Crossing Contractor shall construct the vehicle crossing and associated works within the road reserve in plain concrete. All redundant laybacks and crossings are to be restored to footpath/grass. Prior to

the pouring of concrete, the vehicle crossing is to be inspected by Council and a satisfactory "Vehicle Crossing Inspection" card issued.

A copy of the vehicle crossing inspection form is to be submitted to the Principal Certifying Authority.

Reason: To facilitate suitable vehicular access to private property.

51. Project Arborist

The Project Arborist shall be in attendance and supervise all works as nominated in the Arboricultural Impact Assessment, including:

- i) all excavation works near existing trees 4, 7, 8, 12 and 13,
- ii) all construction footings, slabs and piers near existing trees 4, 7, 8, 12 and 13,
- iii) all stormwater works (pit and lines) near existing trees 7 and 8, including final alignment of the stormwater underground lines,
- iv) any excavation near existing trees within the road reserve and within adjoining properties,
- v) all excavation for front timber batten fence works near existing tree 4,
- vi) selection of alignment of front timber batten fence and location of pier footings near existing tree 4.

The Project Arborist shall provide certification to the Certifying Authority that all recommendations listed above for the protection of the existing tree(s) have been carried out satisfactorily to ensure no impact to the health of the tree(s).

Photographic documentation of the condition of all trees to be retained shall be recorded, including at commencement, during the works and at completion.

Reason: Tree protection.

52. Waste/Recycling Requirements (Waste Plan Submitted)

During demolition and/or construction the proposal/works shall be generally consistent with the submitted Waste Management Plan titled dated [INSERT].

Reason: To ensure waste is minimised and adequate and appropriate waste and recycling facilities are provided.

53. Waste/Recycling Requirements (Materials)

During demolition and/or construction the following materials are to be separated for recycling: timber, bricks, tiles, plasterboard, metal, concrete, and evidence of disposal for recycling is to be retained on site.

Reason: To ensure waste is minimised and recovered for recycling where possible.

CONDITIONS WHICH MUST BE COMPLIED WITH PRIOR TO THE ISSUE OF THE OCCUPATION CERTIFICATE

54. Landscape Completion

Landscape works are to be completed in accordance with the approved Landscape Plans listed in Condition 1.

55.

Prior to the issue of an Occupation Certificate, details from a landscape architect or landscape designer shall be submitted to the Certifying Authority, and shall certify that the landscape works have been completed in accordance with the approved Landscape Plans and any conditions of consent.

Reason: Environmental amenity.

56. **Condition of Retained Vegetation - Project Arborist**

Prior to the issue of any Occupation Certificate a report prepared by the project arborist shall be submitted to the Certifying Authority assessing the health and impact on all existing trees required to be retained including the following information:

- a) compliance to any Arborist recommendations for tree protection generally and during excavation works,
- b) extent of damage sustained by vegetation as a result of the construction works,
- c) any subsequent remedial works required to ensure the long term retention of the vegetation.

Reason: Tree protection.

57. **Tree Removal Protocol to be Certified as Completed**

The Project Ecologist is to provide written and photographic evidence of implementation and completion of the Tree Removal Protocol to the Principal Certifying Authority prior to issue of Occupation Certificate.

Reason: To protect native wildlife.

58. **Post-Construction Road Reserve Dilapidation Report (Major Development)**

The applicant must bear the cost of all restoration works to Council's road, footpath and drainage assets damaged during the course of this development.

A Post Construction Dilapidation Report after the completion of all building works is to demonstrate that there is no damage to Council infrastructure prior to the refund of any security deposits.

Reason: To ensure security against possible damage to Council property.

59. **Post-Construction Dilapidation Report**

Post-Construction Dilapidation Reports, including photos of any damage evident at the time of inspection, must be submitted after the completion of works. The report must:

- i Compare the post-construction report with the pre-construction report,
- i Clearly identify any recent damage and whether or not it is likely to be the result of the development works,
- i Should any damage have occurred, suggested remediation methods.

Copies of the reports must be given to the property owners referred to in the Pre-Construction Dilapidation Report Condition. Copies must also be lodged with Council.

Details demonstrating compliance with this condition are to be submitted to the Principal Certifying Authority prior to the issuing of any Occupation Certificate.

Reason: To maintain proper records in relation to the proposed development.

60. **Positive Covenant and Restriction as to User for On-site Stormwater Disposal Structures**

The Applicant shall lodge the Legal Documents Authorisation Application with the original completed request forms (NSW Land Registry standard forms 13PC and/or 13RPA) to Council and a copy of the Works-as-Executed plan (details overdrawn on a copy of the approved drainage plan), hydraulic engineers' certification.

The Applicant shall create on the Title a restriction on the use of land and a positive covenant in respect to the ongoing maintenance and restriction of the on-site stormwater disposal structures within this development consent. The terms of the positive covenant and restriction are to be prepared to Council's standard requirements at the applicant's expense and endorsed by Northern Beaches Council's delegate prior to lodgement with the NSW Land Registry Services. Northern Beaches Council shall be nominated as the party to release, vary or modify such covenant.

A copy of the certificate of title demonstrating the creation of the positive covenant and restriction for on-site storm water detention as to user is to be submitted.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of final Occupation Certificate.

Reason: To ensure the on-site stormwater disposal system is maintained to an appropriate operational standard.

61. **Geotechnical Certification Prior to Occupation Certificate**

The Applicant is to submit the completed Form 3 of the Geotechnical Risk Management Policy (Appendix 5 of P21 DCP) to the Principal Certifying Authority prior to issue of the Occupation Certificate.

Reason: To ensure geotechnical risk is mitigated appropriately.

62. **On site stormwater detention /water management certification**

The Applicant shall submit a certificate from the design engineer that the stormwater drainage works /on site detention tank have been constructed/installed in accordance with the approved construction certificate plans. The engineer is to also certify that a 250mm air gap has been provided between the above habitable floor and below OSD tank lid as detailed in the design plans.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of the final Occupation Certificate.

Reason: To ensure appropriate provision for the disposal of stormwater

arising from the development.

63. **Weed Management**

All Priority weeds specified in the Northern Beaches Local Weed Management Plan 2019 – 2023) and any environmental weeds on the subject site are to be appropriately controlled following construction works. The Project Ecologist is to certify compliance in writing and provide evidence of certification to the Principal Certifying Authority prior to issue of any Occupation Certificate.

Reason: Weed management.

64. **Installation of Nest Boxes**

At least three nest boxes designed to suit species likely to be found on site are to be appropriately installed in trees not affected by development. Nest box installation is to be certified by an Ecological Consultant / Project Ecologist as being complete and adequate and written evidence provided to the Certifying Authority prior to any Occupation Certificate.

Reason: Wildlife habitat replacement.

65. **Garbage and Recycling Facilities**

All internal walls of the waste rooms shall be rendered to a smooth surface, coved at the floor/wall intersection, graded and appropriately drained to the sewer with a tap in close proximity to facilitate cleaning. Waste room floors shall be graded and drained to an approved Sydney Water drainage system.

Waste rooms shall be clear of any other services or utilities infrastructure such as gas, electricity air-conditioning, plumbing, piping ducting or equipment.

Reason: To prevent pollution of the environment, provide a safe workplace for contractors and residents and to protect the amenity of the area.

66. **Fire Safety Matters**

At the completion of all works, a Fire Safety Certificate will need to be prepared which references all the Essential Fire Safety Measures applicable and the relative standards of Performance (as per Schedule of Fire Safety Measures). This certificate must be prominently displayed in the building and copies must be sent to Council and the NSW Fire Brigade.

Details demonstrating compliance are to be submitted to the Certifying Authority prior to the issue of the Interim / Final Occupation Certificate.

Each year the Owners must send to the Council and the NSW Fire Brigade an annual Fire Safety Statement which confirms that all the Essential Fire Safety Measures continue to perform to the original design standard.

Reason: Statutory requirement under Part 9 Division 4 & 5 of the Environmental Planning and Assessment Regulation 2000.

67. **Waste and Recycling Facilities Certificate of Compliance**

The proposal shall be constructed in accordance with the Northern Beaches Waste Management Guidelines.

Details demonstrating compliance are to be submitted to the Principal Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure waste and recycling facilities are provided.

68. Waste/Recycling Compliance Documentation

Evidence of disposal for recycling from the construction/demolition works shall be submitted to the Certifying Authority prior to the issue of any interim / final Occupation Certificate.

Reason: To ensure waste is minimised and recycled.

69. Positive Covenant for Council and Contractor Indemnity

A positive covenant shall be created on the title of the land prior to the issue of an Interim/Final Occupation Certificate requiring the proprietor of the land to provide access to the waste storage facilities. The terms of the positive covenant are to be prepared to Council's requirements, (Appendix E of the Waste Management Guidelines), at the applicant's expense and endorsed

by Council prior to lodgement with NSW Land Registry Services. Northern Beaches Council shall be nominated as the party to release, vary or modify such covenant.

Reason: To ensure ongoing access for servicing of waste facilities.

70. Authorisation of Legal Documentation Required for Waste Services

The original completed request form (NSW Land Registry Services form 13PC) must be submitted to Council for authorisation prior to the issue of the Interim/Final Occupation Certificate. A copy of the work-as-executed plan (details overdrawn on a copy of the approved plan) must be included with the above submission. Where required by Council or the Certifying Authority, a Compliance Certificate shall also be provided in the submission to Council.

If Council is to issue the Compliance Certificate for these works, the fee is to be in accordance with Council's Fees and Charges.

Reason: To create encumbrances on the land.

ON-GOING CONDITIONS THAT MUST BE COMPLIED WITH AT ALL TIMES

71. Landscape Maintenance

If any landscape materials/components or planting under this consent fails, they are to be replaced with similar materials/components. Trees, shrubs and groundcovers required to be planted under this consent are to be mulched, watered and fertilised as required at the time of planting.

If any tree, shrub or groundcover required to be planted under this consent fails, they are to be replaced with similar species to maintain the landscape theme and be generally in accordance with the approved Landscape Plan and any conditions of consent.

For all new residential works with two or more dwellings and mixed use

developments, amaintenance activity schedule for on-going maintenance of planters on slab shall be incorporated to monitor and replenish soil levels as a result of soil shrinkage over time.

All weeds are to be removed and controlled in accordance with the NSW

Biosecurity Act 2015.Reason: To maintain local environmental amenity.

72. **Access from the waste storage area to the collection point**

Access from the waste storage area to the collection point must be via a flat smooth path with anon-slip surface, minimum width of 1.2m and a maximum gradient of 1 in 8.

Reason: To ensure ongoing access to waste bins for both residents (including residents inwheelchairs) and for servicing of waste facilities.