

03/02/2021

Project Number: 200650

## **STORMWATER MANAGEMENT REPORT**

at

**NARRABRI SOLAR FARM | 115 AIRPORT ROAD NARRABRI**

for

**PROVIDENCE ASSET GROUP**

**Project No. 200650**

**Revision: B – Reissued for DA**

## TABLE OF CONTENTS

|        |   |     |
|--------|---|-----|
| 1.     | Introduction                            | 3   |
| 2.     | Site Description & Proposed Development | 4   |
| 3.     | Council Requirements                    | 6   |
| 4.     | Water Quantity Analysis                 | 7   |
| 4.1.   | <i>Overview</i>                         | 7   |
| 4.2.   | <i>Photovoltaic Array</i>               | 8   |
| 4.2.1. | <i>Pre-Development Peak Flows</i>       | 8   |
| 4.2.2. | <i>Post-Development Peak Flows</i>      | 9   |
| 4.2.3. | <i>Conclusion</i>                       | 10  |
| 4.3.   | <i>Gravel / Hardstand Area</i>          | 111 |
| 4.3.1. | <i>Pre-Development Peak Flows</i>       | 11  |
| 4.3.2. | <i>Post-Development Peak Flows</i>      | 111 |
| 4.3.3. | <i>Conclusion</i>                       | 12  |
| 5.     | Conclusion                              | 13  |

## **1. Introduction**

DRB Consulting Engineers (DRB) were engaged by Providence Asset Group Pty Ltd to undertake a Stormwater Management Plan for the proposed Narrabri Solar Farm, located within LOT 489 DP 754944 Airport Road, Narrabri NSW.

This report will provide commentary on the impact the proposed development will have on the existing site with regard to stormwater quantity.

It should be noted that, this report has been prepared to a level suitable for Development Application only.

This report should be read in conjunction with the Concept Stormwater Management plans 200650/CIV01-03.

## 2. Site Description & Proposed Development

The site is located at Airport Road, Narrabri. The site is located on the eastern side of Airport Road and is identified as Lot 489 DP 754944.

The proposed Narrabri Solar Farm will be located in the southern portion of the site, known as the Investigation Area (IA).

At the time of this investigation, the IA was a vacant rural parcel of land approximately 14.8 Ha in area. The IA had a good grass coverage and sloped from the southeast to the northwest at slopes of approximately 0.3%.

115 Airport Road Narrabri had an existing watercourse running through the central portion of the lot. During rainfall events, surface runoff from the IA would sheet flow towards the existing watercourse.

Figure 1 below shows the existing site and investigation area.




Figure 1 – Existing Site Boundaries

The proposed Solar Farm layout can be seen in Figure 2 below.




Figure 2 – Proposed Solar Farm

### 3. Council Requirements

A review of Narrabri Shire Council's Development Plan did not provide guidance on developments of this nature. As such, based on previous experience of design of solar farms, we propose to:

- *Limit the Post-Development flow rates from the proposed development to the Pre-Development flow rates for all storm events up to and including the 1 in 100 year storm event.*

Furthermore, the site must discharge legally without causing nuisance flows onto neighbouring properties.

#### 4. Water Quantity Analysis (Onsite Stormwater Detention)

##### 4.1. Overview

The proposed development area has been split into two separate catchments for the assessment of Stormwater Quantity; the Photovoltaic Array stage and the Gravel / Hardstand catchments. Figure 3 below shows the proposed catchment boundaries.



Figure 3 – Proposed Catchment Boundaries



#### 4.2. Photovoltaic Array

The Photovoltaic Array will consist of 142 x Ground Mounted Single Axis Trackers. The array structure will be steel pile supported and will have approximately 600mm clearance above the existing ground surface.

##### 4.2.1. Pre-Development Peak Flows

The catchment characteristics for the Pre-Development catchment area can be seen in Table 1 below:

| Construction Stage                              | Parameter                  |                          |
|---|----------------------------|--------------------------|
| Photovoltaic Array Catchment<br>Pre-Development | Sub-Catchment Area         | 88,887.80 m <sup>2</sup> |
|   | Percentage Impervious      | 0 %                      |
|   | Flowpath Length            | 464 m                    |
|   | Flowpath Slope             | 0.3 %                    |
|   | Retardance Coefficient 'n' | 0.075                    |

Table 1 – Existing Catchment Parameters

A DRAINS model was developed to determine the pre-development peak flow rates. The DRAINS model used the *ARR 2019 Initial loss - Continuing loss (IL-CL) hydrological model* and 2016 IFD data. The Hydrological model parameters were determined using the ARR data hub and can be seen in Figure 4 below.




Figure 4 – Hydrological Model Parameters



The model was developed for the 1 EY (Exceedances per year), 10% AEP (Annual Exceedance Probability) and 1% AEP events and analysed the following storm durations.

|            |            |          |
|------------|------------|----------|
| 5 minutes  | 45 minutes | 9 hours  |
| 10 minutes | 1 hour     | 12 hours |
| 15 minutes | 2 hours    | 18 hours |
| 20 minutes | 3 hours    | 24 hours |
| 25 minutes | 4.5 hours  |          |
| 30 minutes | 6 hours    |          |

The Results of the DRAINS model can be seen below in Table 2.

| <b>Construction Stage</b>    | <b>Storm Event<br/>(Exceedance Probability /<br/>Annual Exceedance Probability)</b> | <b>Peak Flow</b>        |
|------------------------------|---|-------------------------|
| Photovoltaic Array Catchment | 1EY   | 0.122 m <sup>3</sup> /s |
| Pre-Development              | 10% AEP   | 0.577 m <sup>3</sup> /s |
|                              | 1% AEP  | 1.260 m <sup>3</sup> /s |

Table 2 – Pre-Development Peak Flow

#### 4.2.2. Post-Development Peak Flows

The Post-Development site conditions can be summarised below:

- (i) The proposed arrays will be at varying angles, however, in a worst-case runoff scenario, it is assumed the arrays are horizontal to the existing ground surface level.
- (ii) Runoff from the proposed arrays will fall immediately on to the untouched natural ground surface.
- (iii) The pervious area under the arrays will not receive direct rainfall, however, it will be available for both initial and continuing loss for the runoff of the array immediately upslope.


The catchment characteristics for the Post-Development catchment area can be seen in Table 3 below:

| <b>Construction Stage</b>    | <b>Parameter</b>           |                          |
|------------------------------|----------------------------|--------------------------|
| Photovoltaic Array Catchment | Sub-Catchment Area         | 88,887.80 m <sup>2</sup> |
| Post-Development             | Percentage Impervious      | 36.1 %                   |
|                              | Flowpath Length            | 464 m                    |
|                              | Flowpath Slope             | 0.3 %                    |
|                              | Retardance Coefficient 'n' | 0.075                    |

Table 3 – Proposed Development Catchment Parameters

To replicate the proposed site conditions and consider the available pervious areas located underneath the proposed arrays, the Pervious Area Initial and Continuing Loss was factored up by 1.565. This allowed the total pervious area to be included in the assessment.

The Hydrological model parameters used in the Post-Development model can be seen in Figure 5 below.



**Initial Loss - Continuing Loss Model**

Model Name:

Impervious Area Initial Loss (mm):

Impervious Area Continuing Loss (mm/hr):

Pervious Area Initial Loss (mm):

Pervious Area Continuing Loss (mm/hr):

For overland flow use:

☐ Friend's equation

☒ Kinematic wave equation

Note: The overland flow equation is only used if you choose to specify more detailed catchment data.

OK Cancel Help

Figure 5 – Hydrological Model Parameters

The Results of the DRAINS model can be seen below in Table 4.

| Construction Stage | Storm Event<br>(Exceedance Probability /<br>Annual Exceedance Probability) | Pre-<br>Development<br>Peak Flow | Post-<br>Development<br>Peak Flow | Difference                |
|--------------------|--|----------------------------------|-----------------------------------|---------------------------|
| Photovoltaic Array | 1EY  | 0.122 m <sup>3</sup> /s          | 0.101 m <sup>3</sup> /s           | - 0.021 m <sup>3</sup> /s |
| Catchment 1        | 10% AEP  | 0.577 m <sup>3</sup> /s          | 0.437 m <sup>3</sup> /s           | - 0.140 m <sup>3</sup> /s |
| Post-Development   | 1% AEP   | 1.260 m <sup>3</sup> /s          | 1.010 m <sup>3</sup> /s           | - 0.250 m <sup>3</sup> /s |

Table 4 – Post-Development Peak Flow

#### 4.2.3. Conclusion

By discharging the runoff from proposed Photovoltaic Array's directly to the existing ground surface and maintaining the existing natural surface levels and travel paths the proposed development area catchment limited the increase to peak runoff to negligible values, and reduced the peak runoff during the 1% AEP.

#### 4.3. Gravel / Hardstand Area

The Gravel / Hardstand Area includes the proposed roads, gravel laydown area and temporary buildings located within the Investigation Area.

It is proposed that runoff from this area will be captured within a roadside swale used to convey these flows to a new above ground onsite stormwater detention basin. The basin will then reduce flows to the pre-development levels.

##### 4.3.1. Pre-Development Peak Flows

The catchment characteristics for the Pre-Development catchment area can be seen in Table 5 below:

| <b>Catchment</b> | <b>Parameter</b>           |                         |
|------------------|----------------------------|-------------------------|
| Pre-Developed    | Sub-Catchment Area         | 6,225.40 m <sup>2</sup> |
|                  | Percentage Impervious      | 0.0 %                   |
|                  | Flowpath Length            | 97 m                    |
|                  | Flowpath Slope             | 0.6 %                   |
|                  | Retardance Coefficient 'n' | 0.013                   |

Table 5 – Existing Catchment Parameters

A DRAINS model was developed to determine the pre-development peak flow rates. The DRAINS model used the *ARR 2019 Initial loss - Continuing loss (IL-CL) hydrological model* and 2016 IFD data. The Hydrological model parameters were determined using the ARR data hub (see Figure 4 above) and was developed for the 1 EY (Exceedances per year), 10% AEP (Annual Exceedance Probability) and 1% AEP events.

The Results of the DRAINS model can be seen below in Table 6.

| <b>Catchment</b> | <b>Storm Event<br/>(Exceedance Probability /<br/>Annual Exceedance Probability)</b> | <b>Combined Peak Flow</b> |
|------------------|---|---------------------------|
| Pre-Developed    | 1EY   | 0.014 m <sup>3</sup> /s   |
|                  | 10% AEP   | 0.101 m <sup>3</sup> /s   |
|                  | 1% AEP  | 0.212 m <sup>3</sup> /s   |

Table 6 – Pre-Development Peak Flow

##### 4.3.2. Post-Development Peak Flows

The Post-Development site conditions can be summarised below:

- (i) The proposed gravel roads and hardstand areas will be assumed to be impervious.
- (ii) A retardance coefficient of 0.013 was adopted for both the proposed gravel road and hardstand area.
- (iii) The runoff from the impervious area was treated as sheet flow along the proposed levels before being captured within a new roadside swale and conveyed to the proposed above ground onsite detention basin.

The catchment characteristics for the Post-Development catchment area can be seen in Table 7 below:

| <b>Catchment</b>                  | <b>Parameter</b>           |                         |
|-----------------------------------|----------------------------|-------------------------|
| Hardstand / Remaining Gravel Road | Sub-Catchment Area         | 6,225.40 m <sup>2</sup> |
|                                   | Percentage Impervious      | 87.2 %                  |
|                                   | Flowpath Length            | 97 m                    |
|                                   | Flowpath Slope             | 0.6 %                   |
|                                   | Retardance Coefficient 'n' | 0.013                   |

Table 7 – Proposed Development Catchment Parameters

The Gravel / Hardstand Catchment drained directly into an above ground Onsite Stormwater Detention Basin. The Basin characteristics can be seen in Table 8 below.

| <b>OSD Basin</b>       |                    |
|------------------------|--------------------|
| Basin Invert           | 216.38m AHD        |
| Basin – Top of Bank    | 216.68m AHD        |
| Low flow pipe diameter | 225mm              |
| Low flow pipe invert   | 216.38m AHD        |
| Orifice Diameter       | 130mm              |
| Base of Weir Width     | 3.50 m             |
| Base of Weir Level     | 216.60m AHD        |
| Top of Weir Width      | 7.5 m              |
| Top of Weir Level      | 216.68m AHD        |
| Basin Volume           | 142 m <sup>3</sup> |

Table 8 – Proposed OSD Basin Characteristics

The Results of the DRAINS model can be seen below in Table 9.

| <b>Storm Event</b> | <b>Pre-Dev. Peak Flow</b> | <b>Post-Dev. Peak Flow</b> | <b>Post-Dev. Peak Flow - Mitigated</b> | <b>Difference</b>         | <b>Top Water Level</b> |
|--------------------|---------------------------|----------------------------|--|---------------------------|------------------------|
| 1EY                | 0.014 m <sup>3</sup> /s   | 0.098 m <sup>3</sup> /s    | 0.014 m <sup>3</sup> /s                | 0.000 m <sup>3</sup> /s   | 216.60m AHD            |
| 10% AEP            | 0.101 m <sup>3</sup> /s   | 0.230 m <sup>3</sup> /s    | 0.099 m <sup>3</sup> /s                | - 0.002 m <sup>3</sup> /s | 216.65m AHD            |
| 1% AEP             | 0.212 m <sup>3</sup> /s   | 0.364 m <sup>3</sup> /s    | 0.207 m <sup>3</sup> /s                | - 0.005 m <sup>3</sup> /s | 216.68m AHD            |

Table 9 – Post-Development Peak Flow

It is noted that the existing dam and volume will be maintained with the proposed OSD low flow located at the existing dam water level/overflow.

#### 4.3.3. Conclusion

By discharging the runoff from proposed Gravel / Hardstand Area through the proposed OSD basin, the Post-development peak flows for the entire Investigation Area are reduced back to the Pre-development peak flow values.

## 5. Conclusion

The stormwater drainage strategy for the proposed Narrabri Solar Farm at Airport Road, Narrabri can be summarised as:

- (i) All impervious runoff from the proposed Photovoltaic Arrays will discharge to the existing ground surface where the natural flow regime will be maintained.
- (ii) Runoff from the proposed gravel/hardstand area catchment will be conveyed via sheet flow and the proposed roadside swale to the proposed above ground onsite stormwater detention basin.
- (iii) Discharge from the above ground onsite stormwater detention basin will be limited to the pre-development flow rates.

Provided the above stormwater drainage philosophy is adopted for the site, the proposed Narrabri Solar Farm will limit the Post-Development peak flows to Pre-Development flow rates for the 1 EY, 10% AEP and 1% AEP events.

Should you require any further advice or clarification of any of the above, please do not hesitate to contact us.

Yours faithfully

DRB CONSULTING ENGINEERS PTY LIMITED



**Mathew McNamara**  
BEng (Civil) Hons MIE Aust