


GROUND



LEVEL 1



LEVEL 2



LEVEL 3 - 8

## <u>LEGEND</u>

MINIMUM 2 HOURS SUNLIGHT TO LIVING SPACE & PRIVATE OPEN SPACE RECIEVED ON THE 21ST OF JUNE BETWEEN 9AM AND 3PM TOTAL: 143/181 = 79%

MINIMUM 15 MINUTES SUNLIGHT TO LIVING SPACE & PRIVATE OPEN SPACE RECIEVED ON THE 21ST OF JUNE BETWEEN 9AM AND 3PM TOTAL: 38/181 = 21%

## ADG DESIGN CRITERIA

LIVING ROOMS AND PRIVATE OPEN SPACES OF AT LEAST 70% OF APARTMENTS IN A BUILDING TO RECIEVE A MINIMUM OF 2 HOURS DIRECT SUNLGHT BETWEEN 9AM AND 3PM AT MID WINTER.

A MAXIMUM OF 15% OF APARTMENTS IN A BUILDING TO RECIEVE NO DIRECT SUNLIGHT BETWEEN 3AM AND 3PM AT MID WINTER.

		Rev	Date	Revis	sion	Ву	
10	25m	7 8 9 10 11 12	11.09.2020 16.09.2020 22.09.2020 17.08.2021 20.09.2021	DRAFT DA ISSUE DRAFT DA ISSUE	Bi Bi JC	R R	J
							-

2-10 LEICESTER AVE STRATHFIELD NSW 2135 Drawing Name CROSS VENTILATION ANALYSIS

Scale Sheet Size 23.09.2021 1:500 @ A1 Job No. Drawing No. DA-3201

